



Available on BuyBoard® Cooperative Purchasing

Traffic Control & Roadway Safety Products

CUSTOM PRODUCTS CORPORATION

1-800-367-1492

www.cpcsigns.com

Pages 30-31
Comprehensive Branding Program

NO HASSLE CART SERVICE

24/7 ACCESS FOR PLACING ORDERS

MY ACCOUNT MANAGEMENT TOOLS

SECURE ONLINE ACCOUNT

Notice Regarding Traffic Signs

Traffic signs depicted in this catalog will be made from ASTM Type III/IV High Intensity Prismatic Reflective on .080" thick aluminum unless otherwise noted.

Our Products Use:

3M Reflective Sheeting Products

Product Code Explanation

S3030 R11 (X) A

- **S3030** — 30" x 30" sign
- **R11** — Manual of Uniform Traffic Control Devices (MUTCD) Code
- **(X)** — Reflective Type *Must Specify When Placing Order*
- **A** — .080" Aluminum Substrate

TRAFFIC SIGNS

Traffic Signs 3-27
- *Regulatory Speed Limit • Intersection 3*
- *Parking 4-5*
- *Traffic Prohibition • Pedestrian 6*
- *Intersection & Center Lane • Passing & Guidance 6*
- *Road Closed • Weight • Bike • Dating Stickers 7*
- *Warning 8-10*
- *Guide • Route • Service • Civic 11-13*

Delineators & Object Markers 14-19
- *Brite-Max Reflectors • Enhanced Conspicuity 14-15*
- *LED Sign Alerts • Speed Radar • Arrow Boards 16-17*
- *Brite-Max Delineators • Object Markers 18-19*
- *CPC Standard Street Name Sign Checklist 20*
- *Comprehensive Street Name Sign Checklist 21*

Street Name Finished Signs & Blanks 22-23

Metro Street Name Signs • Sign Backers 24

Decals & Promotional Products 25

Routed Sign Blanks & Finished Signs 26-27

Special Legend Parking Signs 28

Semi-Custom Universal Parking Signs 28-29

CPC Comprehensive Branding Program ... 30-31

Wayfinding Program Overview 32-33

Custom Street Name Packages 34-45

OSHA • Jobsite, Building & Facility Signs .. 46-47

Posts • Brackets • Hardware 48-73
- *U-Channel Posts, Brackets & Hardware 48-51*
- *Round Posts, Brackets & Hardware 52-57*
- *Square Posts, Brackets & Hardware 58-63*
- *Manual Drive Caps, Post Drivers & Post Pullers 64*
- *JackJaw® Post Extractors 65*
- *Pneumatic (Air) , Hydraulic, Gas Post Drivers 64-66*
- *Pole Brackets • Stainless Steel Strapping Kits & Tools ... 67-69*
- *Overhead Brackets 70-71*
- *Base & Post Kits 72-73*

School Zone Safety Products 74-75
- *In Street Pedestrian Crosswalk Signage 75*

Incident Management & Personal Safety .. 76-77
- *Incident Management Kits Collapsible Cones 76*
- *Roll-Up Signs for Forest Service 76*
- *Traffic Batons • 5-P Breakaway Vests 76*
- *Standard & Compact Roll-Up Signs 77*
- *Compact Sign System • Storage Bags 77*

Construction Work Zone 78-93
- *Cones • Cone Bars • Barricade Sheeting Rolls 78*
- *Barrier Tapes 79*
- *Channelizers 79-81*
- *Barrels • Drums 80*
- *Barricades: Type I, II & III • A-Frame Barricades 80-83*
- *Construction Signs / Roll Up Signs 84-86*
- *Gemstone Vertical Panel Messaging Systems 87*
- *Sandwich/Message Boards 87*
- *Pedestrian Barriers & Barricades 88*
- *Trench Covers • Curb Ramps 89*
- *Safety Vests 89*
- *Sign Stands 90*
- *Safety Flags • SMV Emblem • Conspicuity Tape 91*
- *Barricade Lights • Light Brackets 91*
- *Vehicle Mount Sign Holders 91*
- *Hand Paddles 92-93*

Sign Shop Supplies 94-102
- *Roll Goods & Application Accessories 94-96*
- *Plastic and Wire Sign Stands 97*
- *Die Cut Letters & Numbers 97*

Substrates 96-102
- *ACM • Magnetics • License Plate Blanks 96*
- *Sandwich Boards/Corrugated Plastic/Die Cuts 97*
- *Reflective Custom Blanks 98*
- *Aluminum Sheets • Precut .040" Blanks 99*
- *Sheeted & Bare Aluminum Blanks 100-101*
- *Border Blanks • OSHA Headers 102*

Utility Safety Products 103

Pavement Markings 104-119
- *3M Raised Pavement Markers 104*
- *Ceramic Traffic Buttons & Jiggle Bars 104*
- *Traffic Buttons • Chip Seal Temp Markers 105*
- *Rumble Strips • Speed Bumps • Parking Curbs 105*
- *Marker Adhesives 105*
- *3M Stamark Pavement Markings 106*
- *Reflective Glass Beads 107*
- *Construction Grade Pavement Tape 107*
- *Inverted Tip Marking Paints, Wands and Machines 107*
- *Stencils (Words, Symbols, Arrows) 108-111*
- *Barrier, Center & Guardrail Mount Delineators 112-116*
- *Ground Mount Flex Delineators & Markers 117*
- *Tubular Markers & Tube Delineators 118-119*

SCAN QR code with Smart Phone camera to view Custom Products Corporation Terms & Conditions for Sales

3M™ MCS™ Warranty

Retro-Reflective Sheeting

Sign Product Codes in this catalog are pre-built with the best retro-reflective sheeting recommendation that considers MUTCD Compliance, Safety, and Budget Factors. Upgrades to a higher performing sheeting can be made by replacing the retro-reflective sheeting letter/number within the parenthesis (_). Diamond Grade Fluorescent Yellow upgrades are available by adding a **Y** to end of the code - Example: S2412W44APL(3)A(Y) | S3636W13R(3)A(Y)

CODE	Sheeting Name	Sheeting Description
H	3M™ High Intensity Prismatic	*The most common sheeting type for signs in America today.* Meets retro-reflectivity requirements. **ASTM Type III & IV** | Standard 3M™ 10 year warranty.
3	3M™ DG³ Diamond Grade™ Cube	*The highest performing retro-reflective sheeting.* **ASTM Type XI** | Standard 3M™ 12 year warranty.
3Y	3M™ Fluorescent DG³ Diamond Grade™ Cube	*The highest performing retro-reflective sheeting in fluorescent colors that enhances day/nighttime visibility.* **ASTM Type XI** | Standard 3M™ 7 year warranty.

NOTE: 3M Orange Work Zone Sheetings (3924S, 4084, and 3934 as well as Barricade Tape) have a 3 year warranty.



Storing Signs Tip

Signs should be stored vertically in racks, indoors, kept dry and interleaved with 3M sheeting liner with the glossy side against all sign faces.

Quick Tip

3M™ MCS™ Warranty

The use of 3M's Matched Component System insures your investment. When signs are created with high quality 3M sheeting and components, the sign performance is backed by 3M warranties. The MCS guarantees that signs will remain effective for their intended use and meet minimum values for retroreflection for the specified warranty period. The use of any non-3M materials in conjunction with 3M products will void all warranties.

Quick SHIP

Find Post, Brackets and Hardware on Pages 48-73

Sign Saver
BA080SAVER

Vandal Proof Nut & Carriage Bolt

SIGN ALERT

Vandal Resistant Hardware Available

Anchor Plate
BA080APLATEUCH

Add Blinking Solar LEDs, see page 16

Add Blinking Solar LEDs see page 16

SIGN ALERT

Speed Limit Signs

0 DAYS

S1824R2105(H)A
S2430R2105(H)A

S1824R2110(H)A
S2430R2110(H)A

S1824R2115(H)A
S2430R2115(H)A

S1824R2120(H)A
S2430R2120(H)A

S1824R2125(H)A
S2430R2125(H)A

S1824R2130(H)A
S2430R2130(H)A

S1824R2135(H)A
S2430R2135(H)A

S1824R2140(H)A
S2430R2140(H)A

S2430R2145(H)A
S3036R2145(H)A

S2430R2150(H)A
S3036R2150(H)A

S2430R2155(H)A
S3036R2155(H)A

S1824R25D(H)A
S2430R25D(H)A

STOP SIGN
S3030R11(H)A
S3636R11(H)A
S4848R11(H)A

Quick SHIP

Quick SHIP

S3030R51(H)A
S3636R51(H)A

Quick SHIP

S1806R13P(H)A

Quick SHIP

S3018R51A(H)A
S3624R51A(H)A



S2418R110P(H)A

Quick SHIP

S1818R12(H)A - Bike Paths
S3030R12(H)A
S3636R12(H)A
S4848R12(H)A

Find Brite-Max Multi-View Post Reflectors on Page 14

Intersection Signs

0 DAYS

S2412W44APL(H)A

S2412W44APR(H)A

S2412W44P(H)A

S2412W44BP(H)A

0 DAYS

Replacement Requirements*

Regulatory signs are important to maintain as the absence of, or damage to, could quickly result in or contribute to a severe crash.

Damaged or missing regulatory signs should be replaced or repaired *within hours* of the agency having notice of them missing, down or damaged.

**Maintenance of Signs and Sign Support: FHWA-SA-09-025*

Are Your Signs Bright Enough?

Type I is allowable on "Red Series" signs, i.e., STOP and YIELD signs; however: We recommend 3M™ **DG³ Diamond Grade** or **HIP** for all **Regulatory Signs** for the best overall value and warranty included.

3M™ MCS™ Warranty

Private Parking

S1218R7413HA

S1218R7422HA

S1812R7428HA

S1812R7427HA

Go to www.cpcsigns.com to find more Private Parking Signs.

Parking Signs

Quick SHIP

Permissive Parking

Semi-Customizable Permissive Parking Signs on Page 28-29 and online @ www.cpcsigns.com

S1218R7326HA

S1218R7330HA

S1218R7341HA

Disabled Parking

S1218R78HA

S1218R78VAHA

S1218R78DHA

S1218R7500HA

S1218R7504HA

S1218R7502HA

S1218R7502NHA

S1218R75HPOHA

S1206R78PBHA

S1206R78PGHA

S1206R78FG250HA

S1206R78FG350HA

S1206R78FB250HA

S1212D96HA
S1818D96HA

Parking Signs

Quick SHIP

State Specification

(North Carolina)
JNCS1226R78HA

(New York)
JNYS1218R78HA

(Texas)
JTXS1224R78VAHA

(Florida)
JFLS1218R75HA

(South Florida)
JFLS1218R75SHA

(North Carolina)
JNCS1209R75HA

(Pennsylvania)
JPAS1218R78FHA

(Texas)
JTXS1209R75HA

(Georgia)
JGAS1218R75HA

(New Jersey)
JNJS1012R78250HA

Find more Handicap/Disabled Parking Signs online @ www.cpcsigns.com
Your State Specific Signs Available Upon Request

No Parking

Find more No Parking Signs @ www.cpcsigns.com

Parking Signs

Quick SHIP

S1218R83AHA
S1824R83AHA

S1218R83ADHA

S1218R83ALHA

S1218R83ARHA

S1218R7200HA

S1218R76HA

S1218R76DHA

S1218R7100HA

S1218R71HA

S1206
R7201PAHA

S1218R71DHA

S1218R71LHA

S1218R71RHA

S1218R713HA

S1218R711HA

S1218R7232HA

S1218R712HA

S1218R712DHA

S1218R712LHA

S1206
R7201PHA

S1206
R7201APHA

S1206
R7202PHA

S1218R712RHA

S1218R7216HA

S1218R7217HA

S1218R7228HA

S1218R7221HA

S1218R7224HA

S1218R7225HA

S1218R7236HA

S1218R7235HA

S1212R83HA
S2424R83HA

S1218R7215HA

S1218R7227HA

S1218R7213HA

S1218R7222HA

S1218R74MHA

S1218R7212HA

S1218R7230HA

S1218R7220HA

S1218R7229HA

3M™ MCS™ Warranty

Go to www.cpcsigns.com to find many more Special Legends for Parking Signs.

Special Legend Parking Signs

1,000s of Special Legend Parking Signs are available at www.cpcsigns.com in your choice of 1 of 5 design styles shown below:

Find more information on page 28

MUTCD Legend Permissive Style | **RESERVED Horizontal Header Style** | **No Parking SYMBOL Style** | **Tow Away Zone SYMBOL Style** | **Oxford Series Style**

Parking Lot Signs



Go to www.cpcsigns.com to find 1,000s of many more Special Legend Signs for Parking Lots.

Standard Legends

SLSZNONR512424(H)A
S3030R51(H)A

SLSZNONR112424(H)A
S3030R11(H)A

S2424W405HA
S3030W405HA

S1824W404A420HA

Private Parking Signs

Go to www.cpcsigns.com to find many more Special Legend Signs.

Universal Plaques

RPOGP4
14" Cast Iron Base With 4' Pipe.
Weighs 33 lbs.

RPOGP5WHEELKIT
Optional Wheel Kit attaches to Cast Iron Pedestal Base to make the base portable and easy to transport.
Includes Hardware

Cast Iron Pedestal Bases are drilled for mounting signs: 12"x18", 18"x24", & 24"x24"

More base and post options on pages 72-73.

DON'T FORGET the hardware to mount your sign to post, *sold separately*
1 SET: RH6GPE01



Go to www.cpcsigns.com to find all NEW customizable Universal Arrow & Word Plaques. Use the CPC Standard Color Chart to choose sign colors.

STANDARD COLOR CHART

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering.

3M™ MCS™ Warranty

TRAFFIC SIGNS

Restrictive Traffic Prohibition Signs

No Right Turn
S2424R31(H)A
S3636R31(H)A

No Left Turn
S2424R32(H)A
S3636R32(H)A

No U-Turn
S2424R34(H)A
S3636R34(H)A

No Trucks
S2424R52(H)A

No Bicycles
S2424R56(H)A

S2424R33(H)A

S2424R53(H)A

S2418R31P(H)A

S2418R32P(H)A

S2418R34P(H)A

S2418R52P(H)A

S2418R56P(H)A

S2418R141(H)A

Pedestrian Signs

S3636R15L(H)A

S3636R15R(H)A



S0912R103B(R)(H)A



S0912R103C(R)(H)A



S0912R103D(R)(H)A



S0915R103E(R)(H)A

S1818R94(H)A
S2424R94(H)A

S1818R93(H)A
S2424R93(H)A

S0912R102(H)A

S0912R103(R)(H)A

S0915R103A(L)(H)A

S0915R104A(R)(H)A

S0912R104(L)(H)A

S1236R16A(H)3AG

S1236R16(H)3AG

Want to Upgrade your Sheeting? We Recommend replacing (H) with (3)

Specify Left or Right when Ordering

Intersection and Center Lane Control Signs

Mandatory
Left Turn
S3036R35L(H)A

Mandatory
Straight
S3036R35A(H)A

Mandatory
Right Turn
S3036R35R(H)A

Optional
Movement Left
S3036R36L(H)A

Optional
Movement Right
S3036R36R(H)A

Two Way Left Turn
Post Mounted
S2436R39B(H)A

Two Way Left Turn
Overhead Mounted
S3036R39A(H)A

Double Turn Left
S3030R38L(H)A

Double Turn Right
S3030R38R(H)A

S3030R37L(H)A

S3030R37R(H)A

Call for Quote on R3-8 Signs



S4830R38A(H)A



S4830R38B(H)A



S4830R38M(H)A

Passing and Guidance Signs

S1824R41(H)A
S2430R41(H)A

S1824R42(H)A
S2430R42(H)A



S2430R107(H)A

S1824R62A(H)A

Keep Left
S1824R48(H)A
S2430R48(H)A

Keep Left
S1824R48A(H)A
S2430R48A(H)A

Keep Right
S1824R47(H)A
S2430R47(H)A

Keep Right
S1824R47A(H)A
S2430R47A(H)A

S1824R109A(H)A

S1824R109(H)A

S1824R62L(H)A
S2430R62L(H)A

S1824R62R(H)A
S2430R62R(H)A

S3612R61L(H)A

S3612R61R(H)A

Traffic Signal Signs

S2430R106A(H)A

S2436R106(H)A



S3036R1010L(H)A

S3036R1010R(H)A

S3036R1012(H)A



S2430R107(H)A

S3036R1011A(H)A

S2430R1011(H)A

S3636R1011B(H)A

Engine/Jake Brake Signs

Go to www.cpcsigns.com to find many more Special Legends for Truck Traffic Signs.

Road Closed & Weight Limit Signs

Want to Upgrade your Sheeting? We Recommend replacing (H) with (3)

State Specific Weight Limit Signs *Available upon request.*

S2430R121(XX)(H)A



S2436R125(H)A

S6030R114(H)A

S6030R113AB(XX)(H)A

S4830R112(H)A

S6030R113CM(H)A

S6030R113B(XX)(H)A

S4830R112B(H)A

Bike Signs

S1818R11(H)A
S3030R11(H)A

S1818R12(H)A
S3030R12(H)A

S2418R317(H)A



S2408R317BP(H)A

S2408R317AP(H)A

S1218R41(H)A
S1824R41(H)A

S1218R42(H)A
S1824R42(H)A

Bicycle Parking Area
S1218D43L(H)A

S1212R93CP(H)A

S1218R95(H)A

S1218R51B(H)A

S1818R56(H)A
S2424R56(H)A

S1218R79(H)A

S1218R79A(H)A

S1218R97(H)A

S1218R1022(H)A

S1218R96(H)A

S2418D111(H)A

S1818W54A(H)A

Bicycle Hill
S1818W75(H)A
S3030W75(H)A

S1209W810P(H)A
S1818W810(H)A
S3030W810(H)A

S1824W161P(H)A
S1818W111(H)A
S2424W111(H)A

Bicycle Route U.S.
S1218M19(H)A
S1824M19(H)A

Bicycle Route
S1218M18(H)A
S1824M18(H)A

Bicycle Route
S1218M18A(H)A
S1824M18A(H)A

Dating Stickers

3 ways to implement *the* **Expected Sign Life** *or the* **Blanket Replacement Method** of maintaining traffic sign retro-reflectivity.

Expected Sign Life METHOD:

Signs must be replaced before they reach the end of their expected sign life. An agency must have documentation of expected replacement for individual signs.

Blanket Replacement METHOD:

The agency will replace all the signs in an area or of a specific series at given intervals. The agency can use stickers that specify installation dates to help them know when to replace all signs in the area or series

Specify Year when ordering.
Material: (H) High Intensity Prismatic

GENERIC DATING STICKER **2 1/4" WIDE x 1 1/8" HIGH**	The Generic dating sticker provides the year and you simply punch out the month that applies to either the date of installation or replacement date.	 **Sign Installation Date Style** #DGID(H)25	 **Expected Sign Life Style** #DGES(H)35
WARNING MESSAGE DATING STICKER **4" WIDE x 2 1/4" HIGH**	The Warning Message dating sticker provides a deterrent to vandalism and theft while still maintaining the date of installation or replacement date.	 **Sign Installation Date Style** #DWID(H)25	 **Expected Sign Life Style** #DWES(H)35
UNIQUE DATING STICKER **4" WIDE x 2 1/4" HIGH**	The Unique dating sticker serves both purposes listed above while also allowing you to use logos and text of your choosing.	 **Sign Installation Date Style** #DUID(H)25	 **Expected Sign Life Style** DUES(H)35

Want to Upgrade your Sheeting? Replace (H) with (3)

TRAFFIC SIGNS

3M™ MCS™ Warranty

3 DAYS Horizontal Alignment and Intersection Warning Signs

Add Blinking Solar LEDs see page 16

SIGN ALERT

Turn Left
S3030W11L(H)A
S3636W11L(H)A

Turn Right
S3030W11R(H)A
S3636W11R(H)A

Curve Left
S3030W12L(H)A
S3636W12L(H)A

Curve Right
S3030W12R(H)A
S3636W12R(H)A

Reverse Turn Left
S3030W13L(H)A
S3636W13L(H)A

Reverse Turn Right
S3030W13R(H)A
S3636W13R(H)A

Reverse Curve Left
S3030W14L(H)A
S3636W14L(H)A

Reverse Curve Right
S3030W14R(H)A
S3636W14R(H)A

Winding Road Left
S3030W15L(H)A
S3636W15L(H)A

Winding Road Right
S3030W15R(H)A
S3636W15R(H)A

Hairpin Curve Left
S3030W111L(H)A

Hairpin Curve Right
S3030W111R(H)A

Side Road Oblique Left
S2424W23L(H)A
S3030W23L(H)A
S3636W23L(H)A

Side Road Oblique Right
S2424W23R(H)A
S3030W23R(H)A
S3636W23R(H)A

Side Road
S2424W22(H)A
S3030W22(H)A
S3636W22(H)A

Horizontal Alignment Right
S3636W110R(H)A

Horizontal Alignment Left
S3636W110L(H)A

TRAFFIC CIRCLE
Circular Intersection
S2418W1612P(H)A
S2424W26(H)A
S3030W26(H)A
S3636W26(H)A

Y Intersection
S2424W25(H)A
S3030W25(H)A
S3636W25(H)A

T Intersection
S2424W24(H)A
S3030W24(H)A
S3636W24(H)A

Crossroad
S2424W21(H)A
S3030W21(H)A
S3636W21(H)A

Offset Side Road Left
S2424W27L(H)A
S3030W27L(H)A

Offset Side Road Right
S2424W27R(H)A
S3030W27R(H)A

Double Side Road
S2424W28(H)A
S3030W28(H)A
S3636W28(H)A
S4848W28(H)A

S1824W18(H)A S2430W18(H)A

CHEVRONS
Add Visibility to High Risk Areas

For Maximum Visibility use Fluorescent Yellow Chevrons. Call for a quote.



RPBCAB2
Chevron Adjustable Bracket
Fits 12"x18", 18"x24" & 24"x30" Chevrons

RPBCAB3
Chevron Adjustable Bracket
Fits 24"x30" & 30"x36" Chevrons

Single Arrow
S3618W16(H)A
S4824W16(H)A

Double Arrow
S3618W17(H)A
S4824W17(H)A

3 DAYS Warning & Passing Signs

SIGN ALERT

Add Blinking Solar LEDs see page 16

Merge Left
S3030W41L(H)A
S3636W41L(H)A

Merge Right
S3030W41R(H)A
S3636W41R(H)A

Pavement Width Transition Left
S3030W42L(H)A
S3636W42L(H)A

Pavement Width Transition Right
S3030W42R(H)A
S3636W42R(H)A

Added Lane Left
S3030W43L(H)A
S3636W43L(H)A

Added Lane Right
S3030W43R(H)A
S3636W43R(H)A

Two Way Traffic
S3636W63(H)A

LEFT LANE ENDS
S3030W91L(H)A
S3636W91L(H)A

RIGHT LANE ENDS
S3030W91R(H)A
S3636W91R(H)A

LANE ENDS MERGE LEFT
S3030W92L(H)A
S3636W92L(H)A

LANE ENDS MERGE RIGHT
S3030W92R(H)A
S3636W92R(H)A

NO PASSING ZONE
S4030W143(H)A
S4836W143(H)A

3 DAYS Supplemental Plaques

NEXT 500 FT
S3024W164P(H)A
* Specify Distance

2 MILES
S3024W163P(H)A
* Specify Distance

WHEN FLASHING
S2418W1613P(H)A

500 FEET
S2418W162P(H)A
S3024W162P(H)A
* Specify Distance

500 FT
S2412W162AP(H)A
S3018W162AP(H)A
* Specify Distance

2 MILES
S3012W163AP(H)A
* Specify Distance

FIRST ST
S08(XX)W168P(H)A
* Specify Text

AHEAD
S2412W169P(H)A
S3018W169P(H)A

ELM STREET
LUMSDEN RD
S15(XX)W168AP(H)A
*Specify Text

S2412W167PL(H)A
S3018W167PL(H)A

S2418W166PR(H)A

S2418W166PL(H)A

S2418W165P(H)A

S2412W167PR(H)A
S3018W167PR(H)A

3 DAYS Low Clearance Signs

Customize Your Legends

Specify Height (W12-2A) when placing order

12'-6"
Low Clearance
S3030W122(H)A
S3636W122(H)A
S4848W122(H)A

14FT 10IN
S7824W122A(H)A

LOW CLEARANCE
S2418W122P(H)A

Want to Upgrade your Sheeting?
We Recommend replacing (H) with (3)
Make it fluorescent yellow by adding a Y -- (3)A(Y)

3M™ MCS™ Warranty

Add Blinking Solar LEDs see page 16

SIGN ALERT

Vehicular & Non-Vehicular Traffic Signs

3 DAYS

Truck Crossing
S2424W86(H)A
S3030W86(H)A
S3636W86(H)A

Truck Crossing
S2424W1110(H)A
S3030W1110(H)A
S3636W1110(H)A

Farm Machinery Traffic
S2424W115(H)A
S3030W115(H)A
S3636W115(H)A

Farm Machinery Traffic
S2424W115A(H)A
S3030W115A(H)A
S3636W115A(H)A

Bicycle Traffic
S2424W111(H)A
S3030W111(H)A
S3636W111(H)A

Golf Cart Traffic
S2424W1111(H)A
S3030W1111(H)A
S3636W1111(H)A

Horse & Buggy Traffic
S2424W1114(H)A
S3030W1114(H)A
S3636W1114(H)A

Pedestrian Traffic
S2424W112(H)A
S3030W112(H)A
S3636W112(H)A

Handicapped
S3030W119(H)A
S3636W119(H)A

Playground
S2424W151(H)A
S3030W151(H)A
S3636W151(H)A

3 DAYS Replacement Requirements*

Damaged or missing warning signs should be replaced or repaired *within 3 working days* of the agency having notice of them missing, down or damaged.

**Maintenance of Signs and Sign Support: FHWA-SA-09-025*

Are Your Signs Bright Enough?

All Ground Mounted Warning Signs *MUST* be Type II Reflective or better: We recommend 3M™ **Fluorescent Yellow DG³ Diamond Grade** or **Yellow HIP** for all **Warning Signs** for the best overall value and warranty included.

Fluorescent Yellow DG3	Yellow HIP

Go to www.cpcsigns.com to find many more Special Legends for Neighborhood & Child Safety Signs.

Cattle Traffic
S2418W114P(H)A
S2424W114(H)A
S3030W114(H)A
S3636W114(H)A

Emergency Vehicle
S2424W118(H)A
S3030W118(H)A
S3636W118(H)A

Snow Mobile Traffic
S2424W116(H)A
S3030W116(H)A
S3636W116(H)A

Equestrian Traffic
S2424W117(H)A
S3030W117(H)A
S3636W117(H)A

Ducks Crossing
S2424W1112(H)A
S3030W1112(H)A
S3636W1112(H)A

Deer Traffic
S2424W113(H)A
S3030W113(H)A
S3636W113(H)A

Supplemental Plaques *available to be displayed below Symbol Signs (CATTLE XING shown)*

Add Blinking Solar LEDs see page 16

SIGN ALERT

FYG Pedestrian Signs

Find School Zone Signs on Page 74

Bicycle Traffic
S2424W1113AG
S3030W1113AG
S3636W1113AG

S2418W165P3AG

S2412W169P3AG
S3018W169P3AG

S2418W166PL3AG

S2418W166PR3AG

Handicapped
S3030W1193AG
S3636W1193AG

Pedestrian Traffic
S2424W1123AG
S3030W1123AG
S3636W1123AG

S2412W167PL3AG
S3018W167PL3AG

S2412W167PR3AG
S3018W167PR3AG

Neighborhood & Child Safety Signs

Add Blinking Solar LEDs see page 16

SIGN ALERT

Highway Rail Grade Signs

Quick SHIP

Quick SHIP on all 30" Neighborhood & Child Safety Signs

S2424W404HA
S3030W404HA

S2424W422HA
S3030W422HA

S2424W423HA
S3030W423HA

S2424W401HA
S3030W401HA

S2424W404AHA
S3030W404AHA

S2424W403HA
S3030W403HA

S2424W406HA

S2424W425HA
S3030W425HA

S2424W393HA
S3030W393HA

S1824W421HA

Playground
S2424W151HA
S3030W151HA
S3636W151HA

S1824PC135HA

MUTCD Guidance:

A **White Retroreflective Strip** not less than 2 inches in width shall be used on the back of each Crossbuck sign, unless installed back-to-back or on one way street.
A white reflective strip shall be used on the front and back of all supports at passive highway-rail grade crossings extending from the bottom of the sign or plaque to within 2 feet above the ground.

Brite-MAX

Post Multi-View or Single View Reflectors enhance conspicuity of sign supports and meet MUTCD requirements. *See page 14 for more details.*

Advance Warning
S3636W102(H)A

Advance Warning
S3636W103(H)A

Advance Warning
S3636W104L(H)A

Advance Warning
S3636W104R(H)A

Skewed Crossing
S3636W1012(H)A

Storage Space
S3636W1011(H)A

Railroad Advance Warning
S3030W101(H)A
S3636W101(H)A



Number of Tracks
S2718R152P(X)(H)A
(X) Specify Tracks

Low Ground Clearance
S3636W105(H)A



2 HIP White Retroreflective Strips
S4802STRIPHI

Railroad Crossing
S4809R151(H)A
S4809R151(H)AD*
**Double-Faced*

S2430R88(H)A

3M™ MCS™ Warranty

3 DAYS Roadway Conditions and Advance Traffic Control Signs

Add Blinking Solar LEDs see page 16

SIGN ALERT

S2424W89(H)A
S3030W89(H)A
S3636W89(H)A

JGAS3030W84A(H)A

S2424W817L(H)A
S3030W817L(H)A
S3636W817L(H)A

S2418W817P(H)A

S2424W817R(H)A
S3030W817R(H)A
S3636W817R(H)A

S2424W823(H)A
S3636W823(H)A

S2424W825(H)A
S3030W825(H)A
S3636W825(H)A

S2424W822(H)A
S3636W822(H)A

S2424W815(H)A
S3030W815(H)A
S3636W815(H)A

S2424W411(H)A
S3030W411(H)A

S2424W405(H)A
S3030W405(H)A

S3030W34(H)A
S3636W34(H)A

S2424W818(H)A
S3030W818(H)A
S3636W818(H)A

S2424W816(H)A
S3030W816(H)A
S3636W816(H)A

S2418W815P(H)A

S3030W51(H)A
S3636W51(H)A

S2424W821(H)A
S3636W821(H)A

S3030W52(H)A
S3636W52(H)A

S3030W53(H)A
S3636W53(H)A

S2424W82(H)A
S3030W82(H)A
S3636W82(H)A

S2406W142AL(H)A
S3608W142AL(H)A

S2406W142AR(H)A
S3608W142AR(H)A

TOP SELLER

S2406W141AL(H)A
S3608W141AL(H)A

S2406W141AR(H)A
S3608W141AR(H)A

Hill
S2424W71(H)A
S3030W71(H)A
S3636W71(H)A

S2424W84(H)A
S3030W84(H)A
S3636W84(H)A

Slippery When Wet
S2424W85(H)A
S3030W85(H)A
S3636W85(H)A

S2424W87(H)A
S3030W87(H)A
S3636W87(H)A

S2424W88(H)A
S3030W88(H)A
S3636W88(H)A

S2424W814(H)A
S3030W814(H)A
S3636W814(H)A

S3030W83(H)A
S3636W83(H)A

S2418W31AP(H)A
S3030W31(H)A
S3636W31(H)A

S2418W32AP(H)A
S3030W32(H)A
S3636W32(H)A

S2418W33P(H)A
S3030W33(H)A
S3636W33(H)A

S2424W412(H)A
S3030W412(H)A

S2424W414(H)A
S3030W414(H)A
S3636W414(H)A

S2424W415(H)A
S3030W415(H)A

Double Arrow
S3030W121(H)A
S3636W121(H)A

S2424W141(H)A
S3030W141(H)A
S3636W141(H)A

S2424W142(H)A
S3030W142(H)A
S3636W142(H)A



Divided Highway Begins or Ends
S3636W61(H)A

S3030W424(H)A

S2424W155(H)A
S3030W155(H)A

S2424W156(H)A
S3030W156(H)A

S2424W171(H)A
S3030W171(H)A
S3636W171(H)A

S3030W203R(H)A

S2424W402(H)A
S3030W402(H)A
S3636W402(H)A

S2424W81(H)A
S3030W81(H)A
S3636W81(H)A

S2424W813(H)A
S3636W813(H)A

Speed Advisory Signs

S1818W131P10(H)A
S2424W131P10(H)A

S1818W131P15(H)A
S2424W131P15(H)A

S1818W131P20(H)A
S2424W131P20(H)A

S1818W131P25(H)A
S2424W131P25(H)A

S1818W131P30(H)A
S2424W131P30(H)A

S1818W131P35(H)A
S2424W131P35(H)A

S1818W131P40(H)A
S2424W131P40(H)A

S1818W131P45(H)A
S2424W131P45(H)A

Speed Reduction
S3636W35(XX)(H)A

Custom Legends Available Upon Request

Specify Speed when placing order *(for Plaques or Speed Reduction W3-5)*

Want to Upgrade your Sheeting?
We Recommend replacing (H) with (3)
Make it fluorescent yellow by adding a Y -- (3)A(Y)

Product Code Explanation

S3030 R11 (X) A

- S3030: 30" x 30" sign
- R11: Manual of Uniform Traffic Control Devices (MUTCD) Code
- (X): Reflective Type *Must Specify When Placing Order*
- A: .080" Aluminum Substrate

3M™ MCS™ Warranty

10

General Services & Info Guide Signs

7 DAYS

Go to www.cpcsigns.com to find 100s of MUTCD guide signs

7 DAYS Replacement Requirements*

Guide Signs should be replaced *within 7 working days* of notification to agency of missing or damage. Some may warrant faster replacement.

**Maintenance of Signs and Sign Support: FHWA-SA-09-025*

Are Your Signs Bright Enough?

Ground Mounted Guide Signs *MUST* be Type II copy on Type I background or better.

Type II copy on Type I background is the absolute minimum, but may be cost prohibitive to manufacture.

To stay in compliance with the MUTCD, we recommend using

3M™ High Intensity Prismatic
for **Ground Mounted Guide Signs** and
3M™ Diamond Grade Cubed
for **Overhead Mounted Guide Signs**
for the best overall value and warranty included.

Airport S2424I5(H)A | Hospital S2424D92(H)A | Police S2424D914(H)A | Gas S2424D97(H)A | Food S2424D98(H)A

S2406I5P(H)A

S2412D913AP(H)A

Library S2424I8(H)A

S3024D41(L/R)(H)A

S2406I8P(H)A

S6630D124(H)A

S4248D52A(H)A

Specify Text, Arrows and Numbers When Ordering D1-1 Guide Series Signs

S8472D58(H)A

Specify Mile Numbers When Ordering D10-2 Mile Markers

S8448D123(H)A

Route Marker Auxiliaries

3 Versions Available

U.S. or State Route S2115M21U(H)A

Interstate Route S2115M21I(H)A

Order by placing an (I), (U), or (C) in the item code as appropriate.

County Route S2115M21C(H)A

Bicycle Routes

S1206M21B(H)A
M2, M3, M4 Series

S1209M61B(H)A
M5, M6 Series

S1209M64B(H)A
M5, M6 Series

All Legends shown below are available in Green for Bike Routes

Use 30" x 24" for 3 Digit Routes

County Route Marker S2424M16(H)A

Interstate Shield S2424M11(H)A S3024M11(H)A

U.S. Route Marker S2424M14(H)A S3024M14(H)A

State Route Marker S2424M15(H)A S3024M15(H)A

Want to Upgrade your Sheeting? We Recommend replacing (H) with (3)

S2412M31(X)(H)A

S2412M32(X)(H)A

S2412M33(X)(H)A

S2412M34(X)(H)A

S2412M41(X)(H)A

S2412M41A(X)(H)A

S2412M414(X)(H)A

S2412M42(X)(H)A

S2412M43(X)(H)A

S2412M44(X)(H)A

S2412M45(X)(H)A

S2412M46(X)(H)A

S2412M47(X)(H)A

S2412M47A(X)(H)A



S2115M51L(X)(H)A

S2115M51R(X)(H)A

S2115M52L(X)(H)A



S2115M52R(X)(H)A



S2115M61(X)(H)A

S2115M62L(X)(H)A

S2115M62R(X)(H)A



S2115M63(X)(H)A



S2115M64(X)(H)A



S2115M65(X)(H)A



S2115M66L(X)(H)A



S2115M66R(X)(H)A



S2115M67L(X)(H)A



S2115M67R(X)(H)A

TRAFFIC SIGNS

3M™ MCS™ Warranty

Semi-Custom Guide Signs

S3624I2SXXHA
S4836I2SXXHA

S3624I2LXXHA
S4836I2LXXHA

S3624I10XXHA
S4836I10XXHA

CPC Standard Color Chart

Utilize the CPC Standard Color Chart to custom design your sign colors. Start by choosing a color for the Legend (Copy/Graphics/Border) and then select a color for the background. The option to add a gold pinstriping to a white border is available at no extra charge. Drop-down selections provide an easy ordering solution, during ordering online @ www.cpcsigns.com

Colors may vary in appearance from catalog, digital screen, substrates and light conditions.

Custom Guide Signs

Customized Guide Signs for your State, County, City, Town or Community.

S3024I9(H)A

Service Logo Signs

Noise Ordinances

Voting & Polling

Emergency

Driver Behaviors

1,000s of Special Legend Signs are available at www.cpcsigns.com. Examples of the some of the many legends shown:

Panhandling

Idling/Exhaust Fumes



Environmental

Drone Messages

3M™ MCS™ Warranty

Litter & Adopt -A- Highway Signs

S1218R161HA
S1824R161HA

S1218R163HA
S1824R163HA

S1218R162HA
S1824R162HA

S1218R164100HA
S1218R164250HA
S1218R164500HA
*Specify Fine

S1218R173HA
S1824R173HA

NOTE: Custom Legend Signs (CLS) are printed digitally on 3M printers using (H) High Intensity Prismatic Sheeting, and 3M Matched Component Systems to ensure warranty and quick shipment.

S1218PC114HA*
S1824PC114HA*

S3024PC113HA*
S4830PC113HA*
*Add Your Custom Legend

S1218PC110HA
S1824PC110HA

SPECIAL LEGENDS

Go to www.cpcsigns.com to find many more Special Legends

Neighborhood Watch

S1218PC105HA

Go to www.cpcsigns.com to find many more Special Legends for Neighborhood Watch and Seatbelt Awareness Signs

SPECIAL LEGENDS

Seat Belt Awareness

S1824PC130HA



S3018R7204HA

S1218R7412HA

Pet Laws & Safety

Go to www.cpcsigns.com to find many more Special Legends

S1824LE102HA

S1218LE101HA

SPECIAL LEGENDS

Go to www.cpcsigns.com to find more Special Legends Signs

Parks, Recreation & Cultural Interest

TRAFFIC SIGNS

3M™ MCS™ Warranty

Brite-Max Post Reflectors

ENHANCED CONSPICUITY - MUTCD COMPLIANT

Brite-Max Post Reflectors are far superior to plastic competitive products. All Brite-Max products meet sheeted aluminum blank signs standards for long lasting durability and visibility.

Brite-Max Single-View Post Reflectors

- **PRODUCT ID: BA080(X)(XX)(XXXX)BM**
- Single-View Reflectors are flat without angled sides.
- **Sizes (XXXX): (0330)** 3" x 30" | **(0336)** 3" x 36" | **(0348)** 3" x 48" **(0360)** 3" x 60" | **(0372)** 3" x 72" | **(0384)** 3" x 84"
- **Hole Punch:** 2 mounting holes on center
  Reflectors over 36" also have 1 hole on center.

Brite-Max Multi-View Post Reflectors

- **PRODUCT ID: BA080(X)(XX)(XXXX)BMMV**
- Standard Brite-Max Multi-View Reflectors have angled sides, bent at 1" on both left and right sides.
- **Sizes (XXXX): (0530)** 5" x 30" | **(0536)** 5" x 36" | **(0548)** 5" x 48" **(0560)** 5" x 60" | **(0572)** 5" x 72" | **(0584)** 5" x 84"
- **Hole Punch:** 2 mounting holes on center

- **3M™ Reflective Sheeting (X): (H)** High Intensity Prismatic | **(3)** DG3 Diamond Grade Cube
- **Colors (XX): (YE)** Yellow | **(FY)** Fluorescent Yellow | **(WH)** White | **(RE)** Red **(OR)** Orange/Flo Orange | **(FG)** Flo Yellow-Green
- **Body Substrate:** .080" Aluminum
- All Brite-Max Post Reflectors may be stacked for more effectiveness.
- Utilize a Brite-Max Post Reflector on both sides of a post in the same or different colors to further delineate the roadway.
- **Compatibility:** Fasten Single or Multi-View Post Reflectors to U-Channel, square, wood posts with mounting hardware, or mount to round posts using standard round post to traffic sign brackets. Brackets and hardware, sold separately.
- **NOTE:** Standard available sizes, colors and sheeting combinations shown, custom combinations available.

SCAN QR code with Smart Phone camera to view product videos.

MUTCD Guidance

Enhanced Conspicuity for Standard Signs (Section 2A.11)

Brite Max Post Reflectors are 30", 36", 48", 60", 72", or 84" Long. Combinations of them may be used so that they meet the MUTCD requirement of covering the full length of the sign support from the sign to within 2 feet above the edge of the roadway. They shall match the background color of the sign, except that the color of the strip for the YIELD and DO NOT ENTER signs shall be red. Passive highway-rail grade crossings require Brite-Max Post Reflectors on the front and back of the sign supports.

Color Definitions

- **WHITE:** Use under white signs and plaques; such as Speed Limit, Intersection and Lane Control, Passing and Guidance, and Highway-Rail Grade signs.
- **YELLOW:** Use under yellow signs and plaques; such as Warning, Passing, Vehicular, Non-Vehicular, Neighborhood, Child Safety, Highway-Rail Grade, Roadway Conditions and Advance Traffic signs.
- **RED:** Use under red signs and plaques; such as Stop, Yield, Do Not Enter, All Way or Wrong Way signs.
- **FLUORESCENT YELLOW-GREEN:** Use under signs in school zones.
- **ORANGE/FLO ORANGE:** Use under signs in construction work zones.

3M™ MCS™ Warranty

Brite-Max Header Panels

Brite-MAX *Affix Panels above standard signs to enhance conspicuity.*

- **PRODUCT ID: BA080(X)(XX)(XXXX)BM**
- **Sizes (XXXX): (1206)** 12" x 6" | **(1808)** 18" x 8" | **(2410)** 24" x 10" **(3012)** 30" x 12" | **(3616)** 36" x 16" | **(4816)** 48" x 16"
- **Materials:** Reflective Sheeting mounted on .080" Aluminum
- **3M Reflective Sheeting (X): (H)** High Intensity Prismatic **(3)** DG3 Diamond Grade Cube
- **Colors (XX): (YE)** Yellow | **(FY)** Fluorescent Yellow **(OR)** Orange/Fluorescent Orange
- **Compatibility:** Fasten to U-Channel, square, or wood posts with mounting hardware, or mount to round posts using standard round post to traffic sign brackets. Brackets and hardware are sold separately.
- **NOTE:** Standard available sizes, colors and sheeting combinations shown, custom combinations available.

MUTCD Guidance

Enhanced Conspicuity for Standard Signs (Section 2A.11)

Add an orange or fluorescent orange header panel above a standard regulatory sign in construction work zones.

Add a solid yellow or fluorescent yellow header panel above a standard regulatory sign.

Add a legend such as "NEW", "NOTICE" or other appropriate text.

S2412W1618P(H)A

Alert Flag Bracket

Place Orange Alert Flags above a regulatory or warning sign with the flags oriented so as to be at 45 degrees to the vertical post.

RSPFLAGVINYL1824
18" x 18" Vinyl Flag w/24" Handle

RSPFLAGVINYL2436
24" x 24" vinyl Flag w/36" Handle

OAFBRKT - Alert Flag Bracket



Bigger Signs

Increase the size of a standard regulatory, warning, or guide sign.

Example: 18" x 24" sign becomes a 24" x 30" sign

CABS

SCAN QR codes with Smart Phone camera to view product videos.

Chevron Adjustable Bracket System with Brite-Max Multi-View Packages adds visibility to high risk areas with a safe and low cost solution.

PROD ID: RPBCAB2PK(XXXX)MV
Chevron Size (XXXX):
(1824) 18" x 24" | **(2430)** 24" x 30"
Package includes (2) HIP Chevron Signs, (1) Set of Adjustable Brackets and (2) 5" x 36" Yellow HIP Brite Max Multi View Post Reflectors.

Double Signs

Add second identical regulatory, warning, or guide sign on the left side of the road.

Diagonal Stripes

Add Black & Yellow diagonal stripes around a warning sign. Order the sign 6" larger.

Example: 30" x 30" sign becomes a 36" x 36" sign

Supplemental Beacons

Add a warning beacon to a standard regulatory, warning, or guide sign.

Type B Light
- LED bulbs
- Yellow or Red Lens

Power Options:
- Solar panel trickle charges "D" Cell
- Fully Solar Power Battery

RSPBLBL3YYSA - Yellow Lens | Type B | D Cell Solar
RSPBLBL3RYSA - Red Lens | Type B | D Cell Solar
RSPBLBLSYY - Yellow Lens | Type B | Fully Solar



Type B Light
- LED bulbs
- Yellow or Red Lens
- 6 Volt Battery
- Detachable lens available upon request

RSPBLBL6YY - Yellow Lens | Type B | 6V
RSPBLBL6RY - Red Lens | Type B | 6V

ENHANCED CONSPICUITY - MUTCD COMPLIANT

3M™ MCS™ Warranty

ENHANCED CONSPICUITY - MUTCD COMPLIANT

LED Dynamic Curve Warning Systems

Chevron Sign Alert Dynamic Curve Warning System

- **RITSBLKSS(XXXX)W18H**
- **Chevron Size**: (1824) 18" x 24" | (2430) 24" x 30" | (3036) 30" x 36"
- Sheeting: High Intensity *(upgrade to DG3 for max brightness)*
- Warning system is designed to work wirelessly using solar power to activate ultra-bright LED beacons inserted into the sign to warn drivers of sharp or dangerous curves.
- The Solar Sign Alert System assures visibility in all weather conditions as well as during the day and night. Our solar panels are the latest in technology with electronics to maintain power levels through rain, shine, sleet, or snow.
- Automatic light output for maximum efficiency
- Ultra slim design and simple installation
- CrossTalk Smart Controller Technology allows users to customize settings manually on-site and remotely using a wireless short-range connection or from virtually anywhere with cellular connection through cloud-based software.
- Meets MUTCD Standards

SCAN QR code with Smart Phone camera to view product videos.

Solar LED Sign Alert Systems

Ultra-bright blinking LEDS visible day or night in all weather conditions.

School Sign Alert Systems

- **RITSBLKSS2448S513** - Programmable Timer Module, 6 LED Lights, Solar Unit & Mounting Hardware.
  Size: 24" x 48" S5-1 School Speed Limit Sign
  Sheeting: DG3 Diamond Grade Cubed (White/FYG)
- **RITSBLKSS3030S113** - Programmable Timer Module, 5 LED Lights, Solar Unit & Mounting Hardware.
  Size: 30" x 30" S1-1 School Crossing Sign
  Sheeting: DG3 Diamond Grade Cubed (FYG)

These systems feature high intensity LEDs that can be programmed to activate during specific times of the day to reflect when students are present using 1 of 3 methods:

- 7-Day Timer
- Cross Link which allows users to schedule times wirelessly via computer for a single location.
- Web-Based which allows users to schedule or activate multiple sign alerts at multiple locations.

Our timer-activated systems are easy to use no matter the system you choose. Find more information on K&K SMART-Add-Ons below and by calling 1-800-367-1492.



Stop Sign Alert Systems

Add visibility to intersections with blinking stop signs!

- **RITSBLKSS(XXXX)R11H**
- 24/7 operation, 8 LED Lights, Solar Unit & Mounting Hardware.
- R1-1 Stop Sign
- **Sign Sizes (XXXX):**
  (3030) 30" x 30"
  (3636) 36" x 36"
  (4848) 48" x 48"
- Sheeting: High Intensity Prismatic *(upgrade to Diamond Grade Cubed for maximum brightness)*

Turn any regulatory sign into a blinking sign and make your local roadways safer.

Solar LED Inserts for Signs: *Brighter Signs Mean Safer Roads! Any MUTCD Sign Can Be a Sign Alert!*

Sign Alert Systems are powered by a solar panel and designed to enhance the visibility of highway signs in any weather conditions to increase road safety. With Sign Alert's ultra-bright LEDs, drivers are cautioned in advanced of dangerous intersections or curves, hazardous road conditions, or entering work zones or school zones and much more. K&K's smart controller allows our sign alert systems to preserve energy and battery life with its auto-dimming feature while maintaining brightness. K&K Sign Alert Systems paired with K&K SMART Add-Ons can be activated using our moisture sensor, radar sensor, high water sensor, push button, key fob remote, or by using any one of our timing systems such as the CrossTalk. Call to customize a system to fit your needs today!!

3M™ MCS™ Warranty

Speed Monitor Radar Signs

SCAN QR code with Smart Phone camera to view product videos.

RITSSMSOLAR18M

RITSSMSOLAR10M
RITSSMSOLAR12M

Speed Monitor Radar Signs

- **RITSSMSOLAR(XX)M**
- **LED Character Height (XX):** (10) 10" | (12) 12" | (18) 18"
- Solar panels utilize the most up-to-date solar technology and electronics to maintain power levels through rain, sleet, heavy snow or strong winds. No charging required. The solar panel continuously charges unit while in operation. *No more power bills!*
- Easily mount the unit onto a square or u-channel post with 2 bolts.
- Front serviceable, all aluminum display enclosure with powder coat paint behind an LED Display, plus built-in White Violator Strobe
- Quick Selection Switch: change violator alert without need of a CPU which allows the field workers to simply push the button to desired speed threshold.
  - Over Speed Flashing Violator Alert
  - Over Speed Blanking Violator Alert

Vehicle Mounted Arrow Boards

Standard Features:

- Vehicle Mounted Arrow Boards available in 15 and 25 lamp models in various sizes.
- Aluminum display is flat black powder coated for a smooth and corrosion resistance finish.
- Units are powered using a cable that integrates into the vehicles existing power system.
- The K&K Vehicle Mounted Arrow Board has a standard built-in controller on the panel face that allows mode selection.

Add-On Upgrade Options Available:

- Auto raise/lower function when the unit is powered on or off for the low profile mount.
- Folding frame activated using a 12V linear actuator with built-in limit switches and 6" stroke.
- Wireless or wired remotes for easy operation and mode selection.

PRODUCT ID	Board Size	Description	LED Lamps	Functions	Features
RITSKKAB489625TW	48" x 96"	Arrow Board with a folding frame and standard mounting option. *NOTE: Remotes are sold separately.*	25	8 Arrow Pattern Functions *NOTE: 13 functions available with optional remote, sold separately.*	◆ Meets MUTCD standards ◆ Photocell for Auto Dimming ◆ Super Bright LED Technology ◆ Easy to Operate ◆ Easy to Maintain ◆ Powder Coat Finish ◆ 360° LED Visors
RITSKKAB367225TW	36" x 72"		25		
RITSKKAB326025TW	32" x 60"		25		
RITSKKAB489615TW	48" x 96"		15	8 Arrow Pattern Functions	
RITSKKAB367215TW	36" x 72"		15		
RITSKKAB326015TW	32" x 60"		15		
RITSKKTRUWIRELESS	Tru Wireless Kit for K&K Arrow Boards - innovative option that uses solar energy to power the unit which eliminates integrating cables into the vehicle's power source.				

SCAN QR codes with Smart Phone camera to view product videos.

- TruWireless eliminates all wires connecting the arrow board to the vehicle by utilizing solar to power the unit.
- Simply bolt the unit to the mount, select a mode, and it's operational.
- TruWireless is an option that can be applied to all arrow board models shown on this page.

Mounting Options:

Select mounting style when ordering: Rail Mount Bars, Tailgate, Low Profile, High Profile Hitch, Leg Extensions, Low Profile, 90° Manual, 90° Auto, 180° Manual, 180° Auto, Scorpion and Vortec.

Some examples are shown here.

48" x 96" Arrow Board
Low Profile Skid Mount Shown

32" x 60" Arrow Board
90° Auto Mount Shown

36" x 72" Arrow Board
Over-the-Cab Low Profile Mount Shown

ENHANCED CONSPICUITY - MUTCD COMPLIANT

3M™ MCS™ Warranty

Brite-Max Center Mount Delineators

Brite-MAX

The best delineators on the market for combined safety and durability.

- **3M Reflective Sheeting (X):**
  (H) High Intensity Prismatic | **(3)** DG3 Diamond Grade Cube
- **Colors (XX): (YE)** Yellow | **(FY)** Fluorescent Yellow | **(WH)** White
- **Body Substrate:** .080" Aluminum
- **Compatibility:** Easy to install on sign posts with your choice of standard sign mounting hardware.

4" x 4" Square

- **PRODUCT ID: BA080(X)(XX)0404D**
- **Reflective Size:** 16" sq in
- **Hole Punch:** 1 mounting hole on center.

5" x 5" Diamond

- **PRODUCT ID: BA080(X)(XX)0505D**
- **Reflective Size:** 25" sq in
- **Hole Punch:** 2 mounting holes top and bottom on center.

4" x 8" Rectangle

- **PRODUCT ID: BA080(X)(XX)0408D**
- **Reflective Size:** 32" sq in
- **Hole Punch:** 2 mounting holes top and bottom on center.

5" x 8" Multi-View

- **PRODUCT ID: BMDMV0508(X)(XX)**
- **Reflective Size:** 41.12" sq in
- **Body Size:** 5.14" x 8" x .75"
- **Hole Punch:** 2 mounting holes top and bottom on center, 1" in on 5" side.

- The long term durability of aluminum backing plus the extreme angularity of the Multi-View profile combine to form an unbeatable product.
- Brite-Max Multi-View Rectangle delineators meet MUTCD requirements for "vertically elongated" delineators.
- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.

MUTCD Guidance

About Delineators

- Delineators are beneficial at locations such as at lane-reduction transitions and curves and provide effective guidance at night and during adverse weather conditions. Refer to the MUTCD for more information.
- Retroreflective elements for delineators shall have a minimum dimension of 3 inches.
- Delineators are considered guidance devices rather than warning devices.
- Delineators may be used on long continuous sections of highway or through short stretches where there are changes in horizontal alignment.

Color Definitions

- **WHITE:** Lane markings or to mark the right pavement edge.
- **YELLOW:** Separate traffic moving in opposite directions, or mark the left pavement edge on one-way roadways.
- **RED:** Used to warn motorists of "Do Not Enter" or "Wrong Way". Also, delineators shall be red when used on a truck escape ramp.
- **BLUE:** Used to mark the location of fire hydrants on the shoulder or at the curb.
- **GREEN:** Used for snowplow markings.
- **ORANGE:** Used in construction work zone areas.

Round Button Delineators

3.25" Round Button Delineators

- **PRODUCT ID: RD1314B(X)**
- **Colors (X): (W)** White
  (Y) Yellow | **(R)** Red
  (G) Green | **(B)** Blue
- **Body Size:** 3.25"
- **Substrate:** Plastic Back
- **Hole Punch:** 1 mounting hole on center
- **Reflective Size:** 7" sq in
- **Compatibility:** Delineator has one 7/32" hole in the center and can be mounted onto U-Channel or square post using 3/16" diameter bolts or added to Object Markers using 3/16" rivets.

3M™ MCS™ Warranty

Type 1 Object Markers
Warn and alert road users to obstructions within the roadway.

- **Size:** 18" x 18" for use on all Roadways
- **Reflective Sheeting:** **(H)** High Intensity Prismatic
- **Substrate:** .080" Aluminum
- **MUTCD Designation:**

OM1-1

- **PRODUCT ID:** **S1818OM11(H)BA**
  Yellow HIP with Yellow plastic reflectors

OM1-2

- **PRODUCT ID:** **S1818OM12(H)A**
  Black with Yellow HIP reflectors

OM1-3

- **PRODUCT ID:** **BA080(H)YE1818D**
  Yellow HIP

Type 2 Object Markers
Warn and alert road users to obstructions adjacent to or within the roadway.

- **Size:** **(1206)** 12" x 6" Horizontal | **(0612)** 6" x 12" Vertical
- **Reflective:** **(H)** High Intensity Prismatic
- **Substrate:** .080" Aluminum
- **MUTCD Designation:**

OM2-1H Horizontal

- **PRODUCT ID:** **S1206OM21H(H)BA**

OM2-1V Vertical

- **PRODUCT ID:** **S0612OM21V(H)BA**

OM2-2H Horizontal

- **PRODUCT ID:** **S1206OM22HY(H)A**

OM2-2V Vertical

- **PRODUCT ID:** **S0612OM22VY(H)A**

SCAN QR codes with Smart Phone camera to view product videos.

Type 3 Object Markers
Warn and alert road users to obstructions adjacent to or within the roadway.

- **Sizes (XXXX):** **(1236)** 12" x 36" for use on all Roadways
  (0618) 6" x 18" for use on Bicycle Paths
- **Reflective Sheeting:** **(H)** High Intensity Prismatic
- **Substrate:** .080" Aluminum
- **MUTCD Designation:**

OM3-L Left



- **PRODUCT ID:** **S(XXXX)OM3L(H)A**

OM3-R Right

- **PRODUCT ID:** **S(XXXX)OM3R(H)A**

OM3-C Center



- **PRODUCT ID:** **S(XXXX)OM3C(H)A**

End of Roadway Markers
Warn and alert road users to obstructions within the roadway.

- **Size:** 18" x 18" for use on all Roadways
- **Reflective Sheeting:** **(H)** High Intensity Prismatic
- **Substrate:** .080" Aluminum
- **MUTCD Designation:**

OM4-1

- **PRODUCT ID:** **S1818OM41(H)BA**
  Red HIP with Red plastic reflectors

OM4-2

- **PRODUCT ID:** **S1818OM42(H)A**
  Black with Red HIP reflectors

OM4-3

- **PRODUCT ID:** **BA080(H)RE1818D**
  Red HIP

NOTICE

Items shown on this page are standard products and have standard lead times. Please ask a customer service specialist for non-standard items and lead times. If plastic buttons are required, please specify when placing order.

SCAN QR codes with Smart Phone camera to view product videos.

Object Marker Faces for Guardrails
Faces placed on the end of guardrails warn and alert road users to the guardrail adjacent to or within the roadway.

- **PRODUCT ID: F(XXXX)OM3(X)P**
- **Sizes (XXXX): (1515)** 15" x 15" | **(1616)** 16" x 16"
  (1818) 18" x 18" | **(2424)** 24" x 24"
- **Reflective (X): (H)** High Intensity Prismatic
  (3) DG3 Diamond Grade | **(3)P(Y)** Fluorescent DG3 Diamond Grade
- **Stripe Sizes:** 3" stripes on 18" x 18" & under 4" stripes on 24" x 24" faces
- **Stripe Direction:** Square Faces are stackable and can be used as both "right" and "left" stripe direction by simply rotating them 180 degree.
- **Substrate:** Reflective Sheeting Face with Adhesive
- **Installation:** Faces have adhesive back for direct application to metal guardrail surface with proper surface preparation.

Drain Tile Sign

- **PRODUCT ID:** **JMSS10107619(H)A**
- **Size:** 10" x 10"
- **Substrate:** .080" Aluminum
- **Reflective Sheeting:** **(H)** High Intensity Prismatic
- **Hole Punch:** 2 holes, 1 top and 1 bottom on center.

About Object Markers

The purpose of object markers is to mark obstructions located within or adjacent to the roadway including underpass piers, bridge abutments, handrails, ends of traffic barriers, utility poles, and culvert headwalls. Other roadside conditions, such as narrow shoulders, drop-offs, gores, small islands, and abrupt changes in the roadway alignment, that might make it undesirable for a road user to leave the roadways, also create a need for a marker. Refer to MUTCD for more information.

The CPC STANDARD Finished Street Name Sign Designs are a Top Seller and are MUTCD Compliant.

The CPC Standard is a top selling choice for easy ordering plus offers faster shipping than choosing your own options from the comprehensive list of available MUTCD compliant options.

MUTCD COMPLIANT STREET NAME SIGNS

CPC Standard Finished Street Name Signs Checklist

QTY:___6" Tall Sign Blades

- **Roadway Type: Local Low Volume Two-Lane Roads with Speed Limits of 25 MPH or less**
- **CPC STANDARD PRODUCT ID: M1CPC(06XX)FHA(CCCC)**
- **Flat Blade: (06XX)**
  6" x variable lengths (36" MAX)
  .080 Aluminum | No Hole Punch |
  .75" Corner Radius
- **Letter Height:** 4" Prefix | 4" Primary | 2" Suffix
- **Letter Case:** Upper/Lower Case
- **Letter Font:** Highway Gothic B
- **Sign Border:** NONE
- **Reflective Sides:** Double-Sided
- **Reflective Sheeting Type:** High Intensity Prismatic

- **Color Scheme:**
  - ☐ White on Green
  - ☐ White on Blue
  - ☐ White on Brown
  - ☐ Black on White
  - ☐ White on Black
- **Retroreflectivity Management:**
  Would you like to implement an minimum retro-reflectivity assessment method, at no extra charge? *(Placement: Bottom Right Hand Corner)*
  ☐ Yes ☐ No
  ___Manufacturer Date ___Expiration Date
  MFG MMYY EXP MM/YY

QTY:___ 9" Tall Sign Blades

- **Roadway Type: Two Lane Roads Over 25 MPH and Multi Lane Roads 0-40 MPH**
- **CPC STANDARD PRODUCT ID: M1CPC(09XX)FHA(CCCC)**
- **Flat Blade: (09XX)**
  9" x variable lengths (42" MAX)
  .080 Aluminum | No Hole Punch |
  .75" Corner Radius
- **Letter Height:** 6" Prefix | 6" Primary | 3" Suffix
- **Letter Case:** Upper/Lower Case
- **Letter Font:** Highway Gothic B
- **Sign Border:** NONE
- **Reflective Sides:** Double-Sided
- **Reflective Sheeting Type:** High Intensity Prismatic

- **Color Scheme:**
  - ☐ White on Green
  - ☐ White on Blue
  - ☐ White on Brown
  - ☐ Black on White
  - ☐ White on Black
- **Retroreflectivity Management:**
  Would you like to implement an minimum retro-reflectivity assessment method, at no extra charge? *(Placement: Bottom Right Hand Corner)*
  ☐ Yes ☐ No
  ___Manufacturer Date ___Expiration Date
  MFG MMYY EXP MM/YY

IMPORTANT NOTE: Please e-mail or fax your list of signs (MUST BE A TYPED LIST), along with the specifications you've selected above for a personalized quote. Prefixes/Suffixes MUST use MUTCD Abbreviation, No Punctuation, Special Characters or Block Numbers allowed. No Design Proofs are provided with CPC Standard Finished Street Name Design Orders. Street Name Signs are Priced based on Length.

3M™ MCS™ Warranty

Comprehensive Finished Street Name Signs Checklist

Easy Order Checklist:

1 Select Blade

- ☐ **Flat Blade** .080" Aluminum
- ☐ **Extruded Blade** NO RADIUS
  6" and 9" Blade Heights Only

- ☐ **Econo Vandal Resistant**
  3MM ACM MATERIAL - NO SCRAP VALUE
  6", 8" and 9" Blade Heights Only

2 Reflective Type

- ☐ **High Intensity Prismatic**
- ☐ **DG³** *MUTCD guidance - For ground and overhead mounted signage: White reflective must be > 120 candlepower, Green must be > 7.*

3 Color Scheme

- ☐ **White on Green**
- ☐ **White on Blue**
- ☐ **White on Brown**
- ☐ **Black on White**
- ☐ **White on Black**
- ☐ **Other/Custom**

MUTCD guidance - Acceptable alternative background colors to Green are Blue, Brown or White. The legend shall be White, except for Black on White signs. Custom colors require adequate contrast, call a customer service specialist for guidance.

4 Sides

- ☐ **Double Face** Ground Mount
- ☐ **Single Face** Overhead Mount

5 Border

MUTCD guidance - Borders are optional, but if used, must be the same color as the letters.

- ☐ **None**
- ☐ **Edge** - *Should use on dark backgrounds*
- ☐ **Inset** - *Should use on white backgrounds*

6a. Logo or Route Symbol

- ☐ **None**
- ☐ **Yes**

MUTCD guidance - Route symbols or Logos may be placed on the left side of a sign. The maximum height is the same as the letter height.

6b. Prefix/Suffix

- ☐ **Full Size**
- ☐ **Half Size**

MUTCD Guidance - Prefix/Suffix Height may be smaller than the height of the primary copy and may be abbreviated. No punctuation is to be used.

7 Vandal Resistant Hole Punch

- ☐ **None**
- ☐ **VPA 12 Bolt thru**
- ☐ **Other**

8 Dimensions

Roadway Type Local Two Lane Roads 0-25 MPH

MUTCD guidance - Initial upper-case letters at least 4" high and lower-case letters 3/4 height of upper-case.

☐ Blade Height: 6" | Corner Radius .75"
Letter Height/Prefix: 4" | Suffix Height: 2"
Font: Highway Gothic B | Case: U/L

☐ Blade Height: 8" | Corner Radius .75"
Letter Height/Prefix: 4" | Suffix Height: 2"
Font: Highway Gothic B | Case: U/L

Two Lane Roads Over 25 MPH and Multi Lane Roads 0-40 MPH

MUTCD guidance - Initial upper-case letters at least 6" high and lower-case letters 3/4 height of upper-case.

☐ Blade Height: 9" | Corner Radius .75"
Letter Height/Prefix: 6" | Suffix Height: 3"
Font: Highway Gothic B | Case: U/L

☐ Blade Height: 12" | Corner Radius 1.5"
Letter Height/Prefix: 6" | Suffix Height: 3"
Font: Highway Gothic B | Case: U/L

Multi Lane Roads Over 40 MPH

MUTCD guidance - Initial upper-case letters at least 8" high and lower-case letters 3/4 height of upper-case.

☐ Blade Height: 12" | Corner Radius 1.5"
Letter Height/Prefix: 8" | Suffix Height: 4"
Font: Highway Gothic B | Case: U/L

Overhead Mast Arm

MUTCD guidance - Initial upper-case letters at least 12" high and lower-case letters 3/4 height of upper-case.

☐ Blade Height: 18" | Corner Radius 1.5"
Letter Height/Prefix: 8" | Suffix Height: 8"
Font: Highway Gothic C | Case: U/L

☐ Blade Height: 18" | Corner Radius 1.5"
Letter Height/Prefix: 8" | Suffix Height: 4"
Font: Highway Gothic C | Case: U/L

☐ Blade Height: 24" | Corner Radius 1.5"
Letter Height/Prefix/Suffix Height: 12"
Font: Highway Gothic C | Case: U/L

☐ Blade Height: 24" | Corner Radius 1.5"
Letter Height/Prefix: 12" | Suffix Height: 6"
Logo/Route Symbol Height: 12"
Font: Highway Gothic C | Case: U/L

Street Name Signs are Priced based on Length. Please e-mail or fax your list of signs, along with the specifications you've selected for a personalized quote.

Street Name Signs *MUST* be Type II copy on Type I background or better.
We recommend using 3M™ **High Intensity Prismatic** for **Ground Mounted SNS**
and 3M™ **Diamond Grade Cubed** for **Overhead Mounted SNS**

IMPORTANT NOTE: Please e-mail or fax your list of signs (MUST BE A TYPED LIST), along with the specifications you've selected above for a personalized quote. Prefixes/Suffixes MUST use MUTCD Abbreviation, No Punctuation, Special Characters or Block Numbers allowed. Street Name Signs are Priced based on Length.

MUTCD COMPLIANT STREET NAME SIGNS

3M™ MCS™ Warranty

Street Name Finished Signs & Blanks

Finished Signs
- Doubled-Sided
- Standard/Custom Color
- Custom Text & Font
- White HIP • ***Bent Lip***

OSI41001CHWH - 36" x 13.5"
OSI41001JHWH - 30" x 11"

OSI41016CHWH - 36" x 15"
OSI41016JHWH - 30" x 11.82"



OSI41003CHWH - 36" x 12"
OSI41003JHWH - 30" x 9.25"

OSI41004CHWH - 36" x 14.25"
OSI41004JHWH - 30" x 11.5"

OSI41025CHWH - 36" x 12"
OSI41025JHWH - 30" x 10"

Finished Signs
- Doubled-Sided
- Standard/Custom Color
- Custom Text & Font
- White HIP • ***NO Lip***

OSI11001CHWH - 36" x 13.5"
OSI11001JHWH - 30" x 11"

OSI11016CHWH - 36" x 15"
OSI11016JHWH - 30" x 11.82"



OSI11003CHWH - 36" x 12"
OSI11003JHWH - 30" x 9.25"

OSI11004CHWH - 36" x 14.25"
OSI11004JHWH - 30" x 11.5"

Logo Signs

OSI3CLOGOHWH - 9" x 9"
OSI3JLOGOHWH - 6" x 6"

Sheeted Reflective Blanks
- Doubled-Sided
- White HIP • ***Bent Lip***



OSIS41001CHWH - 36" x 13.5"
OSIS41001JHWH - 30" x 11"



OSIS41016CHWH - 36" x 15"
OSIS41016JHWH - 30" x 11.82"



OSIS41003CHWH - 36" x 12"
OSIS41003JHWH - 30" x 9.25"



OSIS41004CHWH - 36" x 14.25"
OSIS41004JHWH - 30" x 11.5"



OSIS41025CHWH - 36" x 12"
OSIS41025JHWH - 30" x 10"

Federal Standard Finished Signs • Letters: B Series or largest Highway Gothic Font Series that space allows on sign • Doubled-Sided • No Holes • No Border • White HIP • ***NO Lip*** **M2AH(X)D(XXXX)(R)BM(XX)N**

Overlay Film Color: (X) =

(A)

(B)

(C)

(D)

(E)

Blade Size: (XXXX) = (0942) 42" x 9" | (0936) 36" x 9" | (0630) 30" x 6" | (0636) 36" x 6"
Corner Radius: (R) = (T)1.5" Radius for 9" Sign Trim Brackets | (S) .75" Radius for all other brackets
Letter Height: (XX) = (63) 6" Primary/Prefix & 3" Suffix for 9" Signs | (42) 4" Primary/Prefix & 2" Suffix for 6" Signs

3M™ MCS™ Warranty

Street Name Finished Signs & Blanks

Sheeted Reflective Blanks
• Doubled-Sided
• White HIP • ***NO Lip***



OSIS11001CHWH - 36" x 13.5"
OSIS11001JHWH - 30" x 11"



OSIS11016CHWH - 36" x 15"
OSIS11016JHWH - 30" x 11.82"



OSIS11003CHWH - 36" x 12"
OSIS11003JHWH - 30" x 9.25"



OSIS11004CHWH - 36" x 14.25"
OSIS11004JHWH - 30" x 11.5"

BA080HWH1236SNSRD - 36" x 12"
BA080HWH0936SNSRD - 36" x 9"
BA080HWH0630SNSRD - 30" x 6"

Use below items in 9" trim sign bracket
BA080HWH0936SNSRD15 - 36" x 9"
BA080HWH0942SNSRD15 - 42" x 9"

Bare Blanks
• Bent Lip



OSIB41001C - 36" x 13.5"
OSIB41001J - 30" x 11"



OSIB41016C - 36" x 15"
OSIB41016J - 30" x 11.82"



OSIB41003C - 36" x 12"
OSIB41003J - 30" x 9.25"



OSIB41004C - 36" x 14.25"
OSIB41004J - 30" x 11.5"



OSIB41025C - 36" x 12"
OSIB41025J - 30" x 10"

Bare Blanks
• No Lip



OSIB11001C - 36" x 13.5"
OSIB11001J - 30" x 11"



OSIB11016C - 36" x 15"
OSIB11016J - 30" x 11.82"



OSIB11003C - 36" x 12"
OSIB11003J - 30" x 9.25"



OSIB11004C - 36" x 14.25"
OSIB11004J - 30" x 11.5"

BA0801236SNSR - 36" x 12"
BA0800936SNSR - 36" x 9"
BA0800630SNSR - 30" x 6"

Use below items in 9" trim sign bracket
BA0800936SNSR15 - 36" x 9"
BA0800942SNSR15 - 42" x 9"



CSN CUSTOM STREET NAME

Check out Custom Street Name Packages on pages 34-45.

Designs that fit your neighborhood style while eliminating the guesswork on MUTCD compliancy.

3M™ MCS™ Warranty

Metro Street Name Signs

Installation: Metro Street Name Signs are designed for overhead mast arm mounting with standard brackets.

A route symbol or a pictograph may be used on the left side of a street name sign.

Standard Finished Metro Signs

- Letters: B Series or largest Highway Gothic Font Series that space allows on sign
- Single-Sided • No Holes • White HIP

Standard Overlay Film Colors *(shown below)*

(A) border

(B) border

(C) border

(D) border

(E) border

3M™ MCS™ Warranty

Did You Know?

Traffic & Custom Legend Signs (CLS), both traditional and digitally printed are manufactured to the 3M Matched Component System standards.

The use of 3M's Matched Component System insures your investment. When signs are created with high quality 3M sheeting and components, the sign performance is backed by 3M warranties. The MCS guarantees that signs will remain effective for their intended use and meet minimum values for retroreflection for the specified warranty period. The use of any non-3M materials in conjunction with 3M products will void all warranties.

90" x 30" Sign Blades

Minimum of 8" upper/lower case letters. *Fits only 1 line of copy.* **OSI84(XXXX)M1HWH**

1025M1

1001M1

1003M1

1004M1

1016M1

90" x 36" Sign Blades

Minimum of 8" upper/lower case letters. *Fits 2 lines of copy.* **OSI84(XXXX)M2HWH**

1025M2

1001M2



1003M2

1004M2

1016M2

Sign Backers



Laminate Vinyl offers the most cost effective option while retaining the classic feel of the ornamental system. Durable black vinyl is applied to the back of the traffic sign. This option is not visible from the front side of the sign. ***Find many more sizes on our website. www.cpcsigns.com***



.080 Aluminum Plates offer a lighter weight alternative to Steel Frames while retaining the classic feel of the ornamental system. Oversized by 3" for a defined 1.5" black border around the sign. Punched and radius to match sign. Powder coated semi-gloss black.

Steel Sign Frames include a steel backer plate welded to angle iron. Frames have a .75" radius and standard .375" holes to match the sign. Powder coated semi-gloss black.

OTSBL9036BK

OTSBL9030BK

ITEM CODE			FOR SIZES
Laminate Vinyl	Aluminum Plate	Steel Frame	
OTSBL1206BK	OTSBP1206BK	OTSBF1206BK	12" X 6" Horizontal Rectangle
OTSBL1806BK	OTSBP1806BK	OTSBF1806BK	18" X 6" Horizontal Rectangle
OTSBL1218BK	OTSBP1218BK	OTSBF1218BK	12" X 18" Vertical Rectangle
	OTSBP1812BK	OTSBF1812BK	18" X 12" Horizontal Rectangle
OTSBL2412BK	OTSBP1224BK	OTSBF1224BK	12" X 24" Vertical Rectangle
	OTSBP2412BK	OTSBF2412BK	24" X 12" Horizontal Rectangle
OTSBL1824BK	OTSBP1824BK	OTSBF1824BK	18" X 24" Vertical Rectangle
	OTSBP2418BK	OTSBF2418BK	24" X 18" Horizontal Rectangle
OTSBL2424BK	OTSBP2424DBK	OTSBF2424DBK	24" X 24" Diamond
	OTSBP2424OBK	OTSBF2424OBK	24" X 24" Octagon
	OTSBP2424SBK	OTSBF2424SBK	24" X 24" Square
OTSBL2430BK	OTSBP2430BK	OTSBF2430BK	24" X 30" Vertical Rectangle
OTSBL3030BK	OTSBP3030DBK	OTSBF3030DBK	30" X 30" Diamond
	OTSBP3030OBK	OTSBF3030OBK	30" X 30" Octagon
	OTSBP3030SBK	OTSBF3030SBK	30" X 30" Square
OTSBL3636BK	OTSBP3636DBK	OTSBF3636DBK	36" X 36" Diamond
	OTSBP3636OBK	OTSBF3636OBK	36" X 36" Octagon
	OTSBP3636SBK	OTSBF3636SBK	36" X 36" Square
	OTSBP3636TBK	OTSBF3636TBK	36" X 36" Triangle

Quick SHIP

Metro Street Name Laminate Vinyl Backer is a cost effective option for a classic feel of the ornamental system. Durable black vinyl is applied to the back of the metro street name sign. The vinyl is not visible from the front side of the sign.

3M™ MCS™ Warranty

Municipal Decals



DM(C10)(M)(A)
DM(C14)(M)(A)
DM(C18)(M)(A)

DM(Q11508)(M)(A)
DM(Q16115)(M)(A)



Common Center Legends: **ROAD DEPT. | SANITARY DEPT. | UTILITY DEPT. | WATER DEPT.**

NOTE: Magnetic decals do not cling to aluminum body vehicles.

CPC Standard Color Chart

Utilize the 21 colors on the CPC Standard Color Chart to custom design your municipal decal colors.
Start by choosing a color for the Legend (Copy/Graphics/Border) and then select a color for the background.

Traffic Black PANTONE 3 C	Traffic Blue PANTONE 300 C	Traffic Green PANTONE 3536 C	Traffic Yellow PANTONE 7408 C	Traffic Red PANTONE 3546 C	Traffic Purple PANTONE 259 C	Traffic Orange PANTONE 3564 C
Traffic Brown PANTONE 477 C	Light Navy PANTONE 2965 C	Purple PANTONE 268 C	Olympic Blue PANTONE 299 C	Medium Gray PANTONE Cool Gray 8 C	Burgundy PANTONE 202 C	Maroon PANTONE 7428 C
Dark Brown PANTONE 476 C	Gold PANTONE 7407 C	Parchment PANTONE 3599 C	Camel PANTONE 473 C	Polo Green PANTONE 567 C	Forest Green PANTONE 336 C	White

Municipal Decal Order Checklist

Shape & Size
- ☐ **(C10)** 10" Circle
- ☐ **(C14)** 14" Circle
- ☐ **(C18)** 18" Circle
- ☐ **(Q11508)** 11½" X 8" Squared Oval
- ☐ **(Q16115)** 16" X 11½" Squared Oval

Material (M)
- ☐ **(N)** Non-Reflective Vinyl
- ☐ **(E)** Engineer Grade Reflective
- ☐ **(H)** High Intensity Reflective

Adhesion (A)
- ☐ **(P)** Decal ☐ **(M)** Magnetic

Color 1 _____

Color 2 _____

Center Legend _____

_____

Outer Legend _____

_____

Banners

Banners for any and every occasion! Available in a variety of sizes and colors, including 4 Color Process Digital Printing.

Decals

Decals are very popular for business, clubs, fund-raisers or just for fun!! Available in numerous material types and sizes.

Magnetics

Magnetic Material can be used to make Business Cards, Mini Magnets, Calendars, Picture Frames, Car Door Signs and More.

License Plates

Personalized License Plates made from your choice of aluminum, polyethylene or 6-Ply all-weather card. Car Plate Frames are also available.

Real Estate

A variety of products are available for Real Estate Companies including Yard Signs, Banners, Magnetics and Decals.

Sand Blasted Signs

Sand Blasted Signs made with High Density Foam Board with Ornamental Iron Frame.

Security Signs

These Signs Are Also A Great Way To Mark Underground TV Cables, Utilities, Or Water Sprinkler Lines.

Security Signs are made of aluminum or polyethylene. Matching window decals and aluminum stakes are also available.

Political Products

Our Political Products Include Yard Signs, Mini-Billboards, Bumper Stickers, Badges, Door Knob Hangers, and Rally Signs

3M™ MCS™ Warranty

Routed Sign Blanks & Finished Signs

Standard Routed Designs

Ridgeland 1001

Dinsmor 1003

Deerfield 1004

Madison 1016

Standard Routed Shape Sizes *(width x height)*

12" x 12"	24" x 48"	36" x 48"	60" x 30"
12" x 18"	30" x 24"	48" x 24"	60" x 36"
18" x 12"	30" x 30"	48" x 30"	60" x 48"
18" x 18"	30" x 36"	48" x 36"	72" x 30"
18" x 24"	30" x 48"	48" x 48"	72" x 36"
24" x 18"	30" x 60"	48" x 60"	72" x 48"
24" x 24"	36" x 24"	48" x 72"	96" x 36"
24" x 30"	36" x 30"	48" x 96"	96" x 48"
24" x 36"	36" x 36"		

Special Routed Designs *(sizes shown = width x height)*

Simple Arrow 2:1

Vertical	Horizontal
6" x 12"	12" x 6"
9" x 18"	18" x 9"
12" x 24"	24" x 12"
15" x 30"	30" x 15"
18" x 36"	36" x 18"
24" x 48"	48" x 24"



Simple Arrow 3:1

Vertical	Horizontal
4" x 12"	12" x 4"
6" x 18"	18" x 6"
8" x 24"	24" x 8"
10" x 30"	30" x 10"
12" x 36"	36" x 12"
16" x 48"	48" x 16"

Simple Arrow 4:1

Vertical	Horizontal
6" x 24"	24" x 6"
7.5" x 30"	30" x 7.5"
9" x 36"	36" x 9"
12" x 48"	48" x 12"

Simple Arrow 6:1

Vertical	Horizontal
4" x 24"	24" x 4"
5" x 30"	30" x 5"
6" x 36"	36" x 6"
8" x 48"	48" x 8"



Vintage Arrow

Vertical	Horizontal
4" x 12"	12" x 4"
6" x 18"	18" x 6"
8" x 24"	24" x 8"
10" x 30"	30" x 10"

Arrowhead

Vertical	Horizontal
12" x 18"	18" x 12"
18" x 27"	27" x 18"
24" x 36"	36" x 24"
30" x 45"	45" x 30"
36" x 54"	54" x 36"
48" x 72"	72" x 48"

Choose 1 of 4 Standard Routed Designs including Ridgeland, Dinsmor, Deerfield & Madison or 1 of 27 ALL NEW Special Routed Designs!

Shield Bouche

Sizes	
12" x 12"	30" x 30"
18" x 18"	36" x 36"
24" x 24"	48" x 48"

Shield Modern

Sizes	
12" x 12"	30" x 30"
18" x 18"	36" x 36"
24" x 24"	48" x 48"



Shield Eagle

Sizes	
12" x 18"	30" x 45"
18" x 27"	36" x 54"
24" x 36"	48" x 72"

Shield Metropolitan

Sizes	
12" x 12"	30" x 30"
18" x 18"	36" x 36"
24" x 24"	48" x 48"

Shield 5 Point Star

Sizes	
12" x 12"	30" x 30"
18" x 18"	36" x 36"
24" x 24"	48" x 48"



Shield 6 Point Star

Sizes	
11" x 12"	26" x 30"
16" x 18"	31" x 36"
21" x 24"	41" x 48"

Shield Maltese Cross

Sizes	
12" x 12"	30" x 30"
18" x 18"	36" x 36"
24" x 24"	48" x 48"



Scalloped

Square Sizes	
6" x 6"	24" x 24"
8" x 8"	30" x 30"
12" x 12"	36" x 36"
18" x 18"	48" x 48"



Scalloped

Rectangle Sizes	
12" x 9"	48" x 24"
18" x 12"	36" x 30"
24" x 12"	48" x 30"
24" x 18"	60" x 30"
30" x 18"	48" x 36"
36" x 18"	60" x 36"
30" x 24"	60" x 48"
36" x 24"	



Archway

Sizes	
8" x 12"	24" x 45"
8" x 16"	30" x 36"
12" x 18"	30" x 60"
12" x 24"	36" x 48"
18" x 24"	36" x 72"
18" x 36"	48" x 60"
24" x 30"	48" x 96"



Steeple

Sizes	
8" x 12"	24" x 45"
8" x 16"	30" x 36"
12" x 18"	30" x 60"
12" x 24"	36" x 48"
18" x 24"	36" x 72"
18" x 36"	48" x 60"
24" x 30"	48" x 96"

Octagon

Sizes	
6" x 6"	24" x 24"
8" x 8"	30" x 30"
12" x 12"	36" x 36"
15" x 15"	42" x 42"
18" x 18"	48" x 48"



Rhombus

Sizes	
6" x 8"	24" x 32"
9" x 12"	30" x 40"
12" x 16"	36" x 48"
18" x 24"	48" x 64"

Triangle

Sizes	
12" x 12"	30" x 30"
18" x 18"	36" x 36"
24" x 24"	48" x 48"

Circle

Sizes	
8" x 8"	24" x 24"
10" x 10"	30" x 30"
12" x 12"	36" x 36"
18" x 18"	42" x 42"
	48" x 48"

Oval 2:1

Sizes	
24" x 12"	60" x 30"
30" x 15"	72" x 36"
36" x 18"	96" x 48"
48" x 24"	

Oval 1.33:1

Sizes	
10" x 7.5"	30" x 22.5"
12" x 9"	36" x 27"
18" x 13.5"	42" x 31.5"
24" x 18"	48" x 36"

Monticello

Sizes	
18" x 12"	36" x 28"
24" x 18"	48" x 36"
30" x 24"	60" x 48"

Single Dome

Sizes	
12" x 14"	30" x 34"
18" x 20"	36" x 40"
24" x 27"	48" x 54"

Double Dome

Sizes	
12" x 14"	30" x 34"
18" x 20"	36" x 40"
24" x 27"	48" x 54"

Whale's Tail

Sizes	
12" x 18"	30" x 36"
18" x 24"	36" x 48"
24" x 30"	48" x 60"

3M™ MCS™ Warranty

Follow the Steps to choose a Routed Sign from bare or sheeted blanks to finished Custom Legend Signs (CLS).

❶ Design Shapes & Sizes *Standard Radius Corners*

NOTE: Choose from shapes and sizes on pages noted.

☐ **Standard Routed Designs**
*Find Sign Design Shape Names & Sizes on **page 26**, enter info below:*

_____

_____

☐ **Special Routed Designs**
*Find Sign Design Shape Names & Sizes on **page 26**, enter info below:*

_____

_____

☐ **Standard Shape Designs**
*Find Sign Design Shape Names & Sizes on **page 101**, enter info below:*

_____

_____

❷ Substrate *.080" Aluminum*

☐ **Bare Blank**

Reflective Sheeted Blank *White High Intensity Prismatic*
☐ Single-Sided ☐ Add a Black Vinyl Laminate Backer
☐ Double-Sided

☐ **Finished Custom Legend Sign (CLS)** *Customize a reflective sheeted blank by adding your logo, graphics and copy. Utilize CPC Standard border styles and colors for a quicker ship custom finished sign.*

❸ Hole Punch/VHB Tape

☐ **2 Hole Punch** *for 1 post mount for signs up to 36" wide*
☐ **4 Hole Punch** *for 2 post mount for signs larger than 36" wide*
☐ **Corner Holes** *1 hole in each corner for mounting on a wall or surface*
☐ **No Holes** *for Post and Panel or Wall/Surface Mounting with VHB Tape*
☐ **Add VHB Tape** *on perimeter of sign for installation to wall/surface*
☐ **Add VHB Tape** *to sign center vertically to mount to one post*
☐ **Add VHB Tape** *to sign vertically in the two post mount locations*

Find more information @www.cpcsigns.com

Examples of Custom Finished Signs



CPC Standard Color Chart for Sign Colors

Utilize the 21 colors on the CPC Standard Color Chart to custom design your sign colors. Start by choosing a color for the Legend (Copy/Graphics/Border) and then select a color for the background. The option to add a gold pinstriping to a white border is available at no extra charge. ***NOTE: Request Pantone Color Matching Service by calling customer service at 1-800-367-1492.*** *Colors may vary in appearance from catalog, digital screen, substrates and light conditions.*

White

Traffic Black PANTONE 3 C	Traffic Blue PANTONE 300 C	Traffic Green PANTONE 3536 C	Traffic Yellow PANTONE 7408 C	Traffic Red PANTONE 3546 C	Traffic Purple PANTONE 259 C	Traffic Orange PANTONE 3564 C	Traffic Brown PANTONE 477 C	Light Navy PANTONE 2965 C	Purple PANTONE 268 C
Olympic Blue PANTONE 299 C	Medium Gray PANTONE Cool Gray 8 C	Burgundy PANTONE 202 C	Maroon PANTONE 7428 C	Dark Brown PANTONE 476 C	Gold PANTONE 7407 C	Parchment PANTONE 3599 C	Camel PANTONE 473 C	Polo Green PANTONE 567 C	Forest Green PANTONE 336 C

3M™ MCS™ Warranty

Special Legend Parking Signs

Order Guidance for Standard Color Special Legend Parking Signs

❶ Legends & ❷ Sign Design Options

1,000s of Special Legend Parking Signs are available at www.cpcsigns.com in your choice of 1 of 5 design styles below:

☐ MUTCD Legend Permissive Style	☐ RESERVED Header Style	☐ No Parking SYMBOL Style	☐ Tow Away Zone SYMBOL Style	☐ Oxford Series Style

❸ Sign Sizes

☐ 12" x 18" ☐ 18" x 24"	☐ 18" x 12" ☐ 24" x 18"	☐ 12" x 18" ☐ 18" x 24"	☐ 12" x 18" ☐ 18" x 24"	☐ 12" x 18" ☐ 18" x 24"

❹ Reflective Type

☐ 3M™ White High Intensity Prismatic

❺ Substrate

☐ .080" Aluminum

❻ Mounting Options

☐ Post Mount - 2 holes on 1" centers, located top and bottom, standard radius corners. NOTE: Hardware and u-bolt brackets, sold separately.

❼ Standard Colors

☐ Traffic Green on White	☐ Traffic Green & Black on White	☐ Traffic Red & Black on White	☐ Traffic Red & Black on White	☐ Traffic Green & Black on White ☐ Traffic Red & Black on White ☐ Traffic Blue & Black on White

Standard Colors represent the MUTCD compliant and standard CPC option.

Universal Parking Signs

Easily Semi-Customize ANY Parking Signs utilizing the Standard CPC color combinations shown on the page, at right. Make your selections when ordering by calling 1-800-367-1492. A few examples of the many color matching options available in the color matching program shown below.

3M™ MCS™ Warranty

Order Guidance for Semi-Custom Universal Parking Signs

1 Legends
2 Designs

	☐ MUTCD Words Only	☐ MUTCD Symbol & Words	☐ Header Header & Words	☐ Architectural Header, Words & Symbol
	G	H	I	A J
Permissive A — *Find 190+ Permissive Parking Sign Legends @ www.cpcsigns.com*	ONE HOUR PARKING	P ONE HOUR PARKING	P PERMITTED ONE HOUR PARKING	Parking One Hour Parking P
Prohibitive B — *Find 25+ Prohibitive Parking Sign Legends @ www.cpcsigns.com*	NO PARKING HERE TO CORNER	HERE TO CORNER	NO PARKING HERE TO CORNER	No Parking Here To Corner
Disabled/Reserved C — *Find 4 Disabled Parking Sign Legends @ www.cpcsigns.com*	ACCESSIBLE ENTRANCE / ACCESSIBLE ENTRANCE	ACCESSIBLE ENTRANCE / ACCESSIBLE ENTRANCE	ACCESSIBLE ENTRANCE / ACCESSIBLE ENTRANCE	Reserved Parking Accessible Entrance / Reserved Parking Accessible Entrance
	Choose a Standard or Active Symbol ☐ Standard ADA Symbol ☐ Active Symbol			

3 Sign Sizes

☐ MUTCD Words Only	☐ MUTCD Symbol & Words	☐ Header Header & Words	☐ Architectural Header, Words & Symbol
☐ 12" x 18" ☐ 18" x 24"	☐ 12" x 18" ☐ 18" x 24"	☐ 12" x 18" ☐ 18" x 24"	☐ 12" x 24"

4 Reflective Type

☐ 3M™ White High Intensity Prismatic

5 Substrate

☐ .080" Aluminum

6 Arrows *(Examples of Universal Parking Designs Shown)*

- ☐ No Arrows or Space
- ☐ Left Arrow
- ☐ Right Arrow
- ☐ Double Arrow

7 Mounting Options

☐ **Post Mount**
2 holes on 1" centers, located top and bottom, standard radius corners. NOTE: Hardware and u-bolt brackets, sold separately.

☐ **Wall Mount**
Standard radius corners, with 3/16" screw holes in all (4) corners.

☐ **Architectural** Standard radius corners without holes.

VHB Tape for a clean appearance without visible fasteners on the sign face.

☐ **No Tape**

☐ **Center Mount**
VHB tape mounted to the center of the sign back.

☐ **Perimeter Mount**
VHB tape mounted to the perimeter of the sign back.

8 Sign Backer

Black Laminate Vinyl applied to the back of a sign provides a durable, cost effective yet classic feel for your ornamental system. Vinyl is not visible from the front side of the sign.

☐ **No Backer** ☐ **12" x 18"** ☐ **12" x 24"** ☐ **18" x 24"**

NOTE: Aluminum Plates and Steel Sign Frames also available.

9 Standard Colors

☐ **Permissive Parking:** Traffic Green & Black on White

☐ **Prohibitive Parking:** Traffic Red & Black on White

☐ **Disabled/ADA Parking:** Traffic Green, Blue & Black on White

Standard Colors represent the MUTCD compliant and standard CPC option.

☐ **Pick Your Own Colors**

Match your school, business or town colors with the Custom Reflective Color Matching Program.

CPC Standard Color Chart

Utilize the 21 colors on the CPC Standard Color Chart to custom design your sign colors. Start by choosing a color for the Legend (Copy/Graphics/Border) and then select a color for the background. The option to add a gold pinstriping to a white border is available at no extra charge. Drop-down selections provide an easy ordering solution, during ordering online @ www.cpcsigns.com

NOTE: Request a color change of symbols or request Pantone Color Matching Service by calling customer service at 1-800-367-1492.

Colors may vary in appearance from catalog, digital screen, substrates and light conditions.

White	Traffic Black PANTONE 3 C	Traffic Blue PANTONE 300 C
Traffic Green PANTONE 3536 C	Traffic Yellow PANTONE 7408 C	Traffic Red PANTONE 3546 C
Traffic Purple PANTONE 259 C	Traffic Orange PANTONE 3564 C	Traffic Brown PANTONE 477 C
Light Navy PANTONE 2965 C	Purple PANTONE 268 C	Olympic Blue PANTONE 299 C
Medium Gray PANTONE Cool Gray 8 C	Burgundy PANTONE 202 C	Maroon PANTONE 7428 C
Dark Brown PANTONE 476 C	Gold PANTONE 7407 C	Parchment PANTONE 3599 C
Camel PANTONE 473 C	Polo Green PANTONE 567 C	Forest Green PANTONE 336 C

3M™ MCS™ Warranty

Comprehensive Branding Program

Leave an Impression with a Comprehensive Branding Program

- Let CPC Signs help you design and develop your own comprehensive branding program.
- CPC offers a robust line of products and services to help you develop and implement your program from your smallest and simplest to your largest and most complex sign.
- Utilize CPC's standard design elements and plethora of sign products and mounting systems to create a fully integrated program. Your program will not only be aesthetically pleasing but direct visitors to sites more easily, creating safer roads and visitor satisfaction.
- Comprehensive Branding Programs are ideal for communities, subdivisions, complexes, campuses, facilities, parking areas and garages, businesses, buildings and entrances plus wayfinding, metro street name signs, city entrance guide signs and ground mounted street name signs.
- Check out all of the comprehensive branding program elements shown here; on pages 32 and 33.

Design Uniformity

Easily elevate the look of your sign program through Uniformity, to achieve a clean, aesthetically-pleasing appearance that will impress for years to come. Follow CPC's Design Standards and utilize the uniform shapes, design styles, colors, fonts and mounting systems for your entire sign program.

Sign Reflectivity & Substrates

Custom Products utilizes durable DOT Grade raw materials on most of our signage to ensure a time tested, proven performance. 3M High Intensity Prismatic (HIP) Reflective Sheeting and .080" thick aluminum are our most common substrates but others are available by special quote. Also, many of our unique mounting systems allow the option of a double-sided sign.

Sign Sizes

Signs are available in a multitude of sizes for all scale applications from a single letter or number to large signs for identification and navigation.

Sign Shapes - Standard & Contoured

Create a distinctive look for your system by choosing a standard sign shape (see pages 100-101) or a contoured shape from one of our 31 routed shapes (see pages 26-27).

Sign Legends

Utilize a mixture of standard, semi-custom and custom legend signs (CLS) to build your comprehensive branding program quickly without the need to re-invent common and standard legends. This not only saves you time, but money allowing you to get the most out of your budget.

Sign Fonts

CPC's preferred sign font is Highway Gothic. This standard highway font offers maximum visibility and legibility at a distance and at higher speeds.

Already have an established font? Or looking for something different or fancy? CPC can design your signs with many other fonts, by request. Not sure what font to choose? Contact us, we can help!

Sign Logos

Show pride in your business or community by adding your logo to any sign. Don't have a logo? Ask about an icon to add some pizazz to your sign such as a star, heart, leaf, tree, seashell, animal, etc.
NOTE: Please visit www.cpcsigns.com/artwork-guidelines.php for information on logo requirements and design service fees for non-production ready artwork.

Sign Backers

We got your back...Don't let that single sided sign back go unfinished. Complete the look by adding a Sign Backer to your single-sided sign. Choose from premium quality Steel Frames, Aluminum Plates or Vinyl Laminate backer options to put the finishing touch on your signs (see page 24).

The possibilities are limitless with a Comprehensive Branding Program

CPC Standard Color Chart for Sign Colors

Add some flair to your branding program by utilizing the 21 colors in the CPC Standard Color Chart to design your sign. Start by choosing a color for the Legend (Copy/Graphics/Border) and then select a color for the background. The option to add gold pinstriping to a white border is available at no extra charge. ***NOTE: Request Pantone Color Matching Service by calling customer service at 1-800-367-1492.***

Colors may vary in appearance from catalog, digital screen, substrates and light conditions.

White

Traffic Black PANTONE 3 C	Traffic Blue PANTONE 300 C	Traffic Green PANTONE 3536 C	Traffic Yellow PANTONE 7408 C	Traffic Red PANTONE 3546 C	Traffic Purple PANTONE 259 C	Traffic Orange PANTONE 3564 C	Traffic Brown PANTONE 477 C	Light Navy PANTONE 2965 C	Purple PANTONE 268 C
Olympic Blue PANTONE 299 C	Medium Gray PANTONE Cool Gray 8 C	Burgundy PANTONE 202 C	Maroon PANTONE 7428 C	Dark Brown PANTONE 476 C	Gold PANTONE 7407 C	Parchment PANTONE 3599 C	Camel PANTONE 473 C	Polo Green PANTONE 567 C	Forest Green PANTONE 336 C

Mounting Systems

Mounting System Components are modular to allow you to design and build your own system to suit your taste. From a wall mount to a one or two post mount, the program offers a multitude of styles and options. Components are offered for each post style including u-channel, square and round posts.

U-Channel Posts, Brackets and Hardware

2-3/8" Round Posts, Brackets and Hardware

3" and 4" Round Posts, Brackets and Hardware

Punched Square Posts, Brackets and Hardware

3" and 4" Square Posts, Brackets and Hardware

CPC Standard Powder Paint Colors for Mounting Systems

Complement your sign design with powder painted mounting systems. Achieve a classy look with our standard semi-gloss black sign mounting systems. 20 additional standard colors available by custom order to add flair, match your team, town or business colors, or differentiate between zones to help in wayfinding.

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

3M™ Matched Component System

3M™ MCS™ Warranty

The use of 3M's Matched Component System insures your investment. When signs are created with high quality 3M sheeting and components, the sign performance is backed by 3M warranties. The MCS guarantees that signs will remain effective for their intended use and meet minimum values for retroreflection for the specified warranty period. The use of any non-3M materials in conjunction with 3M products will void all warranties.

3M™ MCS™ Warranty

CPC Signs has been a leader in the U.S. outdoor sign industry since 1985.

- CPC's customer service, sales and production expertise on federal laws regarding traffic and guide signs gives us a unique advantage in the wayfinding industry.
- This expertise translates into wayfinding signage that engages your visitors with highly visible, easily readable and beautifully designed products that are built to last.
- We provide personal service thru our extensively trained staff that listen to your wish list and guide you throughout the process of your project, big or small. You'll never get an off-site customer service representative reading from a script.
- Components are made of high quality materials, and design is never compromised. Explore the Comprehensive Branding program outline on pages 30-31 for more detailed information on the components of a finished sign project.

Sign Panel Bracket Mounting System

- Utilize the versatile sign panel brackets to mount a wayfinding sign on 1 post or between 2 posts.
- Choose post bases and caps to complete the look.
- Be creative with the routed sign shape orientation to explore multiple design layouts possible.
- Utilize similar routed shapes to create a coordinated branding program.

3-Sided System

The triangle display (shown below) utilizes the round post sign panel brackets to mount wayfinding signs between 3 round posts.

3M™ MCS™ Warranty

Types of Wayfinding Signage

- Guide vehicle and pedestrian traffic in and around your town, community, neighborhood or businesses with Directional Signage.
- Confirm that they are on the right path with Conformational Signage such as "Gate B - 100ft Ahead." or "Check-In Office, 1 Mile Ahead on the Left".
- Provide Informational Signage that provides more detailed information vital to the route
- Add to your existing signage or develop an entirely new comprehensive wayfinding program.
- CPC Components available in Round or Square in a variety of sizes that can be utilized throughout the full scope of a wayfinding program. ***Examples: (1) Utilize 4" post systems for larger wayfinding signs on main roads. (2) Utilize 3" post systems for medium sized signs in parking areas, small roads, and alleys. (3) Utilize 2" post systems for smaller signs on sidewalks or any "pedestrian only" trail or path.***

Fits Round Post Sizes	2⅜" O.D. | 3" O.D. | 4" O.D.	Fits Square Post Sizes	2" | 3" | 4"

Round U-Bolt Clamps

Round B2B Clamps

Round Sign Panel Brackets

Square U-Bolt Clamps

Square B2B Clamps

Square Sign Panel Brackets

U-Bolt & Back-to-Back (B2B) Mounting Systems

- U-Bolt & B2B Clamps allow for a modern appearance with the posts being mostly hidden behind or between sign layers.
- U-Bolt Clamps allow for 1 sign to be mounted to a single post.
- B2B Clamps allow for 2 signs to be mounted back-to-back on a single post.
- Square and Round U-Bolt & B2B Clamps available in coordinating sizes to fit 2" to 4" round and square posts.

Side 1
Shown on a brick base

Side 2
Shown as a Ground Mount



Freestyle System

The freestyle display (shown left) utilizes the round post jumbo bracket (1), the sign panel bracket (2) and the u-bolt clamp (3) to mount 3 signs to 1 post.

- Layering signs provides a multi-dimensional feel to the sign system's design.
- Install as a ground mount or to a custom base, built by your own contractor.

3M™ MCS™ Warranty

OXFORD

The Oxford Packages are based on our original and most popular ornamental system.

Pre-designed packages save time and money.

NOTE: *All Signs come standard with High Intensity Prismatic (HIP) sheeting. All Street Name Signs come standard as a Flat, Double-Faced Sign Blade. Bases, Posts, Brackets and Hardware are powder coated semi-gloss black for an elegant look.*

4-Way Intersection Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with Stop Sign & (2) 30" Blades	For use on low volume roads with Speed Limits of 25 MPH or less	O40100	O41100
Post System with (2) 30" Blades		O40200	O41200
Post System with Stop Sign & (2) 36" Blades	For use on higher volume, conventional roads with Speed Limits over 25 MPH	O40150	O41150
Post System with (2) 36" Blades		O40250	O41250
Traffic Sign Package Options		**Standard Ground Mount Package Codes**	**Special Ground Mount* Package Codes**
Post System with 30" STOP Sign		O40300	O41300
Post System with 36" YIELD Sign		O40400	O41400
Post System with 30" Warning Sign *(Specify MUTCD Sign Code)*		O40500	O41500
Post System with 24" x 30" SPEED LIMIT Sign *(Specify Speed)*		O40650	O41650
Post System with 12" x 18" Parking Sign *(Specify Sign Legend)*		O40700	O41700

***Specify Special Ground Mount**

ITEM CODE	Ground Type
RPORZVR1P330RNC	New Concrete
RPORZVR330R	Soft Soil
RPORZVR330RC	Existing Concrete
OPOR3SSMWBK	Surface Mount Welded Plate

Available in Post Sizes

3" OD 4" OD

OXFORD

3M™ MCS™ Warranty

Post System

3" Round Steel Post
OPOR3S(XX)14BK

Package Posts come in pre-determined 10', 12' or 14' lengths that ensure your signs meet the Federal mounting height requirements. Posts are pre-drilled to eliminate field drilling!

Post Base - **OPOZBR39993BK**
(includes 2 set screws)

ADD ON

The Post Base Slipover Cover is a clever one piece design that fits the **OPOZBR39993BK** base. Covers the exposed hardware of a Surface Mount Welded Plate.
Sold Separately from packages.
OPOZBRZUNBK

Sign Brackets

Dogwood Sign Arm Brackets
OSIZ4UN(J/C)DOGWDLDBK
J - 30" **C** - 36"
(2 brackets included in package)

Hardware Set

Black Torx Head Screws
OZHRHBTH140
(included with sign arm brackets for mounting 2 bent lip design street name signs to sign arm brackets)

Standard Ground Mount

Round Post Anchor Plate
BA080APLATE238
(keeps post from rotating)

Self Tapping Metal Screw
RH141HEX
(2 screws included in package)

Breakaway Mount

RPORZVR1P330RNC
New Concrete

RPORZVR330R
Soft Soil

RPORZVR330RC
Existing Concrete

Surface Mount

OPOR3SSMWBK
Surface Mount Welded Plate

Finial

Spear Finial
OPOZFR39516MDBK
(includes 3 black set screws)

Sign Blades

Double-Sided Sign Blades
OSI41001(J/C)HWH **J** - 30" x 11" | **C** - 36" x 13.5"
White High Intensity Sheeting
(2 sign blades included in package)
Choose Standard Color Scheme (X)

Hardware Set

Hardware Set **OZHRH03**
(Set of 4 for mounting 2 sign brackets to post)

Traffic Signs

30" x 30"
STOP Sign
S3030R11HA
HIP Sheeting

36" x 36" x 36"
YIELD Sign
S3636R12HA
HIP Sheeting

30" x 30"
Warning Sign
S3030(XXX)HA
HIP Sheeting
**Specify Legend*

24" x 30"
SPEED LIMIT Sign
S2430R21(XX)HA
HIP Sheeting
**Specify Speed*

12" x 18"
Parking Sign
S1218(XXXX)HA
HIP Sheeting
**Specify Legend*

U-Bolt Clamps

U-Bolt Clamps
OTSBZR3UBCLAMP3BK
(Set of 2 included in each package for mounting traffic sign to post)

Traffic Sign Frames

30" x 30"
Steel Frame
OTSBF3030OBK

36" x 36" x 36"
Steel Frame
OTSBF3636TBK

30" x 30"
Steel Frame
OTSBF3030DBK

24" x 30"
Steel Frame
OTSBF2430BK

12" x 18"
Steel Frame
OTSBF1218BK

RH141HEXSETTER
Driver For Self-Tapping Screws

Extension
RHBTHB3

Installation Tools
SOLD Separately

RHBSSKT100
Allen Wrench Tool For Set Screws

Torx Head Screw Bit
RHBTHB14

3M™ MCS™ Warranty

VICKSBURG

*Specify Special Ground Mount

ITEM CODE	Ground Type
RPORZVR1P330RNC	New Concrete
RPORZVR330R	Soft Soil
RPORZVR330RC	Existing Concrete
OPOR3ASMWBK	Surface Mount Welded Plate

Utilize the versatile round post sign panel brackets (page 55) to mount wayfinding signs between round posts. A triangle display shown using the Vicksburg components with sign panel brackets added.

The Vicksburg Packages provide a unique and stark contrast to the other package design options.

Pre-designed packages save time and money.

NOTE: *All Signs come standard with High Intensity Prismatic (HIP) sheeting. All Street Name Signs come standard as a Flat, Double-Faced Sign Blade. Bases, Posts, Brackets and Hardware are powder coated semi-gloss black for an elegant look.*

4-Way Intersection Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with Stop Sign & (2) 6" x 36" Blades	SPEED LIMIT 25 — For use on low volume roads with Speed Limits of 25 MPH or less	O30100	O31100
Post System with (2) 6" x 36" Blades		O30200	O31200
Post System with Stop Sign & (2) 9" x 36" Blades	SPEED LIMIT 30 — For use on higher volume, conventional roads with Speed Limits over 25 MPH	O30150	O31150
Post System with (2) 9" x 36" Blades		O30250	O31250
Traffic Sign Package Options		**Standard Ground Mount Package Codes**	**Special Ground Mount* Package Codes**
Post System with 30" STOP Sign	STOP	O30300	O31300
Post System with 36" YIELD Sign	YIELD	O30400	O31400
Post System with 30" Warning Sign *(Specify MUTCD Sign Code)*	SPEED HUMP	O30500	O31500
Post System with 24" x 30" SPEED LIMIT Sign *(Specify Speed)*	SPEED LIMIT 30	O30650	O31650
Post System with 12" x 18" Parking Sign *(Specify Sign Legend)*	RESERVED PARKING; NO PARKING FIRE LANE; RESERVED PARKING	O30700	O31700

VICKSBURG

3M™ MCS™ Warranty

Post System

3" Round Fluted Aluminum Post
OPOR3AF(XX)125BK(P3)

Package Posts come in pre-determined 10', 12' or 14' lengths that ensure your signs meet the Federal mounting height requirements. Posts are pre-drilled to eliminate field drilling!

Post Base
OPOZBR3SB33BK

The Post Base Slipover Cover is a clever one piece design that fits the **OPOZBR3SB33BK** base. Covers the exposed hardware of a Surface Mount Welded Plate.

ADD ON *Sold Separately from packages.*
OPOZBRZUNBK

Sign Brackets



Logo Trim Bracket
OSIZ3UN(J/C)TRIMLOGOBK
(2 brackets included in package)

Sign Trim Bracket
OSIZ3UN(J/C)TRIM36BK
(2 brackets included in package)

Standard Ground Mount

Round Post Anchor Plate
BA080APLATE238
(keeps post from rotating)

Self Tapping Metal Screw
RH141HEX
(2 screws included in package)

Breakaway Mount

RPORZVR1P330RNC
New Concrete

RPORZVR330R
Soft Soil

RPORZVR330RC
Existing Concrete

Surface Mount

OPOR3ASMWBK
Surface Mount Welded Plate

Finial

Ball Finial
OPOZFR3FINB3BK
(includes 3 black set screws)

Sign Blades

Sign Blades **M2AH(X)D(0636)SBM42N** - 6" x 36" | Sign Blades **M2AH(X)D(0936)TBM63N** - 9" x 36"
Sign Logo Blades **OSI3(J/C)LOGOHWH** - **(J)** 6" x 6" | **(C)** 9" x 9"
Double-Sided | White High Intensity Sheeting
(2 sign blades & 2 logo plaques included in package)
Choose Standard Color Scheme (X)

Hardware Set

Hardware Set **OZHRH03L3**
(Set of 4 for mounting 2 sign brackets to post)

Traffic Signs

30" x 30"
STOP Sign
S3030R11HA
HIP Sheeting

36" x 36" x 36"
YIELD Sign
S3636R12HA
HIP Sheeting

30" x 30"
Warning Sign
S3030(XXX)HA
HIP Sheeting
**Specify Legend*

24" x 30"
SPEED LIMIT Sign
S2430R21(XX)HA
HIP Sheeting
**Specify Speed*

12" x 18"
Parking Sign
S1218(XXXX)HA
HIP Sheeting
**Specify Legend*

U-Bolt Clamps

U-Bolt Clamps
OTSBZR3UBCLAMP3BK
(Set of 2 included in each package for mounting traffic sign to post)

Traffic Sign Backers



33" x 33"
Aluminum Plate
OTSBP3030OBK

39" x 39" x 39"
Aluminum Plate
OTSBP3636TBK

33" x 33"
Aluminum Plate
OTSBP3030DBK

27" x 33"
Aluminum Plate
OTSBP2430BK

15" x 21"
Aluminum Plate
OTSBP1218BK

RH141HEXSETTER
Driver For Self-Tapping Screws

Installation Tools
SOLD Separately

RHBSSKT100
Allen Wrench Tool For Set Screws

3M™ MCS™ Warranty

NATCHEZ

The Natchez Packages are the simplistic, sleek and modern version of the Oxford Packages.

Pre-designed packages save time and money.

NOTE: *All Signs come standard with High Intensity Prismatic (HIP) sheeting. All Street Name Signs come standard as a Flat, Double-Faced Sign Blade. Bases, Posts, Brackets and Hardware are powder coated semi-gloss black for an elegant look.*

4-Way Intersection Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with Stop Sign & (2) 6" x30" Blades	SPEED LIMIT 25 — For use on low volume roads with Speed Limits of 25 MPH or less	O20100	O21100
Post System with (2) 6" x 30" Blades		O20200	O21200
Post System with Stop Sign & (2) 9" x 36" Blades	SPEED LIMIT 30 — For use on higher volume, conventional roads with Speed Limits over 25 MPH	O20150	O21150
Post System with (2) 9" x 36" Blades		O20250	O21250

Traffic Sign Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with 30" STOP Sign	STOP	O20300	O21300
Post System with 36" YIELD Sign	YIELD	O20400	O21400
Post System with 30" Warning Sign *(Specify MUTCD Sign Code)*	SPEED HUMP	O20500	O21500
Post System with 24" x 30" SPEED LIMIT Sign *(Specify Speed)*	SPEED LIMIT 30	O20650	O21650
Post System with 12" x 18" Parking Sign *(Specify Sign Legend)*	RESERVED PARKING / NO PARKING FIRE LANE / RESERVED PARKING	O20700	O21700

Specify Special Ground Mount

ITEM CODE	Ground Type
RPORZVR1P330RNC	New Concrete
RPORZVR330R	Soft Soil
RPORZVR330RC	Existing Concrete
OPOR3SSMWBK	Surface Mount Welded Plate

Available in Post Sizes

3" OD 4" OD

NATCHEZ

3M™ MCS™ Warranty

Post System

3" Round Steel Post
OPOR3S(XX)14BK(P2)

Package Posts come in pre-determined 10', 12' or 14' lengths that ensure your signs meet the Federal mounting height requirements. Posts are pre-drilled to eliminate field drilling!

Post Base - **OPOZBR39993BK**
(includes 2 set screws)

The Post Base Slipover Cover is a clever one piece design that fits the **OPOZBR39993BK** base. Covers the exposed hardware of a Surface Mount Welded Plate.

ADD ON *Sold Separately from packages.*
OPOZBRZUNBK

Sign Brackets

Cantilever Wing Brackets
OSIZ2UNCT800BK - *24" Long*
(2 brackets and black set screws included in package)

Standard Ground Mount

Round Post Anchor Plate
BA080APLATE238
(keeps post from rotating)

Self Tapping Metal Screw
RH141HEX
(2 screws included in package)

Breakaway Mount

RPORZVR1P330RNC
New Concrete

RPORZVR330R
Soft Soil

RPORZVR330RC
Existing Concrete

Surface Mount

OPOR3SSMWBK
Surface Mount Welded Plate

Finial

Pineapple Finial
OPOZFR3657MDBK
(includes 3 black set screws)

Sign Blades

Sign Blades **M2AH(X)D0630SBM42N** - 6" x 30"
Sign Blades **M2AH(X)D0936SBM63N** - 9" x 36"
Double-Sided | White HIP
(2 sign blade sets included in package)
Choose Standard Color Scheme (X)

☐ (A) White on Green

☐ (B) White on Blue

☐ (C) White on Brown

☐ (D) Black on White

☐ (E) White on Black

Hardware Set

Hardware Set **OZHRH03**
(Set of 4 for mounting 2 sign brackets to post)

Traffic Signs

30" x 30"
STOP Sign
S3030R11HA
HIP Sheeting

36" x 36" x 36"
YIELD Sign
S3636R12HA
HIP Sheeting

30" x 30"
Warning Sign
S3030(XXX)HA
HIP Sheeting
**Specify Legend*

24" x 30"
SPEED LIMIT Sign
S2430R21(XX)HA
HIP Sheeting
**Specify Speed*

12" x 18"
Parking Sign
S1218(XXXX)HA
HIP Sheeting
**Specify Legend*

U-Bolt Clamps

U-Bolt Clamps
OTSBZR3UBCLAMP3BK
(Set of 2 included in each package for mounting traffic sign to post)

Traffic Sign Backers



30" x 30"
Laminate Vinyl Backer
OTSBL3030BK



36" x 36" x 36"
Laminate Vinyl Backer
OTSBL3636BK

30" x 30"
Laminate Vinyl Backer
OTSBL3030BK

24" x 30"
Laminate Vinyl Backer
OTSBL2430BK



12" x 18"
Laminate Vinyl Backer
OTSBL1218BK

RH141HEXSETTER
Driver For Self-Tapping Screws

Installation Tools
SOLD Separately

RHBSSKT100
Allen Wrench Tool
For Set Screws

3M™ MCS™ Warranty

CLARKSDALE

***Specify Special Ground Mount**

ITEM CODE	Ground Type
RPORZVR1P330RNC	New Concrete
RPORZVR330R	Soft Soil
RPORZVR330RC	Existing Concrete
OPOR3ASMWBK	Surface Mount Welded Plate

The Clarksdale Packages are our most cost-effective ornamental packages.

Pre-designed packages save time and money.

***NOTE:** All Signs come standard with High Intensity Prismatic (HIP) sheeting. All Street Name Signs come standard as a Flat, Double-Faced Sign Blade. Bases, Posts, Brackets and Hardware are powder coated semi-gloss black for an elegant look.*

4-Way Intersection Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with Stop Sign & (2) 6" x 30" Blades	SPEED LIMIT 25 — For use on low volume roads with Speed Limits of 25 MPH or less	O10100	O11100
Post System with (2) 6" x 30" Blades		O10200	O11200
Post System with Stop Sign & (2) 9" x 36" Blades	SPEED LIMIT 30 — For use on higher volume, conventional roads with Speed Limits over 25 MPH	O10150	O11150
Post System with (2) 9" x 36" Blades		O10250	O11250
Traffic Sign Package Options		**Standard Ground Mount Package Codes**	**Special Ground Mount* Package Codes**
Post System with 30" STOP Sign	STOP	O10300	O11300
Post System with 36" YIELD Sign	YIELD	O10400	O11400
Post System with 30" Warning Sign *(Specify MUTCD Sign Code)*	SPEED HUMP	O10500	O11500
Post System with 24" x 30" SPEED LIMIT Sign *(Specify Speed)*	SPEED LIMIT 30	O10650	O11650
Post System with 12" x 18" Parking Sign *(Specify Sign Legend)*	RESERVED PARKING / NO PARKING FIRE LANE / RESERVED PARKING	O10700	O11700

CLARKSDALE

3M™ MCS™ Warranty

Post System

3" Round Fluted Aluminum Post
OPOR3AF(XX)125BK

Package Post come in pre-determined 10', 12' or 14' length that ensure the signs meet Federal mounting height requirements.

Post Base
OPOZBR3SB33BK

The Post Base Slipover Cover is a clever one piece design that fits the **OPOZBR3SB33BK** base. Covers the exposed hardware of a Surface Mount Welded Plate.

ADD ON *Sold Separately from packages.*
OPOZBRZUNBK

Sign Brackets

5.5" Crosspiece
OSIZ1CRP990FBK

(Sign brackets include black set screws)

5.5" Round Post Cap
OSIZ1R3P993FBK

12" Crosspiece
OSIZ1CRJ412CFBK

12" Round Post Cap
OSIZ1R3J412RFBK

Standard Ground Mount

Round Post Anchor Plate
BA080APLATE238
(keeps post from rotating)

Self Tapping Metal Screw
RH141HEX
(2 screws included in package)

Breakaway Mount

RPORZVR1P330RNC
New Concrete

RPORZVR330R
Soft Soil

RPORZVR330RC
Existing Concrete

Surface Mount

OPOR3ASMWBK
Surface Mount Welded Plate

Closure Cap

Closure Cap
OPOZFR3CPCLCAP30BK
for Traffic Sign Post System
(includes black set screws)

Sign Blades

Sign Blades **M2AH(X)D0630SBM42N** - 6" x 30"
Sign Blades **M2AH(X)D0936SBM63N** - 9" x 36"
Double-Sided | White HIP
(2 sign blades included in package)
Choose Standard Color Scheme (X)

☐ (A)

☐ (B)

☐ (C)

☐ (D)

☐ (E)

Decorative Top Finial

Decorative Top Finial
OPOZF1317FBK
(includes black set screw)

Traffic Signs

30" x 30"
STOP Sign
S3030R11HA
HIP Sheeting

36" x 36" x 36"
YIELD Sign
S3636R12HA
HIP Sheeting

30" x 30"
Warning Sign
S3030(XXX)HA
HIP Sheeting
**Specify Legend*

24" x 30"
SPEED LIMIT Sign
S2430R21(XX)HA
HIP Sheeting
**Specify Speed*

12" x 18"
Parking Sign
S1218(XXXX)HA
HIP Sheeting
**Specify Legend*

U-Bolt Clamps

U-Bolt Clamps
OTSBZR3UBCLAMP3BK
(Set of 2 included in each package for mounting traffic sign to post)

Traffic Sign Backers



30" x 30"
Laminate Vinyl Backer
OTSBL3030BK



36" x 36" x 36"
Laminate Vinyl Backer
OTSBL3636BK

30" x 30"
Laminate Vinyl Backer
OTSBL3030BK

24" x 30"
Laminate Vinyl Backer
OTSBL2430BK

12" x 18"
Laminate Vinyl Backer
OTSBL1218BK

RH141HEXSETTER
Driver For Self-Tapping Screws

Installation Tools
SOLD Separately

RHBSSKT100
Allen Wrench Tool
For Set Screws

3M™ MCS™ Warranty

TUPELO

The Tupelo Packages are the only packages that utilize a Square Post, plus Sign Panel Brackets and Deluxe Pyramid Caps to create a unique Wing Bracket Mount Package. The Sign Panel Bracket allows Wing Mounting or Double Post and Panel Mounting options.

Specify Special Ground Mount

ITEM CODE	Ground Type
RPOSZVS3400S	Soft Soil
OPOR3ASMWBK	Surface Mount Welded Plate

Pre-designed packages save time and money.

***NOTE:** All Signs come standard with High Intensity Prismatic (HIP) sheeting. All Street Name Signs come standard as a Flat, Double-Faced Sign Blade. Bases, Posts, Brackets and Hardware are powder coated semi-gloss black for an elegant look.*

4-Way Intersection Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with Stop Sign & (2) 6" x30" Blades	For use on low volume roads with Speed Limits of 25 MPH or less	O60100	O61100
Post System with (2) 6" x 30" Blades		O60200	O61200
Post System with Stop Sign & (2) 9" x 30" Blades	For use on higher volume, conventional roads with Speed Limits over 25 MPH	O60150	O61150
Post System with (2) 9" x 30" Blades		O60250	O61250

Traffic Sign Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with 30" STOP Sign		O60300	O61300
Post System with 36" YIELD Sign		O60400	O61400
Post System with 30" Warning Sign *(Specify MUTCD Sign Code)*		O60500	O61500
Post System with 24" x 30" SPEED LIMIT Sign *(Specify Speed)*		O60650	O61650
Post System with 12" x 18" Parking Sign *(Specify Sign Legend)*		O60700	O61700

TUPELO

3M™ MCS™ Warranty

Post System

3" Smooth
Square Aluminum Post
OPOS3A(XX)125BKP0

Package Posts come in pre-determined 10', 12' or 14' lengths that ensure your signs meet the Federal mounting height requirements.

Post Base
OPOZBS3SBQ13BK

Sign Brackets

Sign Panel Brackets
OSIZ5SPS3BK
(2 brackets and black set screws included in package)



Utilize the versatile sign panel brackets to mount larger signs between square posts. The possibilities are endless, see pages 30-31 for an overview of the Comprehensive Branding Program.

Standard Ground Mount

Galvanized
Anchor Plate
BA080APLATEUCH
(keeps post from rotating)

Self Tapping
Metal Screw
RH141HEX
(2 screws included in package)

Breakaway Mount

RPOSZVS3400S
Soft Soil

Surface Mount

OPOR3ASMWBK
Surface Mount
Welded Plate

Sign Blades

Sign Blades **OSI5JHWH(X)** - 6" x 30"
Sign Blades **OSI5CHWH(X)** - 9" x 30"
Double-Sided | White HIP | .125" thick aluminum*
(2 sign blade sets included in package)
Choose Standard Color Scheme (X)

***Note:** Tupelo Packages utilize .125" aluminum street name signs. The extra thickness keeps long blades sturdy even in high winds.*

(A) ☐ White on Green
(B) ☐ White on Blue
(C) ☐ White on Brown
(D) ☐ Black on White
(E) ☐ White on Black

Finial

Deluxe Pyramid Cap
OPOZFS3DP3BK

Traffic Signs

30" x 30"
STOP Sign
S3030R11HA
HIP Sheeting

36" x 36" x 36"
YIELD Sign
S3636R12HA
HIP Sheeting

30" x 30"
Warning Sign
S3030(XXX)HA
HIP Sheeting
**Specify Legend*

24" x 30"
SPEED LIMIT Sign
S2430R21(XX)HA
HIP Sheeting
**Specify Speed*

12" x 18"
Parking Sign
S1218(XXXX)HA
HIP Sheeting
**Specify Legend*

U-Bolt Clamps

U-Bolt Clamps
OTSBZS3UBCLAMPBK
(Set of 2 included in each package for mounting traffic sign to post)

Traffic Sign Backers



30" x 30"
Laminate Vinyl Backer
OTSBL3030BK



36" x 36" x 36"
Laminate Vinyl Backer
OTSBL3636BK

30" x 30"
Laminate Vinyl Backer
OTSBL3030BK

24" x 30"
Laminate Vinyl Backer
OTSBL2430BK



12" x 18"
Laminate Vinyl Backer
OTSBL1218BK

Installation Tools
SOLD Separately

The allen wrench can be used to tighten the 2 bracket set screws.

RHBSSKT100
Allen Wrench Tool
For Set Screws

3M™ MCS™ Warranty

MERIDIAN

The Meridian Packages utilize Sign Panel Brackets and Deluxe Dome Caps to create a unique Wing Bracket Mount Package. The Sign Panel Bracket allows Wing Mounting or Double Post and Panel Mounting options.

**Specify Special Ground Mount*

ITEM CODE	Ground Type
RPORZVR1P330RNC	New Concrete
RPORZVR330R	Soft Soil
RPORZVR330RC	Existing Concrete
OPOR3SSMWBK	Surface Mount Welded Plate

Pre-designed packages save time and money.

NOTE: *All Signs come standard with High Intensity Prismatic (HIP) sheeting. All Street Name Signs come standard as a Flat, Double-Faced Sign Blade. Bases, Posts, Brackets and Hardware are powder coated semi-gloss black for an elegant look.*

4-Way Intersection Package Options		Standard Ground Mount Package Codes	Special Ground Mount* Package Codes
Post System with Stop Sign & (2) 6" x30" Blades	For use on low volume roads with Speed Limits of 25 MPH or less	O50100	O51100
Post System with (2) 6" x 30" Blades		O50200	O51200
Post System with Stop Sign & (2) 9" x 30" Blades	For use on higher volume, conventional roads with Speed Limits over 25 MPH	O50150	O51150
Post System with (2) 9" x 30" Blades		O50250	O51250
Traffic Sign Package Options		**Standard Ground Mount Package Codes**	**Special Ground Mount* Package Codes**
Post System with 30" STOP Sign		O50300	O51300
Post System with 36" YIELD Sign		O50400	O51400
Post System with 30" Warning Sign *(Specify MUTCD Sign Code)*		O50500	O51500
Post System with 24" x 30" SPEED LIMIT Sign *(Specify Speed)*		O50650	O51650
Post System with 12" x 18" Parking Sign *(Specify Sign Legend)*		O50700	O51700

Available in Post Sizes

2 3/8" OD | 3" OD | 4" OD

PRE-DESIGNED PACKAGE COMPONENTS

MERIDIAN

3M™ MCS™ Warranty

Post System

3" Round Steel Post
OPOR3S(XX)14BKP0

Package Posts come in pre-determined 10', 12' or 14' lengths that ensure your signs meet the Federal mounting height requirements.

Post Base
OPOZBR38397ABK

Sign Brackets

Sign Panel Brackets
OSIZ5SPR3BK
(2 brackets and black set screws included in package)

Utilize 4 sign panel brackets to mount a larger sign panel between 2 sign posts.

Standard Ground Mount

Round Post Anchor Plate
BA080APLATE238
(keeps post from rotating)

Self Tapping Metal Screw
RH141HEX
(2 screws included in package)

Breakaway Mount

RPORZVR1P330RNC
New Concrete

RPORZVR330R
Soft Soil

RPORZVR330RC
Existing Concrete

Surface Mount

OPOR3SSMWBK
Surface Mount Welded Plate

Finial

Deluxe Dome
OPOZFR3DD3BK

Sign Blades

Sign Blades **OSI5JHWH(X)** - 6" x 30"
Sign Blades **OSI5CHWH(X)** - 9" x 30"
Double-Sided | White HIP | .125" thick aluminum*
(2 sign blade sets included in package)
Choose Standard Color Scheme (X)

***Note:** Meridian Packages utilize .125" aluminum street name signs. The extra thickness keeps long blades sturdy even in high winds.*

(A) ☐ White on Green

(B) ☐ White on Blue

(C) ☐ White on Brown

(D) ☐ Black on White

(E) ☐ White on Black

U-Bolt Clamps

U-Bolt Clamps
OTSBZR3UBCLAMP3BK
(Set of 2 included in each package for mounting traffic sign to post)

Traffic Signs

30" x 30"
STOP Sign
S3030R11HA
HIP Sheeting

36" x 36" x 36"
YIELD Sign
S3636R12HA
HIP Sheeting

30" x 30"
Warning Sign
S3030(XXX)HA
HIP Sheeting
**Specify Legend*

24" x 30"
SPEED LIMIT Sign
S2430R21(XX)HA
HIP Sheeting
**Specify Speed*

12" x 18"
Parking Sign
S1218(XXXX)HA
HIP Sheeting
**Specify Legend*

Traffic Sign Backers



30" x 30"
Laminate Vinyl Backer
OTSBL3030BK



36" x 36" x 36"
Laminate Vinyl Backer
OTSBL3636BK



30" x 30"
Laminate Vinyl Backer
OTSBL3030BK

24" x 30"
Laminate Vinyl Backer
OTSBL2430BK



12" x 18"
Laminate Vinyl Backer
OTSBL1218BK

Installation Tools
SOLD Separately

The allen wrench can be used to tighten the 2 bracket set screws.

RHBSSKT100
Allen Wrench Tool For Set Screws

Utilize the versatile sign panel brackets to mount smaller signs between 2-3/8" posts. The possibilities are endless, see pages 30-31 for an overview of the Comprehensive Branding Program.

Facility Signs

Quick SHIP

Made from .040" aluminum with a non-reflective finish, and corner holes for wall mount.

ISS0710A230

ISS0710A231

ISS0710A232

ISS0710A233

ISS0710A234

ISS0710A235

ISS0710A220

ISS1014A211

ISS1410A225

ISS1410A226

ISS1410A227

ISS0424A215

ISS0424A216

ISS0424A217

ISS1014A212

ISS1410A204

ISS1410A205

ISS1410A206

ISS1410A203

ISS1014A210

ISS1410A207

ISS1410A200

ISS1410A201

ISS1410A202

Made from .040" aluminum with a non-reflective finish, and 6 pre-punched holes included.

ISS2014AP401

ISS2014AP402

ISS2014AP403



ISS2014AP404

ISS2014AP405

ISS2014AP406

ISS2014AP407

ISS2014AP408

ISS2014AP409

ISS2014AP410

ISS2014AP411

ISS2014AP412

ISS2014AP413

ISS2014AP414

ISS2014AP415

ISS2014AP416

ISS2014AP417

ISS2014AP418

ISS2014AP419

ISS2014AP420

ISS2014AP421

Floor Truss & FDC Signs

Go to www.cpcsigns.com to find more Special Legends for Jobsite, Building & Facility Signs.

Powerline Signs

Made from .080" aluminum with Reflective Sheeting, and 2 holes for wall or post mount.

ISSFTRR1206HA

ISSFTRFR1206HA

ISSFTRF1206HA

ISSFDCS0101812HA
ISSFDCS0102418HA

ISSFDCS0201812HA
ISSFDCS0202418HA

ISSFDCS0301812HA
ISSFDCS0302418HA

ISSFDCS0401812HA
ISSFDCS0402418HA

ISSFDCS0801818HA

ISSJHEO1003030HA
ISSJHEO1003636HA

ISSJHEO1103030HA
ISSJHEO1103636HA

ISSFDCS0501812HA
ISSFDCS0502418HA

ISSFDCS0601812HA
ISSFDCS0602418HA

ISSFDCS0011812HA
ISSFDCS0012418HA

ISSFDCS0701812HA
ISSFDCS0702418HA



ISSJHEO2003636(3/D)AC
ISSJHEO2004848(3/D)AC

ISSJHEO1603030HA
ISSJHEO1603636HA

Need a CUSTOM LEGEND SIGN (CLS)?

CALL US, we can make it!

14" x 10" OSHA Signs

OSHA signs are available on non-reflective .040" aluminum (A) or stick on decal (S) material.

ISS1410 (A or S) 1(XXXX)

ISS1410(A or S) 2(XXXX)

ISS1410(A or S) 3(XXXX)

ISS1410 (A or S) 4 (XXXX)

ISS1410 (A or S) 5(XXXX)

Match a Header above with a Legend below:

Code	Legend
0010	ACETYLENE
0020	ACID
0030	AMMONIA
0040	ASBESTOS - CANCER & LUNG DISEASE HAZARD - AUTHORIZED PERSONNEL ONLY - RESPIRATORS & PROTECTIVE CLOTHING
0050	AUTHORIZED PERSONNEL ONLY
0060	BE CAREFUL
0070	BURIED CABLE
0080	CAUSTIC
0090	CHEMICAL STORAGE AREA, KEEP OUT
0110	CHLORINE
0120	CONSTRUCTION AREA
0130	CRANE WORKING OVERHEAD
0140	DIESEL FUEL
0150	DO NOT BLOCK DOOR
0160	DO NOT ENTER
0170	DO NOT ENTER UNLESS WEARING SAFETY EQUIPMENT
0180	DO NOT LIFT MORE THAN YOU ARE ABLE
0190	DO NOT OPERATE MACHINERY WITHOUT GUARDS
0200	EAR PROTECTION REQUIRED BEYOND THIS POINT
0210	EAR PROTECTION REQUIRED IN THIS AREA
0220	EMERGENCY SHOWER
0230	EMERGENCY SHOWER/EYEWASH
0240	EXPLOSIVE GAS NO SMOKING
0250	EXPLOSIVES
0260	EYE AND EAR PROTECTION MUST BE WORN IN THIS AREA
0270	EYE PROTECTION REQUIRED BEYOND THIS POINT
0280	EYE PROTECTION REQUIRED IN THIS AREA
0290	EYEWASH FOUNTAIN HERE
0300	FLAMMABLE
0310	FLAMMABLE GAS
0320	FLAMMABLE LIQUIDS
0330	FLAMMABLE MATERIAL NO SMOKING
0340	FLOOR SLIPPERY WHEN WET
0350	FOOT PROTECTION REQUIRED BEYOND THIS POINT
0360	GASOLINE
0370	HARD HAT AREA
0380	HARD HAT PROTECTION REQUIRED BEYOND THIS POINT
0390	HAZARDOUS MATERIAL STORAGE AREA
0400	HIGH PRESSURE GAS LINE
220	HIGH VOLTAGE
0410	HIGH VOLTAGE KEEP OUT

Code	Legend
0420	HOT
0430	KEEP AISLES CLEAR
0440	KEEP GATE CLOSED
0450	KEEP THIS AREA CLEAN
0460	KEEP THIS DOOR CLOSED
0470	KEEP THIS PLACE CLEAN AND ORDERLY
0480	LOW HEADROOM
0490	NO ADMITTANCE
0500	NON-POTABLE WATER - NOT FOR DRINKING OR COOKING USE
0510	NO SMOKING
0520	NO SMOKING BEYOND THIS POINT
0530	NO SMOKING MATCHES OR OPEN FLAME
0540	NO SMOKING OXYGEN IN USE
0550	NO TRESPASSING
0560	OPEN HOLE
0570	OPEN PIT
0580	OUT OF ORDER
0590	POISON
0600	POISON GAS
0610	REPORT ALL ACCIDENTS NO MATTER HOW SMALL TO YOUR FOREMAN
0620	REPORT ALL UNSAFE CONDITIONS TO YOUR FOREMAN
0630	RESPIRATORS REQUIRED IN THIS AREA
0640	RESTRICTED AREA
0650	SLIPPERY WHEN WET
0660	STEP DOWN
0670	STEP UP
0680	SULFURIC ACID
0690	THE SAFE WAY IS THE BEST WAY
0700	THERE IS NO SUBSTITUTE FOR SAFETY
0710	THIS MACHINE STARTS AUTOMATICALLY
0720	USE HANDRAIL
0730	WALK, DON'T RUN
0740	WATCH OUT FOR FORKLIFT TRUCKS
0750	WATCH YOUR STEP
0760	WEAR GOGGLES, RUBBER GLOVES, AND APRON WHILE HANDLING ACIDS OR CAUSTICS
0770	WEAR GOGGLES WHILE USING THIS MACHINE
0780	WET FLOOR
0790	WHEELS MUST BE CHOCKED WHEN LOADING OR UNLOADING

79 STANDARD LEGENDS AVAILABLE



10" Wall Mount Bracket

BISS90BRKT

Bent at a 90° Angle for 14"X10" Sign with Industrial Safety Punch and Radius.

POSTED No Trespassing Signs

S1209P409H

- 12 ¼" Wide
- High Intensity Prismatic Sheeting

S1209P410H

- 2 Nail Holes For Easy Mounting

Product Code Explanation

ISS 1410 X # XXXX

- ISS — Industrial Safety Code
- 1410 — 14" x 10" sign; 10" x 7" & 20" x 14" also available
- X — A - .040" Non-Reflective Aluminum; S - Vinyl Stick on Decal
- # — Choose Header *1, 2, 3, 4, or 5 Specify when ordering*
- XXXX — Legend Code 79 available

U-Channel Posts

U-CHANNEL SQUARE ROUND UNIVERSAL

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

NOTE: Posts taller than 8' must ship truck line.

Ideal for Parking Lots



U-Channel Posts

- Most popular and widely used post system.
- Manufactured from high tensile steel using recycled railroad tracks.
- Green posts are typically used in rural areas.
- Galvanized posts are more popular for use in urban areas.
- Powder painted posts are used for a decorative look in cities, towns, businesses, parks and recreation areas.
- Semi-gloss black powder coat is available as standard option.
- Use compatible breakaway systems, brackets, bases, caps & finials to personalize and complete your system.

Substrate	Color	Length	Weight/Foot	ITEM CODE	Post Punch
Quick SHIP **Punched Galvanized Steel Post**	Silver	3.5FT	2LB	**RPOCG0352***	**Base posts for breakaway feature.*
		6FT	1.12LB Delineator	**RPOCG061**	
		7FT	1.12LB Delineator	**RPOCG071**	
		6FT	2LB	**RPOCG062**	
		8FT	2LB	**RPOCG082**	Posts are punched full length with 3/8" holes on 1" centers.
		9FT	2LB	**RPOCG092**	
		10FT	2LB	**RPOCG102**	
		12FT	2LB	**RPOCG122**	
		12FT	3LB	**RPOCG123**	
		14FT	3LB	**RPOCG143**	

Substrate	Color	Length		ITEM CODE	Post Punch
Quick SHIP **Punched Steel Post**	Painted Green	3.5FT	2LB	**RPOCP0352***	**Base posts for breakaway feature.*
		6FT	1.12LB Delineator	**RPOCP061**	
		6FT	2LB	**RPOCP062**	
		7FT	2LB	**RPOCP072**	Posts are punched full length with 3/8" holes on 1" centers.
		8FT	2LB	**RPOCP082**	
		10FT	2LB	**RPOCP102**	
		12FT	2LB	**RPOCP122**	

Substrate	Color	Length		ITEM CODE	Post Punch
Punched Steel Post	Silver	3.5FT	2LB	**RPOCG0352***	**Base posts for breakaway feature.*
	Powder Painted Black	6FT	2LB	**OPOZARPOCP062BK**	
		8FT	2LB	**OPOZARPOCP082BK**	Posts are punched full length with 3/8" holes on 1" centers.
		10FT	2LB	**OPOZARPOCP102BK**	
		12FT	2LB	**OPOZARPOCP122BK**	
		12FT	3LB	**OPOZARPOCP123BK**	

Safety Splice System

TOP SELLER



- Ingeniously simple design by Chicago Heights Steel.
- FHWA & AASHTO approved.
- Two special bolts & spacers join base post to top post.

Description	Couples Anchor to Post	ITEM CODE
Safety Splice System	1 to 4 lbs	RPOCZSAFETYSPLICE

Snap'n Safe Surface Mount

Premium Quality

- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) bolts.
- Installation hardware included.

Description	Couples Anchor to Post	Color	ITEM CODE
Snap'n Safe Surface Mount for U-Channel Posts	2 to 4 lbs	Silver	RPOCZSMUSNAPNSAFE



Anchor Plate

- Galvanized anchor plate keeps post firmly in place.

Description	Fits Post Size	ITEM CODE
Anchor Plate Size: 7" x 4" Weight: 0.5 lbs	2 to 4 lbs	BA080APLATEUCH

Quick SHIP

Sign Savers

Installing 3" x 3" Sign Savers between the sign and u-channel post or between sign and a chain link fence prevents bending of signs from over tightening.

Description	Fits Post Type	ITEM CODE
Sign Saver	U-Channel	BA080SAVER
Complete Hardware Packages include all Hardware and Sign Savers necessary to mount sign(s) to chain link fences.		**RH0112PSV01** 1 sign to fence **RH0112PSV10** 10 signs to fence

Surface Mount Post Anchor

Easy to install with Anchor Bolts (sold separately)
6" U-Post Sleeve | Base Plate: 10" x 10" x 1/4"

Fits Post Type	Color	ITEM CODE
2 to 3 lbs U-Channel	Silver	RPOCZSMUPOSTANCHOR
	Powder Painted Black	OPOZARPOCPSMPABK

ECONOMY

Lap Splice System

- Economical breakaway system by Marion Steel.
- FHWA & AASHTO approved.
- Two special bolts & spacers join base post to top post.

Description	Couples Anchor to Post	Color	ITEM CODE
Lap Splice System Size: 3/8" x 3/4" x 5"	2 to 2½ lbs	Silver	RPOCZLAPSPLICE
Lap Splice System Size: 1/2" x 3/4" x 5"	3 to 4 lbs	Gold	RPOCZLAPSPLICEG

Premium Quality

Snap'n Safe Coupler

- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply insert Coupler in anchor and bottom of sign post and assemble with (4) bolts.
- Installation hardware included.

Description	Couples Anchor to Post	Color	ITEM CODE
Snap'n Safe Coupler for U-Channel Posts	2 to 4 lbs	Silver	RPOCZSNAPNSAFE

Anchor Screws

Description	Size	For Surface Types	Color	ITEM CODE
Surface Mount Anchor Screw	1/2" x 4"	Concrete	Silver	RHSMSCA1240
	3/8" x 2-1/2"			RHSMSCA3825
	3/8" x 4"	Asphalt		RHSMSCA3840

ECONOMY

Quick SHIP

TOP SELLER

Surface Mount Breakaway Bases

Universal Stub for Round, U-Channel and Square Post

Description	Fits Post Type	Color	ITEM CODE
15" Diameter Surface Mount Breakaway Base	up to 2# U-Channel 2-3/8" Round 1.75" to 2" Square	Silver	RPOGPBSB100
Replacement Stub			RPOGPBSB100ZRS
15" Diameter Surface Mount Breakaway Base		Powder Painted Black	OPOZEUGPBSB100BK
Replacement Stub			OPOZEUGPBSB100ZRSBK

U-Channel Post Brackets

U-CHANNEL SQUARE ROUND UNIVERSAL

5½" 90°/180° Caps

90° Cap

180° Cap

- 5-1/2" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Standard aluminum brackets are designed for street name sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under.

Description	Fits Post Type	Color	ITEM CODE
5-1/2" 90° Cap	U-Channel	Silver	**RPB91U(F/X)-OL90** (50/BOX)
		Powder Painted Black	**OSIZ1U90P91U(F/X)OLBK**
5-1/2" 180° Cap		Silver	**RPB91U(F/X)-NU180** (50/BOX)
		Powder Painted Black	**OSIZ1U180P91U(F/X)NUBK**

5½" Crosspieces

- 5-1/2" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Use the aluminum crosspieces to stack signs at roadway intersections.

Description	For Post Type	Color	ITEM CODE
5-1/2" Crosspiece	Universal	Silver	**RPB990(F/X)** (50/BOX)
		Powder Painted Black	**OSIZ1CRP990(F/X)BK**

4" Cross Separators Adjustable 45° or 180°

- 4" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Use the aluminum cross separator to stack signs at roadway intersections.

Description	For Post Type	Color	ITEM CODE
Aluminum 45° or 180° Cross Separator	Universal	Silver	**RPB457(F/X)** (100/BOX)
		Powder Painted Black	**OSIZ1CRP457(F/X)BK**

Jumbo 90°/180°Caps

- 12" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- We recommend Jumbo Brackets for signs larger than 9" high x 30" long.

90° Cap

180° Cap

Description	Fits Post Type	Color	ITEM CODE
12" Jumbo 90° Cap	U-Channel	Silver	**RPB412U(F/X)OL90** (30/BOX)
		Powder Painted Black	**OSIZ1U90J412U(F/X)OLBK**
12" Jumbo 180° Cap		Silver	**RPB412U(F/X)NU180** (30/BOX)
		Powder Painted Black	**OSIZ1U180J412U(F/X)NUBK**

Jumbo Crosspiece

- Use these aluminum crosspieces to stack signs at roadway intersections.
- 12" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- We recommend Jumbo Brackets for signs larger than 9" high x 30" long.

Description	For Post Type	Color	ITEM CODE
12" Jumbo Crosspiece	Universal	Silver	**RPB412C(F/X)** (10/BOX)
		Powder Painted Black	**OSIZ1CRJ412C(F/X)BK**

Decorative Sign Top Finial

Description	Fits Post Type	Color	ITEM CODE
Decorative Sign Top Finial	Universal	Silver	**RPBM317(F/X)**
		Powder Painted Black	**OPOZF1317(F/X)BK**

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Bracket Set Screws & Tools

- Secure street name sign to sign brackets.
- An Allen Wrench Tool required to install set screws.



Description	Color	ITEM CODE
5/16" Standard Set Screw (100/BOX)	Silver	RHBSK56
5/16" Center Pin Set Screw (100/BOX)		RHBPRP38
5/16" Stainless Steel Set Screw (100/BOX)		RHBSSK56
Stainless Steel Set Screw (single)	Black Zinc	OZHRHBSSK56BLACK
Stainless Steel Set Screw (3 pack)		OZHRHBSSK56BLACKPK
T-Style Allen Wrench Tool for Set Screws		RHBSSKT100
L-Style Allen Wrench Tool for Set Screws		RHBSSKF100

Vandal Resistant Bolts & Tool

Description	ITEM CODE
Button Head Vandal Resistant Bolt 5/16" x 3/4" (100/Box)	RHBHP76
12 Point Vandal Resistant Bolt 5/16" x 1/2" (100/Box)	RHBVPA12
12 Point Tool for **RHBVPA12**	RHBVPA12T43

Cherry-Mate Rivets & Rivet Gun

Cherry-Mate Rivets

Rivet Gun

Description	Fits Post Size	ITEM CODE
#18 Cherry-Mate Rivet	1.12 lbs	RHRBALM8BP18
#26 Cherry-Mate Rivet	2 lbs	RHRBALM8BP26
#30 Cherry-Mate Rivet	2½ lbs	RHRBALM8BP30
#34 Cherry-Mate Rivet	3 to 4 lbs	RHRBALM8BP34
Rivet Gun		RHRBALMGUN

Quick Tip

Sheeting Protection Tip

Protect your sign's prismatic sheeting with Nylon Washers to help maintain the manufacturer warranty.

RHW516NYLON
5/16"
Nylon Washer

Semi-Custom Hardware Systems

Make aluminum sign installation easy by using one of our semi-customized hardware systems. Choose a bolt, nut and washer style in each system to create your own semi-custom packages. *Typically Sold in Boxes of 100*

Standard System

RHB51625H
5/16" x 2-1/2"
Zinc Hex Bolt

RHW516NYLON
5/16"
Nylon Washer

RHW516LOC
5/16"
Zinc Lock Washer

RHN516
5/16"
Zinc Nut

Vandal Resistant System

RHB51625OW
One-Way
Tamper Bolt
5/16" x 2-1/2"

RHB51625C
5/16" x 2-1/2"
RHB51630CAT
5/16" x 3"
Zinc Carriage Bolt

RHW516NYLON
5/16" Nylon Washer

RHN516VPA - Econo
5/16" Breakaway
Vandal Proof Nut
RHN516VPAPREMIUM
5/16" Breakaway
Vandal Proof Nut
Made In The U.S.A.

Tufnut Vandal Resistant System

RHTB3
5/16" x 3"

RHTB25
5/16" x 2-1/2"
Tuf Bolt

RHW516NYLON
5/16" Nylon Washer

RHTN31
5/16" Tufnut

Special System

Optional Washer & Nuts for Semi-Custom Systems

RHN516FLUTEDA
5/16"
Fluted Tamper
Resistant Nut

RHTN31
5/16"
Tufnut

RHW516
5/16"
Zinc Washer

RHN516FLUTEDT2
Tool For Fluted Nut

Pre-Packaged Hardware

Make aluminum sign installation easy by using one of our hardware packages. Each package is pre-sized to ensure adequate fit to the post.

Econo Hexhead Packages

Package for mounting signs to **1.12# delineator posts**
RH0112E01
1 sign to post
RH0112E10
10 signs to posts

Package for mounting signs to **2-3# u-channel posts**
RH023E01
1 sign to post
RH023E10
10 signs to posts

Vandal Resistant Packages

Package for mounting signs to **1.12# delineator posts**
RH0112V01
1 sign to post
RH0112V10
10 signs to posts

Package for mounting signs to **2-3# u-channel posts**
RH023V01
1 sign to post
RH023V10
10 signs to posts

Vandal Resistant Packages

w/Stiffening Sign Savers

Package for mounting signs to **1.12# delineator posts**
RH0112PSV01
1 sign to post
RH0112PSV10
10 signs to posts

Package for mounting signs to **2-3# u-channel posts**
RH023PSV01
1 sign to post
RH023PSV10
10 signs to posts

Round Posts

U-CHANNEL SQUARE ROUND UNIVERSAL

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow



- Round Posts are commonly used for a decorative look.
- 2-3/8" O.D. round posts are good for small sign installation projects.
- 3" O.D. and 4" O.D. round posts are ideal for larger projects.
- Available in steel or aluminum and smooth or fluted styles.
- Semi-gloss black powder coat is available as standard option.
- Use compatible breakaway systems, brackets, bases, caps & finials to personalize and complete your system.

NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Smooth Galvanized Steel Post	2⅜" O.D.	P Ideal for Parking Lots 16 Gauge (.065")	Silver	10' (120")	RPORG10	NONE
				12' (144")	RPORG12	
Smooth Steel Post			Powder Painted Black	10' (120")	OPOZARPORG10BK	
				12' (144")	OPOZARPORG12BK	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Smooth Steel Post	3" O.D.	14 Gauge (.0785")	Powder Painted Black	10' (120")	OPOR3S1014BK(XX)	(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)
				12' (144")	OPOR3S1214BK(XX)	
				14' (168")	OPOR3S1414BK(XX)	
Smooth Aluminum Post		.125"		10' (120")	OPOR3AS10125BK(XX)	(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)
				12' (144")	OPOR3AS12125BK(XX)	
				14' (168")	OPOR3AS14125BK(XX)	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Fluted Aluminum Post	3" O.D.	.125"	Silver	10' (120")	XRORTALRF1253120	NONE
				12' (144")	XRORTALRF1253144	
				14' (168")	XRORTALRF1253168	
			Powder Painted Black	10' (120")	OPOR3AF10125BK(XX)	(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)
				12' (144")	OPOR3AF12125BK(XX)	
				14' (168")	OPOR3AF14125BK(XX)	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Smooth Aluminum Post	4" O.D.	.125"	Powder Painted Black	10' (120")	OPOR4AS10125BK(XX)	(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)
				12' (144")	OPOR4AS12125BK(XX)	
				14' (168")	OPOR4AS14125BK(XX)	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Fluted Aluminum Post	4" O.D.	.125"	Powder Painted Black	10' (120")	OPOR4AF10125BK(XX)	(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)
				12' (144")	OPOR4AF12125BK(XX)	
				14' (168")	OPOR4AF14125BK(XX)	

**Call Customer Service for sign bracket pre-punched hole compatibility information.*

Surface Mount Assembly

fits 2 3/8" OD posts

Anchor Screws, SOLD separately.

Description	Color	ITEM CODE
Surface Mount Assembly	Silver	RPORZSM238SB200
1/2" x 4" Anchor Screws - *Concrete*		RHSMSCA1240
3/8" x 2-1/2" Anchor Screws - *Concrete*		RHSMSCA3825
3/8" x 4" Anchor Screws - *Asphalt*		RHSMSCA3840
Surface Mount Assembly	Powder Painted Black	OPOR238SSMBK

Snap'n Safe Coupler

fits 2 3/8" OD posts

Premium Quality

- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply insert Coupler in anchor and tighten with set screws.
- Installation hardware included.

Description	Color	ITEM CODE
Snap'n Safe Coupler fits 8 to12 gauge steel 2-3/8" round posts	Silver	RPORZSNAPNSAFE238081
Snap'n Safe Coupler fits 13 to16 gauge steel 2-3/8" round posts		RPORZSNAPNSAFE238131

Breakaway System V-Loc Anchor Kits

Quick SHIP

- Flush Mount helps prevent vehicle rollovers.
- Post breaks away when hit.
- Guaranteed Re-usability saves time and money.
- Stabilizer Bar & Bolt for anti-twist and turning.
- Yield and release method allocates time for post to pop up, allows drivers to drive thru.
- *NOTE: V-loc soil mounts do not require concrete.*

Ground Type	Fits Post Size	ITEM CODE
Existing Concrete	2 3/8" O.D.	RPORZVR123820R
Soft Soil		RPORZVR323R
Soil		RPORZVRB23VR2
Soil w/clean-out bar		RPORZVRB23VR2B
Asphalt		RPORZVR23VR1A
New Concrete	3" O.D.	RPORZVR1P330RNC
Soft Soil		RPORZVR330R
Existing Concrete		RPORZVR330RC

Surface Mount Welded Plate

Description	Fits Post Size	Color	For Post Substrate	ITEM CODE
Surface Mount Welded Base Plate	3" O.D.	Powder Painted Black	Aluminum	OPOR3ASMWBK
			Steel	OPOR3SSMWBK
	4" O.D.		Aluminum	OPOR4ASMWBK

POZ-LOC® Socket System

fits 2 3/8" OD posts

Quick SHIP

POZ-LOC® Socket System - a simple, cost effective way to install small signs without digging, concrete, threading, or nuts and bolts. Simple to use, a socket assembly includes a 27" socket and wedge. *Post Sold Separately.*

Description	Color	ITEM CODE
Assembly (includes Socket & Wedge)	Silver	RPORZPOZLOCSW
Socket Only		RPORZPOZLOCZSOCKET
Wedge Only		RPORZPOZLOCZWEDGE

Snap'n Safe Surface Mount

fits 2 3/8" OD posts

Premium Quality

- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) bolts.
- Installation hardware included.

Description	Color	ITEM CODE
Snap'n Safe Surface Mount fits 8 to 16 gauge steel 2-3/8" round posts	Silver	RPORZSM238SNAPNSAFE

Anchor Plate

Solve your round post anchoring problem with these anchor plates designed to keep post from turning and reducing the need for concrete.

Description	Fits Post Size	ITEM CODE
Anchor Plate Size: 7.75" x 6.0" Weight: 0.3 lbs	2 3/8" to 3" O.D.	BA080APLATE238
Self Tapping Metal Screw (2 Required)		RH141HEX
Driver for Screws		RH141HEXSETTER

Surface Mount Breakaway Bases

ECONOMY

Quick SHIP

TOP SELLER

Universal Stub for Round, U-Channel and Square Post

Description	Fits Post Type	Color	ITEM CODE
15" Diameter Surface Mount Breakaway Base	up to 2# U-Channel 2-3/8" Round 1.75" to 2" Square	Silver	RPOGPBSB100
Replacement Stub			RPOGPBSB100ZRS
15" Diameter Surface Mount Breakaway Base		Powder Painted Black	OPOZEUGPBSB100BK
Replacement Stub			OPOZEUGPBSB100ZRSBK

5½" Post Caps

- 5-1/2" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Standard aluminum brackets are designed for street name sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under.

Description	Fits Post Size	Color	ITEM CODE
5-1/2" Post Cap	2⅜" O.D.	Silver	**RPB922(F/X)** (50/BOX)
		Powder Painted Black	**OSIZ1R238P922(F/X)BK**
	3" O.D. 2⅞" O.D.	Silver	**RPB993(F/X)** (50/BOX)
		Powder Painted Black	**OSIZ1R3P993(F/X)BK**

5½" Crosspieces

- 5-1/2" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Use the aluminum crosspieces to stack signs at roadway intersections.

Description	For Post Type	Color	ITEM CODE
5-1/2" Crosspiece	Universal	Silver	**RPB990(F/X)** (50/BOX)
		Powder Painted Black	**OSIZ1CRP990(F/X)BK**

4" Cross Separators Adjustable 45° or 180°

- 4" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Use the aluminum cross separator to stack signs at roadway intersections.

Description	For Post Type	Color	ITEM CODE
Aluminum 45° or 180° Cross Separator	Universal	Silver	**RPB457(F/X)** (100/BOX)
		Powder Painted Black	**OSIZ1CRP457(F/X)BK**

Vandal Resistant Bolts & Tool

Description	ITEM CODE
Button Head Vandal Resistant Bolt 5/16" x 3/4" (100/Box)	**RHBHP76**
12 Point Vandal Resistant Bolt 5/16" x 1/2" (100/Box)	**RHBVPA12**
12 Point Tool for **RHBVPA12**	**RHBVPA12T43**

Jumbo Post Caps

- 12" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- We recommend Jumbo Brackets for signs larger than 9" high x 30" long.

Description	Fits Post Size	Color	ITEM CODE
12" Jumbo Post Cap	2⅜" O.D.	Silver	**RPB412R(F/X)238** (25/BOX)
		Powder Painted Black	**OSIZ1R238J412R(F/X)BK**
	3" O.D. 2⅞" O.D.	Silver	**RPB412R(F/X)3** (25/BOX)
		Powder Painted Black	**OSIZ1R3J412R(F/X)BK**

Jumbo Crosspiece

- Use these aluminum crosspieces to stack signs at roadway intersections.
- 12" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- We recommend Jumbo Brackets for signs larger than 9" high x 30" long.

Description	For Post Type	Color	ITEM CODE
12" Jumbo Crosspiece	Universal	Silver	**RPB412C(F/X)** (10/BOX)
		Powder Painted Black	**OSIZ1CRJ412C(F/X)BK**

Bracket Set Screws & Tools

- Secure street name sign to sign brackets.
- An Allen Wrench Tool required to install set screws.

Description	Color	ITEM CODE
5/16" Standard Set Screw (100/BOX)	Silver	**RHBSK56**
5/16" Center Pin Set Screw (100/BOX)		**RHBPRP38**
5/16" Stainless Steel Set Screw (100/BOX)		**RHBSSK56**
Stainless Steel Set Screw (single)	Black Zinc	**OZHRHBSSK56BLACK**
Stainless Steel Set Screw (3 pack)		**OZHRHBSSK56BLACKPK**
T-Style Allen Wrench Tool for Set Screws		**RHBSSKT100**
L-Style Allen Wrench Tool for Set Screws		**RHBSSKF100**

U-Bolt & B2B Clamps

- U-bolt clamps for mounting a traffic sign on a round post.
- B2B1 clamps for mounting 2 traffic signs to 1 round post.
- B2B2 clamps for mounting 4 traffic signs to 2 round posts.
- *Both Clamp Sets includes hardware.*

Round U-Bolt Clamps

Round B2B Clamps

Design your own sign systems to meet your specific needs for your project.

Description	Fits Post Size	Color	ITEM CODE
UB = U-Bolt Clamps Slotted (Set of 2) for mounting 1 sign to 1 post.	2⅜" O.D.	Silver	RPBZUBCLAMP238
			RPBZB2B(1/2)CLAMP238
		Powder Painted Black	OTSBZR238UBCLAMPBK
			OTSBZR238B2B(1/2)CLAMPBK
B2B1 = Back-to-Back Clamps (Set of 2) for mounting 2 signs, back to back, on 1 post.	3" O.D.	Silver	RPBZUBCLAMP3
			RPBZB2B(1/2)CLAMP3
		Powder Painted Black	OTSBZR3UBCLAMP3BK
			OTSBZR3B2B(1/2)CLAMP3BK
B2B2 = Back-to-Back Clamps (Set of 4) for mounting 2 signs, back to back, on 2 posts.	4" O.D.	Silver	RPBZUBCLAMP4
			RPBZB2B(1/2)CLAMP4
		Powder Painted Black	OTSBZR4UBCLAMP4BK
			OTSBZR4B2B(1/2)CLAMP4BK

Sign Panel Brackets

- (4) Sign Panel Brackets required to support larger signs mounted between two posts.
- (2) Sign Panel Brackets required to cantilever mount a sign to one post *(also know as flag mount)*
- **Hardware Included:** (2) 5/16" Set Screws

Description	Fits Post Size	Color	ITEM CODE
Aluminum Sign Panel Bracket	2⅜" O.D.	Powder Painted Black	OSIZ5SPR2BK
	3" O.D.		OSIZ5SPR3BK
	4" O.D.		OSIZ5SPR4BK

Bell Wing Brackets

- Aluminum Bell Wing Brackets designed for wall, concrete, wood or any post such a signal or utility posts with 3/4" strapping, bolts or 5/16" lag screws or spikes.
- *Sign attaches with 5/16" bolts. Hardware NOT Included.*

Size	Description	Fits Post Type		Color	ITEM CODE
12"	Bell Wing Bracket *(12" requires single strap)*	SQUARE	ROUND	Silver	RPBCTBW12 (50/BOX)
18"					RPBCTBW18 (50/BOX)
24"					RPBCTBW24 (25/BOX)
12"				Powder Painted Black	OSIZ2UNPCTBW12BK
18"					OSIZ2UNPCTBW18BK
24"					OSIZ2UNPCTBW24BK

Back to Back Brackets

Single Brackets

- Interlocking Bracket for mounting 1 sign to a round post.

- Interlocking Bracket for mounting 2 signs to a round post.



Description	Fits Post Size	Color	ITEM CODE
Single (Set of 2)	2⅜" O.D.	Silver	RPBZ238
Back to Back (Set of 2)			RPBZBB832

#4 Wing Brackets

- The #4 Aluminum Wing Bracket is designed for wall or post mount of up to .125 gauge flat or extruded signs with 3/4" strapping or bolts, lag screws, or spikes in 2 - .4375 diameter holes.
- *Includes hardware to attach sign to bracket.*

Description	Fits Post Type		Color	ITEM CODE
#4 Wing Bracket Size: 4.5" tall x 2.5" wide	SQUARE	ROUND	Silver	RPBCT4 (50/BOX)
			Powder Painted Black	OSIZ2UNPCT4BK

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Round Post Brackets

U-CHANNEL SQUARE ROUND UNIVERSAL

Cantilever Wing Brackets

14.4" Cantilever Wing Brackets
Requires a "custom" post hole punch

- Aluminum Cantilever Wing Brackets are designed for Flat up to .125" or Extruded sign blades.
- Strap or bolt to post, wall, concrete or wood.
  - *Includes hardware to attach sign to bracket.*
  - *NOTE: For fastest service a "P0" post hole pattern can be ordered and field drilled hole pattern needed for wing brackets.*

24" Cantilever Wing Brackets
Requires a "P2" post hole punch

36" Cantilever Wing Brackets
Requires a "P3" post hole punch

30" Cantilever Wing Brackets
Requires a "P3" post hole punch

Description	Fits Post Type		Color	Size	ITEM CODE
Cantilever Wing Bracket	SQUARE	ROUND	Silver	14.4"	**RPBCT8** (10/BOX)
				24"	**RPBCT800** (15/BOX)
				30"	**RPBCT830** (10/BOX)
				36"	**RPBCT836** (10/BOX)
			Powder Painted Black	14.4"	**OSIZ2UNCT8BK**
				24"	**OSIZ2UNCT800BK**
				30"	**OSIZ2UNCT830BK**
				36"	**OSIZ2UNCT836BK**

Hardware Sets

- Hardware sets for mounting sign arm brackets and trim brackets to posts.

Description	Mounts Bracket Type	Fits Post Type		Color	ITEM CODE
Bracket Hardware Sets	2 Sign Arm Brackets to Post	3" SMOOTH SQUARE	3" O.D. ROUND	Black *Chromate Dipped*	**OZHRH03**
	2 Sign & 2 Logo Trim Brackets to Post				**OZHRH03L3**
	2 Sign Arm Brackets to Post	4" SMOOTH SQUARE	4" O.D. ROUND	Silver	**OZHRH04**
	2 Sign & 2 Logo Trim Brackets to Post				**OZHRH04L3**

Sign Arm Brackets



Lemon Drop Finial

- Steel sign arm bracket is pre-punched with holes to match the hole pattern on a bent lip sign.
- *Includes hardware to attach sign to bracket. Bits sold separately.*
- *NOTE: Sign arm brackets require a "P" post hole punch pattern.*

Ornate Dogwood & Lemon Drop Finial



Ornate Scroll & Lemon Drop Finial

Description	Fits Post Type		Color	Size	ITEM CODE
Bracket with Ornate Dogwood Lemon Drop Finial	3" & 4" SMOOTH SQUARE	3" & 4" O.D. ROUND	Powder Painted Black	30"	**OSIZ4UNJDOGWDLDBK**
				36"	**OSIZ4UNCDOGWDLDBK**
Bracket with Lemon Drop Finial				30"	**OSIZ2UNSAJLDBK**
				36"	**OSIZ2UNSACLDBK**
Bracket with Ornate Scroll Lemon Drop Finial				30"	**OSIZ4UNJSCROLLDBK**
				36"	**OSIZ4UNCSCROLLDBK**

Bent Lip Hardware • Tools

- *For mounting bent lip design street name signs to sign arm brackets.*

Description	ITEM CODE
Black Torx Head Screw	**OZHRHBTH140**
Torx Head Screw Bit with Tamper Proof Center Pin	**RHBTHB14**
3" Torx Bit Extension	**RHBTHB3**

Sign Trim Brackets

- Trim bracket designs for use with .080" aluminum street name signs.
- *Post hole punch patterns: Use "P3" for 6" trims and "P" for 9" trims.*

Logo Trim Bracket

Sign Trim Bracket

Description	Fits Post Type		Color	Fits Sign Size	ITEM CODE
Sign Trim Bracket	3" & 4" SMOOTH SQUARE	3" & 4" O.D. ROUND	Powder Painted Black	6" x 36" with .75" corner radius	**OSIZ3UNJTRIM36BK**
				9" x 36" with 1.5" corner radius	**OSIZ3UNCTRIM36BK**
				9" x 42" with 1.5" corner radius	**OSIZ3UNCTRIM42BK**
Logo Trim Bracket				6" x 6"	**OSIZ3UNJTRIMLOGOBK**
				9" x 9"	**OSIZ3UNCTRIMLOGOBK**

Bracket Sign Top Adapter

ADAPTER23

ADAPTER34

- Aluminum adapters designed for use with larger posts and smaller caps for flexibility in designing your sign system.
- *Includes hardware.*

Description	Fits Post Size	Color	ITEM CODE
ADAPTER23 Bracket Sign Top Adapter Adapts 3" Post to 2-3/8" Cap	3" O.D.	Silver	RPBMPOADR2383
		Powder Painted Black	OSIZ1RADAPTER23BK
ADAPTER34 Bracket Sign Top Adapter Adapts 4" Post to 3" Cap	4" O.D.		OSIZ1RADAPTER34BK

Post Bases

- Aluminum bases for use with round posts to provide a decorative, finished style.
- *Includes hardware when required with base.*

ADD ON *The Post Base Slipover Cover is a clever one piece design that fits the 9993, 9994, SB-33, and SB-34 bases! Covers the exposed hardware of a Surface Mount Welded Plate.*

SB-24

SB-23

ZUN

SB-33

9993 | 9994

8397 Base

SB-64

SB-93 | SB-94

2PC3 | 2PC4

SB-34

Description	Fits Post Size	Color	ITEM CODE
8397 8-1/2" Tall Base	3" O.D.	Powder Painted Black	OPOZBR38397ABK
SB-23 4" Tall Base			OPOZBR3SB23BK
SB-93 16" Tall Base			OPOZBR3SB93BK
SB-33 24" Tall Base			OPOZBR3SB33BK
2PC3 24" Tall Base			OPOZBR32PC3BK
9993 27" Tall Base			OPOZBR39993BK
ZUN Slipover Cover			OPOZBRZUNBK
Description	**Fits Post Size**	**Color**	**ITEM CODE**
SB-24 3.5" Tall Base	4" O.D.	Powder Painted Black	OPOZBR4SB24BK
SB-94 16" Tall Base			OPOZBR4SB94BK
SB-64 18" Tall Base			OPOZBR4SB64BK
2PC4 24" Tall Base			OPOZBR42PC4BK
SB-34 25" Tall Base			OPOZBR4SB34BK
9994 27" Tall Base			OPOZBR49994BK
ZUN Slipover Cover			OPOZBRZUNBK

Decorative Sign Top Finial

Description	Fits Post Type	Color	ITEM CODE
Decorative Sign Top Finial	Universal	Silver	RPBM317(F/X)
		Powder Painted Black	OPOZF1317(F/X)BK

Post Caps & Finials

- Aluminum caps & finials for use with round posts to keep the weather out and provide a decorative, finished style.
- *Includes hardware.*

Closure Cap

Dome

Deluxe Dome

Ball FINR

Ball FINB

Spear

Pineapple

Acorn FINA

Description	Fits Post Size	Color	ITEM CODE
Deluxe Dome Cap	2⅜" O.D.	Silver	RPBRPCDD2
Closure Cap			RPBRPCLCAP238
Dome Cap			RPBRPCDC250
Deluxe Dome Cap		Powder Painted Black	OPOZFR238DD2BK
Closure Cap			OPOZFR238CPCLCAPBK
Dome Cap			OPOZFR238CPCDC250BK
Description	**Fits Post Size**	**Color**	**ITEM CODE**
Deluxe Dome Cap	3" O.D.	Silver	RPBRPCDD3
Closure Cap			RPBRPCLCAP3
Deluxe Dome Cap		Powder Painted Black	OPOZFR3DD3BK
Closure Cap			OPOZFR3CPCLCAP30BK
Spear Finial			OPOZFR39516MDBK
Pineapple Finial			OPOZFR3657MDBK
Acorn FINA Finial			OPOZFR3FINA3BK
Ball FINR Finial			OPOZFR3FINR3BK
Ball FINB Finial			OPOZFR3FINB3BK
Description	**Fits Post Size**	**Color**	**ITEM CODE**
Deluxe Dome Cap	4" O.D.	Silver	RPBRPCDD4
Deluxe Dome Cap		Powder Painted Black	OPOZFR4DD4BK
Spear Finial			OPOZFR49516MDBK
Pineapple Finial			OPOZFR4657MDBK
Acorn FINA Finial			OPOZFR4FINA4BK
Ball FINB Finial			OPOZFR4FINB4BK

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Square Posts

U-CHANNEL SQUARE ROUND UNIVERSAL

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow



Square Posts

- Square Posts are versatile, 4-sided sign mounting, at any height.
- 1.75" and 2" square posts are good for parking lots and small projects. 3" and 4" square posts are ideal for larger projects.
- Available in steel or aluminum and smooth styles.
- Semi-gloss black powder coat is available as standard option.
- Use compatible breakaway systems, brackets, bases, caps & finials to personalize and complete your system.

NOTE: POSTS TALLER THAN 8′ MUST SHIP TRUCK LINE.

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Post Punch
Punched Galvanized Steel Post	1.75" (P)	*Ideal for Parking Lots* 14 Gauge	Silver	5′ (60")	RSPB3ZBUZTU60	Posts are punched full length with 7/16" holes on 1" centers.
				8′ (96")	RPOSG0814175	
				10′ (120")	RPOSG1014175 Quick SHIP	
				12′ (144")	RPOSG1214175	
Punched Steel Post			Powder Painted Black	5' (60")	OPOZARPOSG0514175	
				8′ (96")	OPOZARPOSG0814175	
				10′ (120")	OPOZARPOSG1014175	
				12′ (144")	OPOZARPOSG1214175	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Post Punch
Punched Galvanized Steel Post	2" (P)	*Ideal for Parking Lots* 14 Gauge	Silver	8′ (96")	RPOSG08142	Posts are punched full length with 7/16" holes on 1" centers.
				10′ (120")	RPOSG10142 Quick SHIP	
				12′ (144")	RPOSG12142	
Punched Steel Post			Powder Painted Black	8′ (96")	OPOZARPOSG08142	
				10′ (120")	OPOZARPOSG10142	
				12′ (144")	OPOZARPOSG12142	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Smooth Steel Post	2" (P)	*Ideal for Parking Lots* 16 Gauge	Powder Painted Black	10′ (120")	OPOS2S1016BKP0	NONE
				12′ (144")	OPOS2S1216BKP0	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Smooth Aluminum Post	3"	.125"	Powder Painted Black	10′ (120″)	OPOS3A10125BK(XX) Custom Made to Order	(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)
				12′ (144″)	OPOS3A12125BK(XX)	
				14′ (168″)	OPOS3A14125BK(XX)	

Substrate	Size	Wall Thickness	Color	Length	ITEM CODE	Bracket Holes
Smooth Aluminum Post	4"	.125"	Powder Painted Black	10′ (120″)	OPOS4A10125BK(XX) Custom Made to Order	(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)
				12′ (144″)	OPOS4A12125BK(XX)	
				14′ (168″)	OPOS4A14125BK(XX)	

**Call Customer Service for sign bracket pre-punched hole compatibility information.*

Base Post / Sleeves / Short Post

RHBCORNERBOLT25
includes jam nut

Corner bolt to mount top post to base post, up to 2.5"

Description	Substrate	Wall Thickness	Size	Color	Length	ITEM CODE
Breakaway Anchor Installation A POZ-LOC® Performance Post anchor can be driven into the ground first, allowing crews to work at ground level for quicker, cost-effective installations or replacement of damaged sign posts.	**Punched Galvanized Steel Post**	14 Gauge	1.75"	Silver	5' (60")	RSPB3ZBUZTU60
					6' (72")	RPOSG0614175
		12 Gauge	2"		3' (36")	RPOSG03122
					2.5' (30")	RPOSG025122
					3.5' (42")	RPOSG035122
			2.25"		3' (36")	RPOSG0312225
			2.50"		1.5' (18")	RPOSG0151225

Omni Anchor

- Slide the Omni Anchor Sleeve over your long square sign post and the 36" anchor shown in the chart (at right) to make a MASH compliant Sign Support.
- The system is ideal when signs are subject to being struck from traffic in both directions, such as intersections on divided highways.
- The Omni Sleeve Anchor fits over a 2.25" Telespar anchor to give exceptional anchoring and stability.
- Four 4" x 12" x 10 gauge wings are welded to a 12 gauge perforated anchor and then galvanized.

Description	Fits Over Post Size	Wall Thickness	Color	ITEM CODE
18" Omni Anchor	2.25"	12 Gauge	Silver	RPOSZEOMNI025

Snap'n Safe Surface Mount

- Made of cast gray iron, and withstands 120 mph winds.
- EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) corner bolts.
- Installation hardware included.

Description	Fits Post Size	Color	ITEM CODE
Snap'n Safe Surface Mount fits square posts	1.75"	Silver	RPOSZSM175SNAPNSAFE
	2"		RPOSZSM20SNAPNSAFE
	2.25"		RPOSZSM225SNAPNSAFE
	2.5"		RPOSZSM25SNAPNSAFE

Barrier or Surface Mount Assembly

Anchor Screws

Surface Mount Anchor Screw

Barrier Mount

Surface Mount

Description	Fits Post Size	Color	ITEM CODE
Barrier Mount	2.5" to 1.75"	Silver	RPOSZCBM175250G
Surface Mount			RPOSZSMBASESQ17525

Description	Size	For Surface Types	Color	ITEM CODE
Surface Mount Anchor Screw	1/2" x 4"	Concrete	Silver	RHSMSCA1240
	3/8" x 2-1/2"			RHSMSCA3825
	3/8" x 4"	Asphalt		RHSMSCA3840

Description	Size	Color	Length	ITEM CODE
14 Gauge Punched Galvanized Steel Post	2"	Silver	8' (96")	RPOSG08142
			10' (120")	RPOSG10142
			12' (144")	RPOSG12142
12 Gauge Punched Galvanized Steel Post Anchor	2.25"		3' (36")	RPOSG0312225



Anchor Plate

- Galvanized anchor plate keeps square post firmly in place.
- Anchor Plate Size: 7" x 4" Weight: 0.5 lbs

Fits Post Size	ITEM CODE
1.75" to 3"	BA080APLATEUCH

Snap'n Safe Coupler

- Made of cast gray iron, withstands 120 mph winds.
- EASY INSTALLATION: Simply insert Coupler in anchor and bottom of sign post and assemble with (4) corner bolts.
- Installation hardware included.
- Device couples square anchor with square post.

Description	Couples Anchor to Post	Color	ITEM CODE
Snap'n Safe Coupler for square posts	2" to 1.75"	Silver	RPOSZSNAPNSAFE175
	2.25" to 2"		RPOSZSNAPNSAFE2
	2.5" to 2.25"		RPOSZSNAPNSAFE225
	3" to 2.5"		RPOSZSNAPNSAFE25

Surface Mount Breakaway Bases

Universal Stub for Round, U-Channel and Square Post

Description	Fits Post Type	Color	ITEM CODE
15" Diameter Base	up to 2# U-Channel	Silver	RPOGPBSB100
Replacement Stub			RPOGPBSB100ZRS
15" Diameter Base	2-3/8" Round	Powder Painted Black	OPOZEUGPBSB100BK
Replacement Stub	1.75" to 2" Square		OPOZEUGPBSB100ZRSBK

Square Post Brackets

U-CHANNEL SQUARE ROUND UNIVERSAL

5½" Post Caps

- 5-1/2" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Standard aluminum brackets are designed for street name sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under.

Description	Fits Post Size	Color	ITEM CODE
5-1/2" Post Cap	1.75"	Silver	RPB134SQ(F/X) (50/BOX)
		Powder Painted Black	OSIZ1S175P97(F/X)BK
	2"	Silver	RPB97SQ(F/X) (50/BOX)
		Powder Painted Black	OSIZ1S2P97(F/X)BK

4" x 4" Wood Post Cap

- 6" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Standard aluminum brackets are designed to be used on a 4" x 4" wood post for street name sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under. Also, can be mounted to the side of post for wing mounting signs.

Description	Fits Post Size	Color	ITEM CODE
6" Post Cap	4" x 4" Wood	Silver	RPB8276(F/X)
		Powder Painted Black	OSIZ1WDP8276(F/X)BK

5½" Crosspieces

- 5-1/2" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Use the aluminum crosspieces to stack signs at roadway intersections.

Description	For Post Type	Color	ITEM CODE
5-1/2" Crosspiece	Universal	Silver	RPB990(F/X) (50/BOX)
		Powder Painted Black	OSIZ1CRP990(F/X)BK

4" Cross Separators Adjustable 45° or 180°

- 4" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- Use the aluminum cross separator to stack signs at roadway intersections.

Description	For Post Type	Color	ITEM CODE
Aluminum 45° or 180° Cross Separator	Universal	Silver	RPB457(F/X) (100/BOX)
		Powder Painted Black	OSIZ1CRP457(F/X)BK

Jumbo Post Caps

- 12" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- We recommend Jumbo Brackets for signs larger than 9" high x 30" long.

Description	Fits Post Size	Color	ITEM CODE
12" Jumbo Post Cap	1.75"	Silver	RPB412SQ(F/X)134 (30/BOX)
		Powder Painted Black	OSIZ1S175J412SQ(F/X)BK
	2"	Silver	RPB412SQ(F/X)2 (30/BOX)
		Powder Painted Black	OSIZ1S2J412SQ(F/X)BK

Jumbo Crosspiece

- Use these aluminum crosspieces to stack signs at roadway intersections.
- 12" slot includes hardware for **(F)** Flat up to .125" or **(X)** Extruded sign blades.
- We recommend Jumbo Brackets for signs larger than 9" high x 30" long.

Description	For Post Type	Color	ITEM CODE
12" Jumbo Crosspiece	Universal	Silver	RPB412C(F/X) (10/BOX)
		Powder Painted Black	OSIZ1CRJ412C(F/X)BK

Bracket Set Screws & Tools

- Secure street name sign to sign brackets.
- An Allen Wrench Tool required to install set screws.

Description	Color	ITEM CODE
5/16" Standard Set Screw (100/BOX)	Silver	RHBSK56
5/16" Center Pin Set Screw (100/BOX)		RHBPRP38
5/16" Stainless Steel Set Screw (100/BOX)		RHBSSK56
Stainless Steel Set Screw (single)	Black Zinc	OZHRHBSSK56BLACK
Stainless Steel Set Screw (3 pack)		OZHRHBSSK56BLACKPK
T-Style Allen Wrench Tool for Set Screws		RHBSSKT100
L-Style Allen Wrench Tool for Set Screws		RHBSSKF100

Vandal Resistant Bolts & Tool

Description	ITEM CODE
Button Head Vandal Resistant Bolt 5/16" x 3/4" (100/Box)	RHBHP76
12 Point Vandal Resistant Bolt 5/16" x 1/2" (100/Box)	RHBVPA12
12 Point Tool for RHBVPA12	RHBVPA12T43

Sign Panel Brackets

- Sign Panel Brackets for mounting sign to square post(s).
- Mount a smaller sign on 1 post or a large sign between 2 posts.
- **Hardware Included:** (2) 5/16" Set Screws

Description	Fits Post Size	Color	ITEM CODE
Aluminum Sign Panel Bracket	2"	Powder Painted Black	OSIZ5SPS2BK
	3"		OSIZ5SPS3BK
	4"		OSIZ5SPS4BK

U-Bolt & B2B Clamps

SCAN QR codes with Smart Phone camera to view product videos.

- U-bolt clamps for mounting a traffic sign on a square post.
- B2B1 clamps for mounting 2 traffic signs to 1 round post
- B2B2 clamps for mounting 4 traffic signs to 2 round posts.
- Both Clamp Sets includes hardware.



Square B2B Clamps

Square U-Bolt Clamps

Description	Fits Post Size	Color	ITEM CODE
UB = U-Bolt Clamps Slotted (Set of 2) for mounting 1 sign to 1 post.	2"	Silver	RPBSUBCLAMP2
			RPBSB2B(1/2)CLAMP2
		Powder Painted Black	OTSBZS2UBCLAMPBK
			OTSBZS2B2B(1/2)CLAMPBK
B2B1 = Back-to-Back Clamps (Set of 2) for mounting 2 signs, back to back, on 1 post.	3"	Silver	RPBSUBCLAMP3
			RPBSB2B(1/2)CLAMP3
		Powder Painted Black	OTSBZS3UBCLAMPBK
			OTSBZS3B2B(1/2)CLAMPBK
B2B2 = Back-to-Back Clamps (Set of 4) for mounting 2 signs, back to back, on 2 posts.	4"	Silver	RPBSUBCLAMP4
			RPBSB2B(1/2)CLAMP4
		Powder Painted Black	OTSBZS4UBCLAMPBK
			OTSBZS4B2B(1/2)CLAMPBK

Bell Wing Brackets

- Aluminum Bell Wing Brackets designed for wall, concrete, wood or any post such a signal or utility posts with 3/4" strapping, bolts or 5/16" lag screws or spikes.
- *Sign attaches with 5/16" bolts. Hardware NOT Included.*

Description	Fits Post Type		Color	Size	ITEM CODE
Bell Wing Bracket *(12" requires single strap)*	SQUARE	ROUND	Silver	12"	RPBCTBW12 (50/BOX)
				18"	RPBCTBW18 (50/BOX)
				24"	RPBCTBW24 (25/BOX)
			Powder Painted Black	12"	OSIZ2UNPCTBW12BK
				18"	OSIZ2UNPCTBW18BK
				24"	OSIZ2UNPCTBW24BK

#4 Wing Brackets

- The #4 Aluminum Wing Bracket is designed for wall or post mount of up to .125 gauge flat or extruded signs with 3/4" strapping or bolts, lag screws, or spikes in 2 - .4375 diameter holes.
- *Includes hardware to attach sign to bracket.*

Description	Fits Post Type		Color	ITEM CODE
#4 Wing Bracket Size: 4.5" tall x 2.5" wide	SQUARE	ROUND	Silver	RPBCT4 (50/BOX)
			Powder Painted Black	OSIZ2UNPCT4BK

Cherry-Mate Rivets & Rivet Gun

Cherry-Mate Rivets

Rivet Gun

Description	Fits Post Size	ITEM CODE
#26 Cherry-Mate Rivet	1.5"	RHRBALM8BP26
#30 Cherry-Mate Rivet	1.75"	RHRBALM8BP30
PVC Spacer: 1/2" x 1-1/2" for #30 Rivet		RHRBPVCSP150
#34 Cherry-Mate Rivet	2"	RHRBALM8BP34
PVC Spacer: 1/2" x 1-3/4" for #34 Rivet		RHRBPVCSP175
Rivet Gun		RHRBALMGUN

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Square Post Brackets

U-CHANNEL SQUARE ROUND UNIVERSAL

14.4" Cantilever Wing Brackets
Requires a "custom" post hole punch

Cantilever Wing Brackets

- Aluminum Cantilever Wing Brackets are designed for Flat up to .125" or Extruded sign blades.
- Strap or bolt to post, wall, concrete or wood.
- *Includes hardware to attach sign to bracket.*
- *NOTE: For fastest service a "P0" post hole pattern can be ordered and field drilled hole pattern needed for wing brackets.*

24" Cantilever Wing Brackets
Requires a "P2" post hole punch

36" Cantilever Wing Brackets
Requires a "P3" post hole punch

30" Cantilever Wing Brackets
Requires a "P3" post hole punch

Description	Fits Post Type		Color	Size	ITEM CODE
Cantilever Wing Bracket	SQUARE	ROUND	Silver	14.4"	**RPBCT8** (10/BOX)
				24"	**RPBCT800** (15/BOX)
				30"	**RPBCT830** (10/BOX)
				36"	**RPBCT836** (10/BOX)
			Powder Painted Black	14.4"	**OSIZ2UNCT8BK**
				24"	**OSIZ2UNCT800BK**
				30"	**OSIZ2UNCT830BK**
				36"	**OSIZ2UNCT836BK**

Hardware Sets

- Hardware sets for mounting sign arm brackets and trim brackets to posts.

Description	Mounts Bracket Type	Fits Post Type		Color	ITEM CODE
Bracket Hardware Sets	2 Sign Arm Brackets to Post	3" SMOOTH SQUARE	3" O.D. ROUND	Black *Chromate Dipped*	**OZHRH03**
	2 Sign & 2 Logo Trim Brackets to Post				**OZHRH03L3**
	2 Sign Arm Brackets to Post	4" SMOOTH SQUARE	4" O.D. ROUND	Silver	**OZHRH04**
	2 Sign & 2 Logo Trim Brackets to Post				**OZHRH04L3**

Sign Arm Brackets



Lemon Drop Finial

- Steel sign arm bracket is pre-punched with holes to match the hole pattern on a bent lip sign.
- *Includes hardware to attach sign to bracket. Bits sold separately.*
- *NOTE: Sign arm brackets require a "P" post hole punch pattern.*

Ornate Dogwood & Lemon Drop Finial



Ornate Scroll & Lemon Drop Finial

Description	Fits Post Type		Color	Size	ITEM CODE
Bracket with Ornate Dogwood Lemon Drop Finial	3" & 4" SMOOTH SQUARE	3" & 4" O.D. ROUND	Powder Painted Black	30"	**OSIZ4UNJDOGWDLDBK**
				36"	**OSIZ4UNCDOGWDLDBK**
Bracket with Lemon Drop Finial				30"	**OSIZ2UNSAJLDBK**
				36"	**OSIZ2UNSACLDBK**
Bracket with Ornate Scroll Lemon Drop Finial				30"	**OSIZ4UNJSCROLLDBK**
				36"	**OSIZ4UNCSCROLLDBK**

Bent Lip Hardware • Tools

- *For mounting bent lip design street name signs to sign arm brackets.*

Description	ITEM CODE
Black Torx Head Screw	**OZHRHBTH140**
Torx Head Screw Bit with Tamper Proof Center Pin	**RHBTHB14**
3" Torx Bit Extension	**RHBTHB3**

Sign Trim Brackets

- Trim bracket designs for use with .080" aluminum street name signs.
- *Post hole punch patterns: Use "P3" for 6" trims and "P" for 9" trims.*

Logo Trim Bracket

Sign Trim Bracket

Description	Fits Post Type		Color	Fits Sign Size	ITEM CODE
Sign Trim Bracket	3" & 4" SMOOTH SQUARE	3" & 4" O.D. ROUND	Powder Painted Black	6" x 36" with .75" corner radius	**OSIZ3UNJTRIM36BK**
				9" x 36" with 1.5" corner radius	**OSIZ3UNCTRIM36BK**
				9" x 42" with 1.5" corner radius	**OSIZ3UNCTRIM42BK**
Logo Trim Bracket				6" x 6"	**OSIZ3UNJTRIMLOGOBK**
				9" x 9"	**OSIZ3UNCTRIMLOGOBK**

Post Bases

- Aluminum bases for use with square posts to provide a decorative, finished style.
- *The 2PCQ4 base is designed to clamp around the post. The 3SBQ and 4SBQ bases are designed to slip over the post.*

Description	Fits Post Size	Color	ITEM CODE
3SBQ Base 3" Tall x 8" Wide	3"	Powder Painted Black	OPOZBS3SBQ13BK
Description	**Fits Post Size**	**Color**	**ITEM CODE**
4SBQ Base 3.5" Tall x 9" Wide	4"	Powder Painted Black	OPOZBS4SBQ14BK
2PCQ4 20" Tall Base			OPOZBS42PCQ4BK

Decorative Sign Top Finial

Description	Fits Post Type	Color	ITEM CODE
Decorative Sign Top Finial	Universal	Silver	RPBM317(F/X)
		Powder Painted Black	OPOZF1317(F/X)BK

Post Caps & Finials

- Aluminum caps & finials for use with square posts to keep the weather out and provide a decorative, finished style.
- *Includes hardware.*

Description	Fits Post Size	Color	ITEM CODE
Pyramid Cap	1.75"	Silver	RPBSP175PCAP
		Powder Painted Black	OPOZFS175CPPCAPBK
Description	**Fits Post Size**	**Color**	**ITEM CODE**
Pyramid Cap	2"	Silver	RPBSP2PCAP
		Powder Painted Black	OPOZFS2CPPCAPBK
Deluxe Pyramid Slip over Cap			OPOZFS2DP2BK
		Silver	RPBSDP2
Description	**Fits Post Size**	**Color**	**ITEM CODE**
Deluxe Pyramid Slip over Cap	3"	Silver	RPBSDP3
		Powder Painted Black	OPOZFS3DP3BK
FINQC Cap			OPOZFS3FINQC3BK
FINQE End Cap			OPOZFS3FINQE3BK
Description	**Fits Post Size**	**Color**	**ITEM CODE**
Deluxe Pyramid Slip over Cap	4"	Silver	RPBSDP4
		Powder Painted Black	OPOZFS4DP4BK
FINQC Cap			OPOZFS4FINQC4BK
FINQE End Cap			OPOZFS4FINQE4BK
FINQ-P4 Spear Cap			OPOZFS4FINQP4BK
FINQ-B4 Ball Cap			OPOZFS4FINQB4BK

Drive Rivets

Economy Universal Head

RHRDRIVEA38E125NS - Aluminum
RHRDRIVEA38E125W(XX) - Painted Colors Aluminum

- Grip Range of .125" to .250"
- Fits 3/8" Hole Diameter
- Shank: 5/8" Length
- .093" Nylon Washer included
- Head: Universal 3/4" Diameter
- Drive Rivet is designed specifically for the sign to square post application and 12 GA or 14 GA post to single 12 GA anchor

Flush/Tapered Head Long Shank

RHRDRIVEA38P140WL - Aluminum

- All the same features as the premium flush/tapered drive rivets with a longer shank than any other drive rivet.
- Long Shank: 3/4" Length
- .093" Nylon Washer included
- Most popular and well liked by customers

Flush/Tapered Head

RHRDRIVES38P140W - Steel
RHRDRIVEA38P140W(XX) - Aluminum
(XX) Colors to Match Sheeting Available

- Grip Range of .140" to .330"
- Fits 3/8" Hole Diameter
- Shank: 5/8" Length
- .093" Nylon Washer included
- Head: Flush/Tapered 1" diameter Drive Rivet is designed specifically for the sign to square post application and 12 GA or 14 GA post to single 12 GA anchor

Universal Head

RHRDRIVES38P140N - Steel (*NO Washer*)
RHRDRIVEAS38P140W - Aluminum w/Steel Pin (.093" *Nylon Washer included*)

- Grip Range of .140" - .330"
- Fits 3/8" hole diameter
- Head: 7/8" diameter

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Manual Drive Caps & Post Drivers

U-CHANNEL SQUARE ROUND UNIVERSAL

RPEDMHDH8
One Man Post Driver
Heavy Duty
60.25" Long | 43.7 Lbs.
4.125" I.D.

RPEDCHRP100
Steel Drive Cap for
2-3/8" Round Posts
Weight: 3 Lbs

RPEDCHRP300
Drive Cap for 2-7/8"
or 3" Round Posts
Weight: 5 Lbs

RPEDCH30100
Steel Drive Cap for
2 lb. U-Channel
Weight: 4.5 Lbs

RPEDCH17BIGBOYDRIVE
Big Boy Drive Cap
for 3 to 4 lb. U-Channel
Weight: 18 Lbs

RPEDCHDRCAP214SQ
Drive Cap for 2.25" & 2.5"
Square Post

RPEDCHDRCAP200SQ
Drive Cap for 2" Square Post

Manual Post Pullers

RPEPPL3
PL-3 Hydraulic
Post Puller Jack

RPEPUJACK
U-Jack
U-Channel & Square
Post Puller
(Detachable puller NOT required)

RPEPUJACKPIN
Replacement Pin
for U-Jack

RPEPH7
Jack Base and
Heavy Duty
Handle
(Puller Not Included)

RPEPH4A
Detachable Puller
Use with RPEPH7

SCAN QR code with Smart Phone camera to view product videos.



Accessories for PL-3 and MP-3

RPEPMP3Z220422
(A) Chain Assembly
for MP-3

RPEPPL3HP070416
Replacement Handle
for PL-3

RPEPPL3Z071040
(B) Detachable Post Grabber
for PL-3/MP-3

RPEPPL3Z071041
Detachable Panel
Post Grabber
for PL-3/MP-3

RPEPPL3Z071042
Detachable Tent
Stake Grabber
for PL-3/MP-3

Rhino® Jack
RPEPMP3
(includes jack
and handle
only)

Rhino® Jack
RPEPMP3AG
(includes jack,
handle with
chain and
post grabber)

Pneumatic (Air) Post Driver

PD-55 Medium-Duty Post Driver

Item Code: **RPEDPD55**
Air Consumption: 42 CFM @ 90psi
(1.19m3/min @ 6.21Bar)
Weight: Approx. 54.6 lbs. (24.8kg)

Find all the Chucks, Adapters, Drive Caps and Pullers @ www.cpcsigns.com

- Easily operated by one man and is the perfect choice for driving all types of steel posts!
- Drivers are fast, safe, portable, and will increase productivity while reducing costs!
- For nearly forty years, the legendary PD-55 and its predecessor the PD-50 have been the productivity leaders in post driving.
- At just 54 pounds, the brutally tough PD-55 is capable of handling your toughest applications quickly and efficiently.
- The PD-55 is ideally suited for driving t-posts, ground rod, tent stakes, grape stakes, delineator posts, form pins and fence posts up to 3-3/4".

Accessories *for the PD-55 Medium-Duty Post Driver*	
RPEDPD55ZFRL	Filter Regulator Lubricator
RPEDPD55ZFRLC	Carrier for Filter Regulator Lubricator
RPEDPD55ZHA100	Air Hose Assembly with 100' of 3/4" Diameter Hose
RPEDPD55ZHA25	Air Hose Assembly with 25' of 3/4" Diameter Hose

Accessories *for the PD-55 Medium-Duty Post Driver*	
RPEDPD55ZHAXX	Air Hose Assembly with Custom Length of 3/4" Diameter Hose
RPEDPD55ZHQC	Air Hose Quick Coupler
RPEDPD55ZHQCSC	Quick Coupler Safety Clips
RPEDPD55ZHW059	Air Hose Whip 5' 9"
RPEDPD55ZHW152	Air Hose Whip 15' 2"
RPEDPD55ZTPORTCART	Transport Cart Only

JackJaw® Post Extractors

JackJaw® Extractors make an easy task of pulling stakes and posts driven in soil. Jack Jaws can not be used for removing post embedded in concrete - soil installations only. With a couple pumps of the handle, stakes and posts break loose. The jaw and lever mechanism allow you to pull stakes and posts straight up out of the ground without bending them, preserving the posts and stakes for hundreds of repeated uses.

JackJaw® 300 Series
16:1 mechanical advantage

RPEPJACKJJ0300 (u-channel)
RPEPJACKJJ0304 (2 to 2-1/2" square)
RPEPJACKJJ0305 (2-1/4" to3" round)
RPEPJACKJJ0310 (1-1/4" to 2" square)
RPEPJACKJJ0311 (3-1/4" to 3 1/2" square)
RPEPJACKJJ0315 (1 3/4" to 2 1/4" square)
RPEPJACKJJ0350 (1/2" to 3-1/2" wood)

JackJaw®400 Series with Folding Handle
16:1 mechanical advantage

RPEPJACKJJ0400 (u-channels/gas probe)
RPEPJACKJJ0404 (2" to 2 1/2" square)
RPEPJACKJJ0405 (2.25" to 3" O.D. round)

JackJaw®500 Series Super Puller
28:1 mechanical advantage

RPEPJACKJJ0500 (u-channels)
RPEPJACKJJ0504 (2 to 2-1/2" square)
RPEPJACKJJ0505 (2-1/4" to 3" round)
RPEPJACKJJ0510 (1-1/4" to 2" square)
RPEPJACKJJ0511 (3-1/4" to 3-1/2" square)
RPEPJACKJJ0515 (1-3/4" to 2-1/4" square)
RPEPJACKJJ0550 (1/2" to 3-1/2" wood)

JackJaw® 300 Conversion Kits

RPEPJACKJJZKSC300 convert to u-channel posts
RPEPJACKJJZKSC304 convert to 2"-2.5" square posts
RPEPJACKJJZKSC305 convert to 2.25"-3" round posts
RPEPJACKJJZKSC310 convert to 1.25"-2" square posts

JackJaw® 500 Conversion Kits

RPEPJACKJJZKSC500 convert to u-channel posts
RPEPJACKJJZKSC504 convert to 2"-2.5" square posts
RPEPJACKJJZKSC305 convert to 2.25"-3" round posts

JackJaw® Parts & Accessories

Replacement Jaws
RPEPJACKJJZKJCA0006
(includes hardware)
for JackJaw®
300, 400 or 500 Series

Comfort Grip
RPEPJACKJJZAC0001
for JackJaw® Handles

Link Arm Kit
RPEPJACKJJZKLI0300PR
to upgrade single blade to clevis
for JackJaw® 300 & 500 Series

Heavy Nylon Carry Bags
RPEPJACKJJZPA0008
for JackJaw® 400 Series
RPEPJACKJJZPA0009
for JackJaw® 300 & 500 Series

Hydraulic Post Driver

HPD 60 Medium-Duty Post Driver

Item Code: **RPEDYHPD60378**
Oil flow, gpm: 8
Working psi: 1750 | Max. return psi: 220
Blow frequency, bpm: 1380 | Blow energy, lb/ft: 70
Vibration level (3 axis) m/s^2: <9.6
Weight: Approx. 60.5 lbs. | Length (w/o Chuck): 26"

Find all the Chucks, Adapters, Drive Caps and Pullers @ www.cpcsigns.com

- The Rhino® HPD 60 is a high-performance hydraulic post driver is perfect for fencing, road signs, farm, ranch, forestry, vineyards, guardrail, anchors, tent stakes – essentially any driving job. Capable of driving nearly any post profile, this driver is a hydraulic powerhouse! For taller applications utilize the remote valve.
- Unlike other hydraulic drivers the RHINO® HPD 60 is nearly maintenance free. Continuous component lubrication keeps maintenance at a minimum and extends tool life.
- The RHINO® HPD 60 can be used with the HPP 18V Power Pack as well as other hydraulic power systems such as utility truck or mini excavator with the use of Rhino's flow control devices.

RPEDYZHPP14

RPEDYZHPP18V

Rhino Hydraulic Flex Power Packs are superior to other brands due to the cooling system that allows the hydraulic pressure to remain stronger than the competition once it gets hot.

Power Packs & Accessories *for use with HPD-60 Medium-Duty Post Driver*	
RPEDYZHPP14	HPP 14 Hydraulic Flex Power Pack
RPEDYZHPP18V	HPP 18V Hydraulic Flex Power Pack
RPEDYZHPPOFD	Hydraulic Oil Flow Divider allows tool to be powered with other sources such as a skid steer or mini excavator. *(Includes 12" Hose Whip)*
RPEDYZHERV	Hydraulic Remote Valve *(Includes 6" Hose Whip and 6' Hose)*
RPEDYZHEH20	Hydraulic Extension Hose 20 ft
RPEDYZHEH33	Hydraulic Extension Hose 30 ft

Gas Post Drivers

If you are looking for the power you need for tough jobs combined with the flexibility of being able to drive almost anything, look no further. The multitude of configurations that Rhino's Chuck-Lok™ system allows you to quickly change between is incredibly impressive.

GPD-45 Multi Pro

Item Code: **RPEDNGPD45**
Comes with 1", 1-3/4", and 2" Chuck-Lok™ Adapters

3 Chuck Adapters included

Additional chucks and drive caps sold separately

- The 2-1/2" chuck is perfect for Round Posts up to 2-3/8".
- Includes 2", 1-3/4", and 1" chuck adapters for driving T-Posts & ground rods.
- Ergonomically Balanced, cushion grip handles frame the GPD-45, providing increased maneuverability and usability.
- Comes with Rhino's CIS vibration dampening handles.
- Handle-mounted stop switch.
- Ergonomically designed handle with an integrated throttle.
- Prime bulb, for easy starting.
- Legendary reliability: Honda GX35 4-stroke industrial engine. This tool has passed the stringent Honda US Certification process.
- Steel skid plate protects the engine and provides rugged durability.

GPD-45 Multi Pro XA

Item Code: **RPEDNGPD45XA**
Comes with 1", 1-3/4", and 2" Chuck-Lok™ Adapters

Item Code: **RPEDNGPD45XAU**
Comes with U-Channel Chuck

- This driver is best suited to primarily driving U-Channel.
- The XA model was designed at the request of sign installers, municipalities, and rental houses.
- The XA model is the Multi Pro with the extended anvil and longer Chuck-Lok already installed.
- This makes it truly a 4 bolt change to switch to channel posts, square tubes, and back to rounds.
- The XA weighs in only 7lbs heavier than the standard Multi Pro and is primarily designed for higher productivity and U-channel sign installers.

2-1/2" Master Chuck-Lok™ *for use with all GPD -45 Post Driver Models*	
RPEDGPDZCH25AMC	2-1/2" Master Chuck-Lok™ w/Locking Nut

Post Drive Chuck Adapters
for use with the 2-1/2" Master Chuck-Lok™

RPEDZCH25A1	1" ID Chuck-Lok™ Adapter for posts 0" to 7/8" Best suited for driving electrical ground rod.
RPEDZCH25A175	1-3/4" ID Chuck-Lok™ Adapter for posts 1-1/8" to 1-5/8"
RPEDZCH25A2	2" ID Chuck-Lok™ Adapter for posts 1-3/8" to 1-7/8"
RPEDZCH25ATS	Tent Stake Chuck-Lok™ Adapter Ideally suited for the rigors of tent stake installation.

Gas Post Driver Lubricant	
RPEDNGPD45ZPDL	Gas Operated Post Driver Lubricant - 12 Pack

Multi-Pro Municipality Post Drive Kit	
RPEDGPD 45DRIVEKIT	**Multi-Pro Municipality Drive Kit** includes: • Short Chuck Tube **(RPEDZCH25ASB)** • 1-3/4" Square Anchor Drive Cap for 1-1/2" ID Posts **(RPEDZCH25ASBD175)** • 2" Square Anchor Drive Cap for 1-3/4" ID Posts **(RPEDZCH25ASBD2)** • 2-1/4" Square Post Anchor Drive Cap for 2" ID Posts **(RPEDZCH25ASBD225)** • 2-1/2" Square Post Anchor Drive Cap for 2-1/4" ID Posts **(RPEDZCH25ASBD25)** • U-Channel Post Slotted Chuck **(RPEDZCH25ASC)** • U-Channel Post Anvil **(RPEDZCH25AEA)**

Multi-Pro U-Channel Post Drive Kit	
RPEDZCH25ACK	**U-Channel Post Drive Kit** includes: • Slotted Chuck Adapter **(RPEDZCH25ASC)** • Extended Anvil Chuck Adapter **(RPEDZCH25AEA)**

Multi-Pro Square Post Drive Kits	
RPEDZCH25STDK175	**Multi-Pro 1-3/4" Square Tube Drive Kit** includes: • Short Chuck Tube • 1-3/4" Square Anchor Drive Cap for 1-3/4" ID Post
RPEDZCH25STDK2	**Multi-Pro 2" Square Tube Drive Kit** includes: • Short Chuck Tube • 2" Square Anchor Drive Cap for 2" ID Post
RPEDZCH25STDK225	**Multi-Pro 2-1/4" Square Tube Drive Kit** includes: • Short Chuck Tube • 2-1/4" Square Anchor Drive Cap for 2-1/4" ID Post
RPEDGPD45STDK25	**Multi-Pro 2-1/2" Square Tube Drive Kit** includes: • Short Chuck Tube • 2-1/2" Square Anchor Drive Cap for 2-1/4" ID Post

Brackets for Signal or Utility Pole Mounting

14.4" Cantilever Wing Brackets
Requires a "custom" post hole punch

Cantilever Wing Brackets

- Aluminum Cantilever Wing Brackets are designed for Flat up to .125" or Extruded sign blades.
- Strap or bolt to post, wall, concrete or wood.
  - *Includes hardware to attach sign to bracket.*
  - *NOTE: For fastest service a "P0" post hole pattern can be ordered and field drilled hole pattern needed for wing brackets.*

24" Cantilever Wing Brackets
Requires a "P2" post hole punch



30" Cantilever Wing Brackets
Requires a "P3" post hole punch

36" Cantilever Wing Brackets
Requires a "P3" post hole punch

Description	Fits Post Type		Color	Size	ITEM CODE
Cantilever Wing Bracket	SQUARE	ROUND	Silver	14.4"	**RPBCT8** (10/BOX)
				24"	**RPBCT800** (15/BOX)
				30"	**RPBCT830** (10/BOX)
				36"	**RPBCT836** (10/BOX)
			Powder Painted Black	14.4"	**OSIZ2UNCT8BK**
				24"	**OSIZ2UNCT800BK**
				30"	**OSIZ2UNCT830BK**
				36"	**OSIZ2UNCT836BK**

#4 Wing Brackets

- The #4 Aluminum Wing Bracket is designed for wall or post mount of up to .125 gauge flat or extruded signs with 3/4" strapping or bolts, lag screws, or spikes in 2 - .4375 diameter holes.
- *Includes hardware to attach sign to bracket.*

Description	Fits Post Type		Color	ITEM CODE
#4 Wing Bracket Size: 4.5" tall x 2.5" wide	SQUARE	ROUND	Silver	**RPBCT4** (50/BOX)
			Powder Painted Black	**OSIZ2UNPCT4BK**

Bell Wing Brackets

- Aluminum Bell Wing Brackets designed for wall, concrete, wood or any post such a signal or utility posts with 3/4" strapping, bolts or 5/16" lag screws or spikes.
- *Sign attaches with 5/16" bolts. Hardware NOT Included.*

Description	Fits Post Type		Color	Size	ITEM CODE
Bell Wing Bracket *(12" requires single strap)*	SQUARE	ROUND	Silver	12"	**RPBCTBW12** (50/BOX)
				18"	**RPBCTBW18** (50/BOX)
				24"	**RPBCTBW24** (25/BOX)
			Powder Painted Black	12"	**OSIZ2UNPCTBW12BK**
				18"	**OSIZ2UNPCTBW18BK**
				24"	**OSIZ2UNPCTBW24BK**

Bracket Hardware & Tools

Description	Color	ITEM CODE
5/16" Standard Set Screw (100/BOX)	Silver	**RHBSK56**
5/16" Center Pin Set Screw (100/BOX)		**RHBPRP38**
5/16" Stainless Steel Set Screw (100/BOX)		**RHBSSK56**
Stainless Steel Set Screw (single)	Black Zinc	**OZHRHBSSK56BLACK**
Stainless Steel Set Screw (3 pack)		**OZHRHBSSK56BLACKPK**
T-Style Allen Wrench Tool for Set Screws		**RHBSSKT100**
L-Style Allen Wrench Tool for Set Screws		**RHBSSKF100**
5/16" x 18 x 3/4" Stainless Steel Bolt	Silver	**RHSSHB516**
5/16" Stainless Steel Nut		**RHSSHN8**

Snap Lock Assembly

- Ideal for use on square post as well as round posts, because the thin strap conforms to both the round and square post when tightened.

Description	Strap Size	Fits Post Size SQUARE	Fits Post Size ROUND	Color	ITEM CODE
Snap Lock Assembly	1/2" wide x 38" long	1¾" to 9"	1¾" to 12½"OD	Silver	**RHSLA**
	1/2" wide x 22" long	1¾" to 5"	1¾" to 7" OD	Black	**OZHRHSLA07BK**
	1/2" wide x 31" long	1¾" to 7¼"	1¾" to 10" OD		**OZHRHSLA10BK**
	1/2" wide x 38" long	1¾" to 9"	1¾" to 12½"OD		**OZHRHSLA1225BK**

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Build Your Own Strapping, Brackets and Hardware Package

SQUARE ROUND

Follow the steps below to build your own semi-custom package to attached one sign to a post.

STEP 1 Strapping

Choose 1 option

☐ Snap Lock Assembly
Skip Step 2, go to Step 3

☐ Stainless Steel Strapping with Wing Seal
Skip Step 2, go to Step 3

☐ Stainless Steel Strapping
Go to Step 2

Description	Strap Size	Fits Post Size SQUARE	Fits Post Size ROUND	Color	ITEM CODE
Snap Lock Assembly	1/2" x 38"	1¾" to 9"	1¾" to 12½"OD	Silver	RHSLA
	1/2" x 22"	1¾" to 5"	1¾" to 7" OD	Black	OZHRHSLA07BK
	1/2" x 31"	1¾" to 7¼"	1¾" to 10" OD		OZHRHSLA10BK
	1/2" x 38"	1¾" to 9"	1¾" to 12½"OD		OZHRHSLA1225BK

Description	Strap Size	Color	ITEM CODE
Stainless Steel Strapping with wing seal	3/4" x .030" x 39"	Black	OZHRHSS3430WS3406BK

Description	Strap Size	Color	ITEM CODE
Stainless Steel Strapping	3/4" x .020" x 200'	Silver	RHSS3420
	3/4" x .025" x 100'		RHSS3425
	3/4" x .030" x 100'		RHSS3430
	1/2" x .030" x 100'	Black	OZHRHSS1230BK
	3/4" x .030" x 100'		OZHRHSS3430BK

STEP 2 Buckle or Seal Bracket

Buckle or Seal Bracket not needed, if Snap Lock Assembly was picked in Step 1.

☐ Buckle ☐ Wing Seal

Description	Fits Strap Size	Color	ITEM CODE
Buckle	Fits .030" or thicker strapping	Silver	RHSSHBU3465
	Fits 3/4" x .030" or thicker strapping	Black	OZHRHSSHBU3465BK
	Fits 1/2" x .030" or thicker strapping		OZHRHSSHBU1265BK
Wing Seal	Fits .025" or thinner strapping	Silver	RHSSHWS06
	Fits 3/4" x .025" or thinner strapping	Black	OZHRHSSHWS06BK
	Fits 1/2" x .025" or thinner strapping		OZHRHSSHWS05BK

STEP 3 Sign Bracket

(2) Sign Brackets needed to mount 1 sign to a post.

☐ Cantilever

☐ Minus 4 ☐ Plus 4

Description	Fits Post Size SQUARE	Fits Post Size ROUND	Color	ITEM CODE
Minus 4 Sign Bracket	1¾" to 9"	4" O.D. or less	Silver	RHSSBMINUS4
			Black	OZHRHSSBMINUS4BK
Plus 4 Sign Bracket	4" to 9"	over 4" O.D.	Silver	RHSSBPLUS4
			Black	OZHRHSSBPLUS4BK
Cantilever Sign Bracket			Silver	RHSSBC

STEP 4 Hardware

☐ Bolt ☐ Nut

Description	Color	ITEM CODE
5/16" x 18 x 3/4" Stainless Steel Bolt *Just the right length to fit the threaded PLUS 4 or Minus 4 Bracket*	Silver	RHSSHB516
5/16" Stainless Steel Nut *Only required for cantilever bracket*		RHSSHN8

Strapping Tools

Strap Cutter

Ratchet Type Strapping Tool

Spinner Type Strapping Tool

Description	ITEM CODE
Strap Cutter	RHSSTMODELC1
Ratchet Type Strapping Tool	RHSSTMODELP1
Spinner Type Strapping Tool	RHSSTMODELC001

Special Stainless Steel Alloys Available for Saltwater Environments.
Call for Details

Snap Lock Assembly Packages

- Screw type hose clamp style for sign mounting.
- Needs only a screwdriver to tighten.
- Ideal for use on square post as well as round posts, because the thin strap conforms to both the round and square post when tightened.

Description	Fits Post Size		Color	ITEM CODE
	SQUARE	ROUND		
1 Sign Mount Package	1¾" to 9"	4" O.D. or less	Silver	RHSLAMINUSPKG
			Black	OZHRHSLAMINUSPKGBK

Description	Fits Post Size		Color	ITEM CODE
	SQUARE	ROUND		
2 Sign Mount Packages for Back to Back Applications	1¾" to 9"	4" O.D. or less	Silver	RHSLAMINUSPK2
			Black	OZHRHSLAMINUSPK2BK

Description	Fits Post Size		Color	ITEM CODE
	SQUARE	ROUND		
1 Sign Mount Package	4" to 9"	over 4" O.D.	Silver	RHSLAPLUSPKG
			Black	OZHRHSLAPLUSPKGBK

Description	Fits Post Size		Color	ITEM CODE
	SQUARE	ROUND		
2 Sign Mount Packages for Back to Back Applications	4" to 9"	over 4" O.D.	Silver	RHSLAPLUSPK2
			Black	OZHRHSLAPLUSPK2BK

Description	Fits Post Size		Color	ITEM CODE
	SQUARE	ROUND		
1 Sign Mount Package	3" to 9"	2 to 12¼" O.D.	Silver	RHSLACANTILEVERPKG

Description	Fits Post Size		Color	ITEM CODE
	SQUARE	ROUND		
2 Sign Mount Packages for Back to Back Applications	3" to 9"	2 to 12¼" O.D.	Silver	RHSLACANTILEVERPK2

Buckle Bracket Packages

Description	Fits Post Size	Color	ITEM CODE
1 Sign Mount Package	4-12" O.D.	Silver	RHSBB7
		Black	OZHRHSBB7BK



Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Brackets for Overhead Span Wire Mounting

SCAN QR codes with Smart Phone camera to view product videos.

Heavy-Duty Bracket

- **Best Value:** This CPC brand heavy-duty bracket offers the lowest price combined with the heavy-duty quality, when compared to the light and medium duty brackets available.
- Heavy-Duty, 4 and 8 gauge steel
- 3-way adjustable
- Net weight 4.8 lbs.
- Mounts on cables up to 3/8"
- Pre-assembled for quick, hassle free installation of metro street name signs.

How many Brackets are needed for your sign?

Sign Length	Number of Brackets	Inset Distance from Edge of Sign
up to 42"	1	centered
42"- 66"	2	3"
67" - 84"	2	6"
85" - 102"	2	12"
103" - 120"	2	16"
over 120"	3	centered & 16"



Color	ITEM CODE
Silver	RPBOHCPCSWING

Color	ITEM CODE
Powder Painted Black	OSIZ84OHCPCSWINGBK

• IN STOCK •
May Be ORDERED Individually or in a Box of 10

Allows Sign to *Swing Freely* in the Wind.

Medium-Duty Bracket

- Made from plated steel and aluminum
- Swivels 360-degrees and adjusts for tilt.
- Mounts on cables up to 3/8"
- Pre-assembled for quick installation



Color	ITEM CODE
Silver	RPBOHCOMM77

Color	ITEM CODE
Powder Painted Black	OSIZ84OHCOMM77BK

Heavy-Duty Bracket



Attachment to Mast Arm Options:

- Use Stainless Steel Cables with Hardware provided in kits. Other cable lengths available. All kits come unassembled. *Call for quote.*





KITS

Fits Sign Sizes	Main Cable Mount Assembly KIT QTY	50" Cable Assemblies KIT QTY	1.5" diameter Schedule 40 Pipe LENGTH	16" long Sign Mounting Clamps KIT QTY	Color	KIT CODE	Color	KIT CODE
up to 36"	1	2	24" long	2	Silver	RPBOHMWCM30036	Powder Painted Black	OSIZ84OHMWCM30036BK
36"- 48"	1	2	36" long	2		RPBOHMWCM30048		OSIZ84OHMWCM30048BK
49" - 66"	1	2	40" long	2		RPBOHMWCM30066		OSIZ84OHMWCM30066BK
67" - 84"	1	2	60" long	4		RPBOHMWCM30084		OSIZ84OHMWCM30084BK
85" - 96"	1	2	72" long	4		RPBOHMWCM30096		OSIZ84OHMWCM30096BK
97" - 120"	1	2	84" long	4		RPBOHMWCM30120		OSIZ84OHMWCM30120BK

SILVER COMPONENTS

Description of Components	ITEM CODE
Main Cable Mount Assembly The main assembly is the bracket at the center of the Mast-O-Bracket system.	RPBOHMWCMZ8214
Cable Assembly Length: 50" including threaded connector, 1.5" long 3/8"-16 TPI and 1.375" long 5/16" HEX. Nylon locking nut with washer provided. Free end of cable welded to prevent fraying.	RPBOHMWCMZ8213 (2 required per mount)
Sign Mounting Clamp: The number of sign mounting clamps are determined by the length of sign and should be spaced accordingly. *Refer to kits above.*	
8" Sign Mounting Clamp for using 12" signs with the Mast-o-Bracket.	RPBOHMWCMZ8300
16" Sign Mounting Clamp for using 18" or larger signs with the Mast-o-Bracket.	RPBOHMWCMZ8301
Schedule 40 Pipe *(1.5" Diameter - No Slot)*	
24" long pipe for up to 36" sign	RPBOHMWCMZP24
32" long pipe for 36"- 48" sign	RPBOHMWCMZP36
40" long pipe for 49" - 66" sign	RPBOHMWCMZP40
60" long pipe for 67"- 84" sign	RPBOHMWCMZP60
72" long pipe for 85" - 96" sign	RPBOHMWCMZP72
84" long pipe for 97" - 120" sign	RPBOHMWCMZP84

Overhead Mast Arm Brackets

Medium-Duty Bracket

- Made from plated steel and aluminum
- Pre-assembled for quick hassle free installation
- May be ordered individually or in a box of 10



Color	ITEM CODE
Silver	RPBOHCOM88
Powder Painted Black	OSIZ84OHCOM88BK

Use stainless steel strapping or snap lock assembly for mounting to mast arm.
Sold Separately, Page 68-69

GP-8 Roll-A-Post & Base Kits



KIT CODE	Post Height	Roll-a-Post Black Base
RPOGP85TRP24	60" (5 FT)	Fill capacity (Silica Sand) 150-180 lbs.
RPOGP86TRP24	72" (6 FT)	
RPOGP88TRP24	96" (8 FT)	

MADE IN USA

Ideal for Parking Lots

- Heavyweight Telespar steel post makes attaching signs easy with no sign twisting.
- Post holes accommodate multiple sign sizes. *Telespar posts may be powder coated.*
- Durable, thick walled plastic bases; no rust, dents, or cracking.
- Fill base with sand, filling with water is not recommended. Empty Weight: 10 lbs.
- Base Size: 23.35" at bottom, 8.20" at top, and 16.50" tall
- Roll it back on it's wheels for easy relocation; sturdy plastic wheels come pre-installed
- Base withstands strong winds without tipping over when filled with sand.
- Conveniently placed large fill hole and drain hole.
- Lightweight plastic reduces shipping costs.
- Base to Post and Post to Sign mounting hardware included in kits.

GP-6 Rock-It Base & Post Kits



KIT CODE	Post Height	Rock-It 18 Black Base
RPOGP65TRB18	60" (5 FT)	Fill capacity (Silica Sand) 125-150 lbs.
RPOGP66TRB18	72" (6 FT)	
RPOGP68TRB18	96" (8 FT)	

MADE IN USA

Ideal for Parking Lots

- Heavyweight Telespar steel post makes attaching signs easy with no sign twisting.
- Post holes accommodate multiple sign sizes. *Telespar posts may be powder coated.*
- Durable, thick walled plastic bases won't chip or crack.
- Fill base with sand, filling with water is not recommended. Empty Weight: 10 lbs.
- Base Size: 18" x 19.5" at bottom and 12.8" tall
- Molded-in Hand-grips make bases easy to pick up.
- Rock it back and roll: sturdy plastic recessed wheels make stands easy to move when weighted.
- Base withstands strong winds without tipping over when filled with sand.
- Conveniently placed large fill hole and drain hole.
- Lightweight plastic reduces shipping costs.
- Base to Post and Post to Sign mounting hardware included in kits.

GP-4 Pedestal Base & Post Kit

Ideal for Parking Lots

Cast Iron Pedestal Base & Post Kit

Kit Code: RPOGP4 | Weight: 33 lbs.
14" Diameter Cast Iron Base With 4' Pipe.
Drilled for mounting signs: 12" x 18" | 18" x 24" | 24" x 24"

Add-On Options:

Hardware Package | Item Code: RH6GPE01
Use for mounting sign to Pedestal Pipe

Wheel Kit | Item Code: RPOGP5WHEELKIT
Attaches to Base to make the base portable and easy to transport. *Mounting Hardware Included.*

Anchor Screws | Item Code: RHSMSCA1240
For permanent applications, mount to concrete surface with (3) anchor screws

GP-7 Volcano Base & Post Kits

KIT CODE	Post Height	Volcano Rubber Base
RPOGP75TRB1	60" (5 FT)	Single Stack includes (1) 43lb. Base
RPOGP76TRB1	72" (6 FT)	
RPOGP78TRB1	96" (8 FT)	
RPOGP75TRB2	60" (5 FT)	Double Stack includes (2) 43lb. Bases
RPOGP76TRB2	72" (6 FT)	
RPOGP78TRB2	96" (8 FT)	



- Durable, thick recycled rubber base with steel insert for square post attachment.
- Heavyweight Telespar steel post makes attaching signs easy with no sign twisting. Post holes accommodate multiple sign sizes. *Telespar posts may be powder coated.*
- Base to Post and Post to Sign mounting hardware included in kits.

Ideal for Emergency Management

Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Quick Tip

Increase safety with time-tested HI-VIZ Conspicuity Yellow

Impact Recovery Flexible Sign Posts & Bases

Check out the CPC Partner Product Play List on the Custom Products YouTube Channel

Mix 'n Match Components
Posts, Bases & Installation

- Impact Recovery flexible sign posts for permanent use within parking lots and garages or where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.
- Base Components and Installation options, sold separately.
- Coupler Unit has a reactive spring assembly that allows the sign post to be bumped by vehicles, rebound, and return upright.
- Supports signs up to: • Aluminum 12" x 18" • HDPE (plastic) up to 18" x 24"

STA-RITE FLEX SIGN POSTS

- Post is constructed of white powder coated aluminum.
- Complete with (2) brackets, bracket hardware to mount sign and black post cap.



ITEM CODE	Post Height	for Base Style
White Aluminum Post Only | No Bollard		
RPOFPSISRN060Q	60"	Quick Release
RPOFPSISRN060F	60"	Fixed
RPOFPSISRN078Q	78"	Quick Release
RPOFPSISRN078F	78"	Fixed
RPOFPSISRN078D	78"	Drivable
RPOFPSISRN102F	102"	Fixed
Includes Yellow Bollard		
RPOFPSISRB060Q	60"	Quick Release
RPOFPSISRB060F	60"	Fixed
RPOFPSISRB078F	78"	Fixed
RPOFPSISRB102F	102"	Fixed

STANDARD FLEX SIGN POSTS

- Standard version of the Sta-Rite Aluminum posts.
- Post is made of white HDPE (hi-density plastic), no holes in post.
- Complete with hardware to mount sign and black post cap.



ITEM CODE	Post Height	for Base Style
White Posts | Hi-Density Plastic		
RPOFPSISPWH060QN	60"	Quick Release
RPOFPSISPWH060FN	60"	Fixed
RPOFPSISPWH066QN	66"	Quick Release
RPOFPSISPWH066FN	66"	Fixed
RPOFPSISPWH066DN	66"	Drivable
Yellow Posts | Hi-Density Plastic		
RPOFPSISPYE060FN	60"	Fixed
RPOFPSISPYE060QN	60"	Quick Release
Orange Posts | Hi-Density Plastic		
RPOFPSISPOR060FN	60"	Fixed
RPOFPSISPOR066FN	66"	Fixed

BASE COMPONENTS

Fixed Base

RPOFZISMFBBK

Quick Release Base

RPOFZIQRFBASEBK

Quick Release Portable One Base

RPOFZIQRPBASE

Drivable Base



RPOFZIDB218SQ12

INSTALLATION

Anchor Kit

Includes 4 Lag Screws for attaching base to ground, such as concrete.
RHSMSLS12

Adhesives

Ideal for most surfaces.
See page 105

X-Tube Flexible Sign Posts & Bases

X-Tube Post, Post Cap, Base & Quick Release Pin

"The Yeti" 40# Portable Base
RPOFZPXTUBEBASEYETI

Quick Release Pin
RPOFZPXTUBEBASE800QR

Surface Mount Base
RPOFPSPZXTUBEBASE

- Lightweight, durable plastic sign posts bend when struck, rebound to vertical position and won't damage vehicles like steel posts. Drilled for 12" x 18" sign.
- Surface Mount Base accepts both the X- and Y-Tubes or 1.75" square steel tube and locks securely in place with a simple bolt or quick-release pin.

White Sign Post RPOFPSPXTUBEWH(XXX)
Post Height: 48" (048) | 60" (060) | 72" (072)
78" (078) | 84" (084) | 96" (096) | 108" (108)

Surface Mount Anchor Screws
RHSMSCA3825 - 3/8" x 2-1/2" - *for Concrete*
Adhesives recommended for Asphalt, *see page 105*

Incident Management Kits

RSPIMKIT(XX) Kit Includes:

- Wrap and Roll MDI Compact Sign Stand
- Fluorescent Pink Compact Sign (Ribs included) with ACCIDENT AHEAD Legend in (36) 36" -or- (48) 48". 48" kit is suitable for all roadways including interstates.
- 5-Point Breakaway Lime XL Economy Vest
- 6.5" x 4" Red Highway Road LED Flare
- 14" Red Traffic Baton
- Storage Bag for Kit

Add Collapsible Cones to IM Kit

(Set of 5) **Collapsible Cones** are MUTCD compliant and includes a heavy-duty storage bag.

RSPCC28RCOLLAPSE5PK

Roll-Up Signs for Forest Service

USDA Forest Service roll-up signs are available in Pink Reflective.
Source: Sign & Poster Guidelines for Forest Service (2013).
May be used by jurisdictions other than USDA Forest Service as well.
Ribs sold separately. *Artwork charges may apply.*

Available in 36" x 36"(36) and 48" x 48"(48) sizes with vinyl pockets.

RMSIMF36JUAFW251H
RMSIMF48JUAFW251H

RMSIMF36JUAFW253H
RMSIMF48JUAFW253H

RMSIMF36JUAFW254H
RMSIMF48JUAFW254H

RMSIMF36JUAFW218H
RMSIMF48JUAFW218H

RMSIMF36JUAFW286AH
RMSIMF48JUAFW286AH

Call for a Customized Quote

RMSIMF3618JUAFG205H

RMSIMF5436JUAFG219H

RMSIMF5436JUAFG218H

Part #	Roll- Up Sign Ribs Size
RMSR36	36" Ribs
RMSR48	48" Ribs
RMSR36TCR36	36" Heavy Duty Ribs
RMSR48TCR48	48" Heavy Duty Ribs
RMSR3618	36" x 18" Ribs
RMSR3624	36" x 24" Ribs

RMSIMF3624JUAFG213RH

RMSIMF3624JUAFG217H

RMSIMF3624JUAFG215RH

RMSIMF3624JUAFG216L

RMSIMF3624JUAFG217ARH

RMSIMF3636JUAFG211BH

RMSIMF3636JUAFG211AH

RMSIMF3636JUAFG211H

RMSIMF3636JUAFG214H

RMSIMF3636JUAFG2111H

Traffic Batons

Batons are Weather Resistant

Batteries last up to 100 hours.

LED lights visible up to 3,000 yards away & last over 100,000 hours.

14" Long Baton Red RSAGFXG410RE

- 3 Functions: red flashing, warning, and steady
- Requires 2 X C batteries *(not included)*

15" Long Baton Red RSAGFXG411TWRE

- 4 Functions: white flashlight, white flashlight with red flashing, and red flashing/steady
- Requires 2 X D batteries *(not included)*

21" Long Traffic Baton Red/Green/Blue

RSAGFXG408RGB

- 6 Functions: flashing and steady in red, green & blue
- Requires 3 X C batteries *(not included)*

5-Point Breakaway Vests

3rd Party Certified – Meets ANSI/ISEA 207-2006

Class 3 Type R Standards

Premium 5-P Vest
RSAGV35PBLSSZM(XX)N - Lime
Specify Size (XX): (ML) fits M-L, (XL2X) fits XL-2XL, (3X5X) fits 3XL-5XL

3rd Party Certified – Meets ANSI/ISEA 107-2015 Class 2 Standards, NFPA Standards for Fire Trucks and MUTCD Standards for Flaggers

Economy 5-P Vest
RSAGV5E(X)SSZM(XX)N

5-Point Breakaway Vests are an excellent choice for extreme work environments around moving machinery and equipment to prevent pulling workers into hazards. ***Choose an Economy 5-Point Vest or Premium 5-Point Vest in Lime or Orange.***

Colors (X): (L) Lime, (O) Orange
Sizes (XX): (L), (XL), (2X)

Premium 5-P Vest
RSAGV5P(X)SSZM(XX)N

Are your First Responders Compliant?

The NFPA (National Fire Protection Agency) requires that all fire trucks shall carry one 5-Point Breakaway ANSI/ISEA 201 Class 2 Vest for each seating position on the truck.

Storage Bags

Storage Bags
for 2 (two) Standard Roll-Up Signs with Ribs.
Specify Size when Ordering.

RMSHD36
RMSHD48

Roll-up Sign Legends shown on *page 85* are also available in the fluorescent pink reflective material.
Artwork charges may apply. Call for details and a customized quote.

Pink Reflective is the approved MUTCD color material for all Incident Management areas.

Standard Roll-Up Signs

Standard Roll-Up Signs are available in many legends. Quick Ship legends shown. Ribs sold separately.

RMSIM48AAHH | RMSIM48W34H | RMSIM48W202ALH | RMSIM48W202ARH | RMSIM48W202AHH | RMSIM48ESAHH | RMSIM48W203AHH



RMSIM48W205LAHH | RMSIM48W205RAHH | RMSIM48W42LH | RMSIM48W42RH

Part #	Roll-Up Sign Ribs Size
RMSR36	36" Ribs
RMSR36TCR36	36" Heavy Duty Ribs
RMSR48	48" Ribs
RMSR48TCR48	48" Heavy Duty Ribs

Folding Flag Assembly
for use with any Roll-Up Sign with Ribs.
(2) two 18" flags included.

Compact Sign System

Custom Products offers the MDI System that is a completely self-contained sign system that deploys quickly for greater safety and efficiency in traffic incident management areas. This system is ideal for storing in police and fire vehicles. Add Carry Cases to protect your Stand and Signs during storage for longer product life.

RPOTTCS23612DLK

From Stored to Fully Deployed in Seconds

The patented MDI Compact® Sign system features sign faces that have hinged, integrated cross bracing with a single trigger release mechanism for rapid deployment and take-down. When the incident is terminated, the MDI Compact® Sign and cross brace folds down and wraps around undeployed sign stand for easy storage.

Wrap & Roll System
MDI Compact® Roll-Up sign combines with a Traffic Master® sign stand.

Storage Bag

Storage Bag for MDI Compact System or Compact Roll-Up Signs.

RMSHD48CSSB
For Compact System Only

Compact Roll-Up Signs

RMSIMCS(XX)AAHH | RMSIMCS(XX)ATAH | RMSIMCS(XX)W34H | RMSIMCS(XX)W202VAH | RMSIMCS(XX)EMAH | RMSIMCS(XX)ESAHH | RMSIMCS(XX)FAKOH

Compact Roll-Up Signs come pre-installed with hinged, integrated cross bracing to work in conjunction with the MDI Compact Sign System.
Arrows provided as overlay patch may be turned as needed. Roll-up sign sizes (XX) : (36) 36" or (48) 48"

RMSIMCS(XX)MAH | RMSIMCS(XX)FTIPH | RMSIMCS(XX)PTIPH | RMSIMCS(XX)W203H | RMSIMCS(XX)W203AHH | RMSIMCS(XX)R11H | RMSIMCS(XX)TTAHH

School Zone Signs

Go to www.cpcsigns.com to find more Special Legend School Signs.

STOP/STOP School Crossing Hand Paddles
SHP1818ST040(X)NH - 18" x 18" .040" Aluminum Paddle Head
Sheeting (X): (B) Non-Reflective | (E) Engineer Grade Prismatic
(H) High Intensity Prismatic

Handle HPHANDLE10 10" Galvanized Steel Conduit *(Sold Separately)*
Vynafoam Grip HPZFOAMGRIP *(Sold Separately)*

SIGN ALERT

S1218R7321HA

S1218R7309HA

S1218R7323HA

SLSPBP7304 1218HA

S2430S52HA



S2430S53HA

S1218R7217HA

S2430R210HA

S2418R26PHA

S1218R7360HA



S2410S41PHA
*Specify times

S2430R211HA

S2410S44PHA

S2410S46PHA

S2410S42PHA

3 DAYS Replacement Requirements*

Damaged or missing school zone signs should be replaced or repaired within 3 working days of the agency having notice of them missing, down or damaged. Some signs may warrant faster replacement based on nature of sign. *Maintenance of Signs and Sign Support: FHWA-SA-09-025

Are Your Signs Bright Enough?

School Zone Signs MUST be Fluorescent Yellow-Green Diamond Grade. To stay in compliance with the MUTCD, we recommend using: 3M™ **FYG Diamond Grade Cubed** for all **School Zone Signs** for the best overall value and warranty.

Fluorescent Yellow Green DG3 (FYG)

S1236R16AH3AG

S1236R16H3AG

S3030S113AG
S3636S113AG

S2418W162P3AG
S3024W162P3AG
*Specify FEET

S3030S45(XX)3AG
S3636S45(XX)3AG
S3030S45(XX)H3AG
S3636S45(XX)H3AG
*Specify Speed

S2408S43P3AG



S2448S51(XX)FH3A
*Specify Speed

Add Blinking Solar LEDs to signs see page 16

S3030S313AG
S3636S313AG

S3030S323AG
S3636S323AG

S3030S45A(XX)3AG
S3636S45A(XX)3AG
*Specify Speed

Athletic Marking Paint & Stencils

Athletic Marking Paints and Stencils available in standard and custom legend signs (CLS) for all your traffic, parking lot, playground, and athletic field needs.

Pages 107-111

S2412W166PR3AG
S3018W166PR3AG

S2412W166PL3AG
S3018W166PL3AG

S2412W162AP3AG
S3018W162AP3AG
*Specify FEET

S2412W169P3AG
S3018W169P3AG

S2412W165P3AG
S3018W165P3AG

S2412S47P3AG
S3018S47P3AG

S2412W167PR3AG
S3018W167PR3AG

S2412W167PL3AG
S3018W167PL3AG

Stickers, Decals & Tags

Bumper Stickers, Parking Permits, Polyester Decals & Vinyl Decals

Available in many standard colors and sizes with customized graphics for your school or college.

Property Signs

S1218PC236HA

S1824PC230HA

S1824PC235HA

S1824PC200HA

S1218S36HA

S1218PC250HA

Go to www.cpcsigns.com to find more Special Legends for School Zone Signs.

3M™ MCS™ Warranty

In-Street Pedestrian Crosswalk Signage

- Quickly grabs motorists' attention and alerts them to pedestrians in crosswalk.
- Utilizes Highly Visible, Reflective Diamond Grade Fluorescent Yellow Green sheeting *plus* FYG posts.
- 12" x 36" Yield to Pedestrian *-or-* Stop for Pedestrian signs are constructed of durable plastic.

Children and other pedestrians are at risk when crossing the street every single day.

52" X-Tube Rigid Upright with Sign

PART #	LEGEND
RPOFPIPX50WHTSS603	YIELD to Ped - Double Faced
RPOFPIPX50WHTSS602	YIELD to Ped - Single Faced
RPOFPIPX50WHTSS605	STOP for Ped - Single Faced
RPOFPIPX50WHTSS604	STOP for Ped - Double Faced
Choose Sign from above to use with the Yeti Base	
RPOFZPXTUBEBASEYETI	"The Yeti" 40# Portable Base
RPOFZPXTUBEBASE800QR	Quick Release Pin for 1.75" X-Tube Post

42" EFX FYG Flexible Safety Post with Sign

PART #	LEGEND
RPOFPIPFG342FLGFX613	YIELD to Ped - Double Faced
RPOFPIPFG342FLGFX612	YIELD to Ped - Single Faced
RPOFPIPFG342FLGFX615	STOP for Ped - Double Faced
RPOFPIPFG342FLGFX614	STOP for Ped - Single Faced
Choose Sign from above to use with the Banana Base or Fixed Base	
RPOFZPBASEBANANA	35# Portable Banana Base
RPOFZPFG300BAFYG	Fixed Base
RHSMSCA3840	Asphalt Anchor Bolt
RHSMSCA3825	Concrete Anchor Bolt
RPOFZPFG300XPINS	Post Pins (Box of 50)

The 300 FYG Fixed Base for fixed installations where the post and base will remain on the road surface for an extended period of time.

Bases are constructed of a UV stable, high impact plastic. Safety posts are mounted to the base with two nylon locking pins. Bases are secured to the roadway with either epoxy or bolts.

In-Street Pedestrian Crosswalk Signage

Premium Quality

Fixed Base

Quick Release Base

In-Street Pedestrian Crosswalk Signage provides enhanced conspicuity at un-signalized intersections in order to alert motorists to local laws concerning yielding to or stopping for pedestrians in crosswalks.

FEATURES exclusive patented, anti-twist reactive spring system.

IMPACT recovery SYSTEMS

The One Base attaches to quick release post types.

Quick Release Mounting Style Post w/Sign

PART #	Legend	Sign Faces
RPOFPIIPDSTDQ	STOP for Ped	Double Faced
RPOFPIIPDYDDQ	YIELD to Ped	Double Faced
RPOFPIIPDYDSQ	YIELD to Ped	Single Faced
RPOFPIIPSSTDQ	(SCHOOL) STOP for Ped	Double Faced
RPOFPIIPSYDDQ	(SCHOOL) YIELD to Ped	Double Faced
RPOFPIIPSYDSQ	(SCHOOL) YIELD to Ped	Single Faced
Choose Sign from above to use with a Base below		
PART #	**Description**	
RPOFZIQRFBASEBK	Quick Release Base - Surface Mount	
RPOFZIQRPBASE	Portable One Base - 100% Recycled Rubber	
RPOFZIQRPPIN	Quick Release Replacement Pin	

Portable School Zone Signage

Easy Fold Sandwich Boards

Find a full line of standard and custom options @ www.cpcsigns.com

Fixed Mounting Style Post w/Sign

PART #	Legend	Signs Faces
RPOFPIIPDSTDF	STOP for Ped	Double Faced
RPOFPIIPDSTSF	STOP for Ped	Single Faced
RPOFPIIPDYDDF	YIELD to Ped	Double Faced
RPOFPIIPDYDSF	YIELD to Ped	Single Faced
RPOFPIIPSSTDF	(SCHOOL) STOP for Ped	Double Faced
RPOFPIIPSYDDF	(SCHOOL) YIELD to Ped	Double Faced
Choose Sign from above to use with a Base below		
PART #	**Description**	
RPOFZISMFBBK	Fixed Base - Surface Mount	
RHSMSLS12	Anchor Kit with 4 lag screws (installs 1 base)	

Blinker Beacons™

Vertically Mounted Dual Solar Flashing LED Beacons

- Adds visibility
- Solar Powered, no electric bills, virtually maintenance free
- Low cost installation (no trenching or wiring)
- Patented Auto Bright™ circuitry automatically adjusts brightness levels, maintaining optimal LED output and extending battery life

Cones & Cone Bars

Traffic Cones

- Flexible Bright Fluorescent Orange, Lime, Blue or White PVC
- Many Sizes and Reflective Collars available.
- Some sizes require minimum quantity order, call for details.

RSPCC1803WLN | 18" | 3# | Wide Body | Lime | No Reflective	**RSPCC1803WON** | 18" | 3# | Wide Body | Orange | No Reflective	**RSPCC1803WLR06** | 18" | 3# | Wide Body | Lime | REFLECTIVE 6"	**RSPCC1803WOR06** | 18" | 3# | Wide Body | Orange | Reflective 6"	**RSPCC2807SOR46** | 28" | 7# | Slim Body | Orange | Reflective 4" & 6"	**RSPCC2810SOR46** | 28" | 10# | Slim Body | Orange | Reflective 4" & 6"	**RSPCC2807WON** | 28" | 7# | Wide Body | Orange | No Reflective	**RSPCC2807WOR46** | 28" | 7# | Wide Body | Orange | Reflective 4" & 6"	**RSPCC2810WOR46** | 28" | 10# | Wide Body | Orange | Reflective 4" & 6"	**RSPCC2807WLN** | 28" | 7# | Wide Body | Lime | No Reflective	**RSPCC2807WLR46** | 28" | 7# | Wide Body | Lime | Reflective 4" & 6"	**RSPCC2807WWHN** | 28" | 7# | Wide Body | White | No Reflective	**RSPCC2807WWHR46** | 28" | 7# | Wide Body | White | Reflective 4" & 6"	**RSPCC2807WBUN** | 28" | 7# | Wide Body | Blue | No Reflective	**RSPCC2807WBUR46** | 28" | 7# | Wide Body | Blue | Reflective 4" & 6"	**RSPCC3610WON** | 36" | 10# | Wide Body | Orange | No Reflective	**RSPCC3610WOR46** | 36" | 10# | Wide Body | Orange | Reflective 4" & 6"	**RSPCC3612WOR46** | 36" | 12# | Wide Body | Orange | Reflective 4" & 6"	**RSPCC3610WLR46** | 36" | 10# | Wide Body | Lime | Reflective 4" & 6"	**RSPCC3610WLN** | 36" | 10# | Wide Body | Lime | No Reflective

Cone Bars *provide an Instant Barrier in Seconds!!*

RSPCCZCB6OW - Orange/White
RSPCCZCB6YB - Yellow/Black

- Use on Cones and Knob-top Delineators
- Extends from 3.8'-6'
- Ultra lightweight - 1.35 lbs.
- Engineer Grade Reflective
- Made from ABS Plastic and are reusable

LoPro Airport Barricades • Barricade Sheeting Rolls

LoPro Airport Barricades

- A Low-profile, 8' long x 10" high, interlocking barricade system used to close taxiways, runways, and delineate construction areas.
- Durable construction, connectors are molded into the barricade, no pins to lose
- Accepts two styles of warning lights and has (2) two flag mounts.
- Stackable for transportation and storage
- FAA Advisory Circular No. 150/5370-2F compliant



RSPBE1PLPA096H
Standard
Lights and Flags SOLD Separately

Specifications	Standard	Additional Options Available
Color	Orange	Custom Colors with minimum purchase
Reflective Area	72" x 6"	NONE
Stripe Size	6"	NONE
Reflectivity	HIP	DG -or- NO Reflective Sheeting
Weight	25 lbs	Fill with water, up to 220 lbs (26 gallons)

- 50 Yard Rolls
- Engineer Grade (E) in 6" or 8" widths
- High Intensity Prismatic (H) in 8" wide
- Diamond Grade Cube (3) in 7.75" wide
- Specify 4" (4) or 6" (6) stripe and right (R) or left (L) slant where appropriate

50 Yard Roll Part #	Width & Type	Stripe Width	Colors
RSHCN8117(L)60650	6" (E)	6"	O/W
RSHCN8117(L)40850	8" (E)	4"	O/W
RSH446(L)077550	7.75" (3)	6"	O/W
RSHCN8117(L)60850SC	8" (E)	6"	O/W
RSH3334(L)0850	8" (H)	4"	O/W
RSH3336(L)0850	8" (H)	6"	O/W
RSHCN8115(L)60850SC	8" (E)	6"	R/W
RSHCN515(L)60850	8" (H)	6"	R/W

Watchtower Cone

RSPCC42PWOH46
Standard

- 42" tall (46.25" with handle)
- Stack up to 20% more on your truck with new compact nesting design.
- Strong, ergonomic handle speeds placement on job, as it fits two hands which makes lifting with base easier. Also, it's easy to string caution tape through handles.
- Recessed area protects sheeting.
- Accepts same bases as our Navicade™ delineator which can reduce your base inventory. 10, 16, or 30 lb. recycled rubber bases available.
- Customize with your company name or logo
- MASH Passed, Meets MUTCD Standards

Specifications	Standard	Additional Options Available
Body Color	Orange	NONE
Stripe Width	1 each of 4" & 6" HIP	2 each 4" White & 4" Orange -or- 2 each 4" White
Stripe Color	White	Alternating Orange & White
Reflectivity	HIP	NONE -or- DG
Base	16 lbs Rubber	10 lbs. or 30 lbs.

Open Top Delineator

RSPCTPO42D3
Standard

Available Bases
RSPCTPZB(XX)
(08) 8 lbs | **(10)** 10 lbs
(12) 12 lbs | **(18)** 18 lbs

- Quick and easy set-up
- Reflective Bands, 2 each - 3" or 4" wide
- Flange on bottom grabs base for tight fit, 5.375" diameter
- Post Diameter: 4"
- Recycled rubber bases: 8 lbs, 10 lbs, 12 lbs, and 18 lbs
- 2 Sizes: 42" H - weight 1.7 lbs
  28" H - weight 1.1 lbs
- MASH Passed and Meets MUTCD Standards

Specifications	Standard	Additional Options Available
Height/Weight	42" /1.7 lbs	28" / 1.1 lbs
Reflectivity	ENG	NONE -or- HIP -or- DG
Band (Stripe Width)	2 each - 3"	2 each - 4"
Base	8 lbs	10 lbs, 12 lbs, 18 lbs
Handle	NONE	Upgrade to the Knob-Top Delineator

Gemstone™ Vertical Panel

RSPCV08366ORE
Standard

- Oversized handle with comfort grip
- Designed to withstand repeated impacts with minimal damage to vehicles or unit
- Recessed panel protects reflective sheeting, 8" W x 34" H, OR 8" W x 36" H
- Flashing light mounting receptacle
- Available in orange and white
- Solid recycled rubber bases with carrying handles come in two sizes: 20 lbs. and 30 lbs.
- Size: 15.4" W x 45" H | Weight: 4 lbs.
- MASH Passed and Meets MUTCD Standards

RSPCVZBASE20
20 lb. base

RSPCVZBASE30
30 lb. base

The handle is easy to grab even with the light attached

Sidewall design adds strength and durability

Specifications	Standard	Additional Options Available
Color	Orange	White
Reflective Area	8" x 36"	8" x 34"
Stripe Size	6" for 8" x 36"	6" for 8" x 34"
Reflectivity	ENG	HIP -or- DG
Base	20 lbs	30 lbs
Stencil	NONE	Name or Logo on Plastic Panel or Molded into Base

Colored A-Top Delineators

Available Bases
RSPCTJZB(XX)
(08) 8 lbs | **(12)** 12 lbs

RSPCTJA46HN(XX) Body Colors (XX): Black (BK) | Blue (BU) | Hunter Green (GR) Lime (LI) | Orange (OR) | Red (RE) | White (WH) | Yellow (YE)

- The A-Top Delineator has replaced the discontinued Dome-Top.
- Perfect for hotels, schools, churches, parking lots, valet parking and more! Beautiful rich color options make the uses for these delineators endless.
- New arch design for easy setup and take down. When used in conjunction with the JBC Cone Bar or the JBC Cobra Chain, you can create a barrier in seconds.
- Made of a special LDPE formula, these Delineators are strong where you need them to be and flexible enough to bounce back from tough impacts. Tubes have UV stabilizers to ensure they hold their color in the harshest conditions with recessed area to protect 3M Prismatic Reflective Sheeting. Strong consistent lip at base to ensure snug fit with the base.
- Recycled rubber bases: 8 lbs or 12 lbs, SOLD separately.
- Bases are re-vulcanized rubber and have a nice clean look.

Specifications	Quick SHIP	Additional Options Available
Height	46"	46"
Reflectivity	HIP	NONE -or- ENG -or- DG
Band (Stripe Width)	2 Each - 3"	NONE
Rubber Base	8 lbs	12 lbs
Color	Black and Lime	Red, Yellow, Blue, White, Hunter Green, Orange

Barrier Tapes

RSP710(X)

- **3 mil** : 3" x 1000' poly barrier tape provides warning of temporary safety hazard
- Economical, strong, and disposable
- Legends (X):
  (A) Caution Caution
  (B) Police Line Do Not Cross
  (F) Caution Do Not Enter
- Other sizes and legends available

Channelizers

Knob-Top 4" Delineator

- Height 45" x Width 4"
- Knob Top for easy handling
- Accepts cone bars
- Caution tape wraps around knob
- Support rings around reflective bands for added tape protection
- Made from low density polyethylene Fluorescent Orange plastic
- 8 lb. base is standard and included in price, other sizes available upon request.

RSPCTJK42H08

Channelizer Cone

- Plasticade Navicade Brand
- High Density Polyethylene
- 4 - 6" Tall High Intensity Orange and White Reflective stripes
- 3 lbs. / 49.25" H x 7.6" W
- 16 lb. Recycled rubber base included in 6" HIP version.
- Unique handle is easy to grab even with flashing light or sign attached
- Stackable with or without base for easy transportation or storage
- Molded-in holes for mounting lights and signs
- MASH Passed and meets MUTCD Standards

RSPCC42NH4616
16 lb. base

30 lb. base (below)

Specifications	Standard	Additional Options Available
Stripe Width	4 Each - 6"	4 Each - 4" -or- 1 Each - 4" and 6"
Reflectivity	HIP	DG -or- DG/HIP Combo -or- ENG
Base	16 lbs.	30 lbs.
Stencil	NONE	Name or Logo Molded into Base

Channelizer Commander™ Traffic Drums

New Power Dome Handle: gentle slope of dome merges with handle

New Light Mounting Design: light easily turns for stacking

New Tire Locking Ring Design: Inhibits movement of drum on road surface; textured skirt increases friction and grabs tire; anti-roll design, flat sections on two sides

RSPCD100HI46
RSPCD100ZBTIRE - 25lbs

- Available in High and Low Density Polyethylene
- Five Tier Design with (2) 6" Tall Orange and (2) 6" Tall White High Intensity Reflective Stripes
- 8 lbs. | 39.7" H x 23.5" W
- MASH Passed and meets MUTCD Standards

Specifications	Standard	Additional Options Available
Stripe Width	(2) 6" Orange | (2) 6" White	(2) 4" Orange | (2) 4" White
Reflectivity	HIP	DG -or- ENG
Density	HIGH	LOW
Base	25# Recycled Rubber Tire Ring	Also available in version compatible with Snap On Rubber Base
Stencil	NONE	Molded in Name or Logo

Type I & II Barricades

TYPE I - Standard
RSPB1PMPC1WHE0806

TYPE II - Standard
RSPB1PMPC2WHE0808

Combocade™ Type I and Type II Barricade

- Steel leg barricade with your choice of plastic or plywood boards
- Boards and legs can be replaced, legs can be repaired
- 45" steel legs, 14 gauge thickness, galvanized - white powder coated finish available by special order
- Plastic boards are strong and dense, will not bend, warp, crack, splinter, or peel
- Bolt holes are molded into the plastic boards
- Dimensions: 24.4" W x 42.6" H | Board Sizes Available: 8" x 24" and 12" x 24"
- MASH Passed and meets MUTCD Standards

50% STRONGER PLASTIC BOARDS

Purchase barricades fully assembled or as component parts.

Names can be stenciled on blank panels for identification.

Leg hinge hole accepts 1/2" light mounting bolt

Specifications	Standard	Additional Options Available
Reflectivity	ENG	HIP -or- DG
Reflective Area Type I Barricade	8" x 24" Top Panel	12" x 24" Top Panel
Reflective Area Type II Barricade	8" x 24" Top Panel 8" x 24" Bottom Panel	12" x 24" Top Panel 8" x 24" Bottom Panel
Usage	Type I or Type II Barricade	Safety Signage
Stencil	NONE	Recommended for Type I Only
Purchase Option	Complete Barricade	Replacement Parts

Econocade® Type I and Type II Barricade

RSPB1PPPE2WHH0808
TYPE II

- One piece solid construction
- Size: 24.4" x 42.6"
- Easy to handle, pack, and transport.
- Rust free and impact resistant.
- Bottom rail can carry a sand bag.
- Two flashing light receptacles
- White in Stock. Also available in Orange, Yellow, Red, Blue and Green.
- MASH Passed and meets MUTCD Standards

RSPB1PPPE1WHH08
TYPE I

The Econocade Barricade can be purchased in a variety of colors.

Specifications	Standard	Additional Options Available
Body Color	White	500 Piece Minimum: Orange, Red, Yellow, Green or Blue
Reflectivity	HIP	ENG -or- DG
Reflective Area Type I Barricade	8" x 24" Top Panel	12" x 24" Top Panel
Reflective Area Type II Barricade	8" x 24" Top Panel 8" x 24" Bottom Panel	12" x 24" Top Panel 8" x 24" Bottom Panel
Usage	Type I or Type II Barricade	Safety Signage
Stencil	NONE	Recommended for Type I Only

Plasticade® Type I and Type II Barricade

RSPB1PPPL2WHH08
TYPE II

- Premium Plasticade Barricade
- Withstands repeated impacts
- Molded-in handles with mounting holes for attaching flashing lights
- "Click lock" hinges for a positive interlock in the open position
- Internal ballasting, up to 10 lbs. of sand
- Sandbag bar (for additional weight)
- White in Stock. Also available in Orange and Yellow.
- All grades of reflective sheeting available.
- Stacking lugs keep units from sliding when stacked
- MASH Passed and meets MUTCD Standards

RSPB1PPPL1WHH08
TYPE I

RSPB1PPPL2WHH12
TYPE II

Add a Sign Sleeve to use as a sign stand

Stenciling Available

Specifications	Standard	Additional Options Available
Body Color	White -or- Orange	Yellow
Reflectivity	HIP	ENG -or- DG
Reflective Area Type I Barricade	8" x 24" Top Panel	12" x 24" Top Panel
Reflective Area Type II Barricade	8" x 24" Top Panel 8" x 24" Bottom Panel	12" x 24" Top Panel 8" x 24" Bottom Panel
Usage	Type I or Type II Barricade	Sign Stand with Sign Sleeve Option -or- Safety Signage
Stencil	NONE	Recommended for Type I Only

Omni™ A-Frame Type I Barricade Kits

All kits contain (2) Omni™ A-Frame Legs and (1) 1" x 8" x 8' High Intensity Reflective Barricade Board

Reflective Sides	Stripe Direction	TYPE I KIT CODES
Double-Sided	Left/Right	RSPBAPABK10996HD
Single-Sided	Left	RSPBAPABK10996HL
Single-Sided	Right	RSPBAPABK10996HR

Omni™ A-Frame Type II Barricade Kits

All kits contain (2) Omni™ A-Frame Legs and (2) 1" x 8" x 8' High Intensity Reflective Barricade Boards

Reflective Sides	Stripe Direction	TYPE II KIT CODES
Double-Sided	Left/Right	RSPBAPABK20996HD
Single-Sided	Left	RSPBAPABK20996HL
Single-Sided	Right	RSPBAPABK20996HR



Omni™ A-Frame Leg CODE: RSPBAPA200 *Leg Sold Individually*
Build a Custom Kit with Omni A-Frame Legs and 1" x 8" Barricade Boards of your choice, see page 83.

Reflective barricade boards using your town, school or team colors, available by custom order.

Omni™ A-Frame Type I & II Barricades

- ***Choose 1 of 6 Top Selling, Quick Ship A-Frame Leg and Board Kits.***
- Perfect for crowd control and road closures.
- Omni™ A-Frame Leg accepts Plasticade© 1" x 8" Barricade Boards as the standard option, as well as, I-Beam Boards.
- Omni™ A-Frame legs are 20% heavier than the Plasticade© A-Frame barricade leg with a solid wall design.
- Omni™ A-Frame legs have stacking lugs for easy transportation and storage and a flashing light mounting receptacle.
- ***I-Beam Type I and II Barricade Kits are also available at www.cpcsigns.com***

CONSTRUCTION WORK ZONE

Type III Barricades

Telespar® Welded Riser Breakaway System Kits

Breakaway Kit #1 (shown)
Breakaway Kit #2 (same design but includes Quick Release Pins)

Kit #1 Welded Riser Design

- **Kit Code: RSPB3ZBUS1**
- (2) Two - 5' Telespar® Feet with 6" Welded Risers
- (2) Two - 5' Telespar® Uprights
- (1) One - Hardware Kit - Board to Square Post Upright

Kit #2 Welded Riser Design with Quick Release Pins

- **Kit Code: RSPB3ZBUS1QR**
- (2) Two - 5'Telespar® Feet with 6" Welded Risers
- (2) Two - 5'Telespar® Uprights
- (1) One - Hardware Kit - Board to Square Post Upright
- (2) Quick Release Pins

- **Breakaway System Kits** allow quick removal of uprights from feet or bases for short term or permanent placement. **Barricade Boards**, Sold Separately on page 83.
- These kits are easy to assemble and replace parts, if necessary.
- The **Telespar® Square Posts** shape provides superior wind load capabilities and inhibits warping. Galvanized, hot rolled high carbon steel. Pre-punched mounting 7/16" holes. Upright accepts a flashing barricade light.

Volcano Rubber Base Breakaway System Kits

Kit #3 Volcano Base & Telespar® Posts

- **Kit Code: RSPB3ZBUS2S**
- (2) Two - Volcano Bases
- (2) Two - 5' Telespar® Uprights
- (1) One - Hardware Kit - Board to Square Post Upright
- (2) Quick Release Pins

- **Breakaway System Kits** allow quick removal of uprights from feet or bases for short term or permanent placement. **Barricade Boards**, Sold Separately on page 83.
- These kits are easy to assemble and replace parts, if necessary.
- The **Telespar® Square Posts** shape provides superior wind load capabilities and inhibits warping. Galvanized, hot rolled high carbon steel. Pre-punched mounting 7/16" holes. Upright accepts a flashing barricade light.
- **Volcano Bases** are a durable, thick recycled rubber base with steel insert for square post attachment.
- **Power Posts** are lightweight and impact resistant square plastic posts that will never rust. Posts have universal pre-drilled mounting holes for Type III boards and flashing barricade lights.

Kit #4 Volcano Base & Power Posts

- **Kit Code: RSPB3ZBUS2P**
- (2) Two - Volcano Bases
- (2) Two - 5' 3" Power Post® Uprights
- (1) One - Hardware Kit - Board to Square Post Upright
- (2) Quick Release Pins

Plasticade® Breakaway

- Collapsible, lies flat for storage and transport
- Available with 5 board lengths: 1" x 8" boards, 4', 6', 8', 10' or 12' long
- Easier to transport, install, and store than wood or steel Type III Barricades
- Accepts two flashing lights
- Boards are available sheeted (one or both sides) or unsheeted
- Barricades are sold in kits with hardware included or as component parts
- MASH Passed and meets MUTCD Standards

Sentinel™

- Easy to assemble base consists of 2 pieces, upright and base, that snap together, no hardware required.
- Available with two board lengths: 1" x 8" boards, 4' or 6' long
- Boards can be purchased sheeted (on one or both sides) or unsheeted
- Base can be internally ballasted with sand, sandbags, or water in warmer climates
- MASH Passed and meets MUTCD Standards

Type III Barricade Components

Components & Accessories

Barricade Tape, *see page 78.*

Angle Iron/ Telespar® Kits

ECONOMY

The below components are also available as Kits. Kits include three barricade boards of your choice plus all the hardware needed for assembly.

Angle Iron Uprights with Angle Iron Feet
RSPB3ZBUZAIU(L/R)
1 (L) Left and 1 (R) Right Angle Iron Upright required per barricade

Telespar® Uprights with **Angle Iron Feet**
RSPB3ZBUZAIF

Telespar Foot 2"
14 Gauge w/6" Riser
RSPB3ZBUZTF

Plasticade Volcano Rubber Base
for 1.75" square post
RSPB3ZBUZRV

Plasticade Power Posts
RSPB3ZBUZPPU
63" H | 1.75" tube

Telespar® Uprights
RSPB3ZBUZTU60
60" H | 1.75" tube | 14 Gauge

Crossmember Stabilizer Bar
1.75"/14 gauge
for 8' Type III
RSPB3ZBUZTC70



T-Bracket
RSPB3ZBUZTCHTB

Hardware Kit
for T-Bracket and Crossmember
RSPB3ZBUZTCHTBH

Quick Release Pin - 2"
RSPB3ZBUZTFHQRP2

Board to Square Post Upright **Hardware Kit**
RSPB3ZBUZSPUH

SCAN QR codes with Smart Phone camera to view Stripes videos.

Barricade Boards

About Stripes

"LEFT" Stripes begin at the upper left side and slope downward to the lower right.

Orange - Temporary Traffic Control
Red - STOP or Prohibition (Permanent)

"RIGHT" Stripes begin at the upper right side and slope downward to the lower left.

- **RSPB3Z(XXX)S(X)M(S/D)(L/R)(OW/RW)6**
- 1" thick x 8" wide plastic boards: extruded hollow core with internal walls for strength and durability.
- **Length (XXX):** (048) 4' | (072) 6' | (096) 8' (120) 10' | (144) 12'
- **Sheeting (X):** (H) High Intensity
  (E) Engineer Grade
  (D) Diamond Grade Sheeting
- **Sides (S/D):** (S) Single or (D) Double
- **Stripe Direction (L/R):** Right (R) or Left (L) or omit if (D) Double-Sided
- **Colors (OW/RW):** (OW) Orange/White (RW) Red/White - *not available in Diamond Grade*

Sold separately from Breakaway Kits #1-4

TOP SELLER Barricade Board Quick SHIP	
Length	8' (96")
Reflective Sides	1 - Single Sided
Reflectivity	HIP
Stripe Direction	6" Left or Right Stripe
Stripe Color	Orange & White
Stencil	NONE

Color Matched Pedestrian and Crowd Control Boards

- Reflective barricade boards using your town, school or team colors, available by custom order.
- Examples of color combinations shown. Request your specific colors when ordering.
- Barricade components including feet, bases, uprights and hardware, sold separately from barricade boards.

CONSTRUCTION WORK ZONE

0 DAYS Construction Work Zone Signs

Quick SHIP — CONSTRUCTION CWZ WORK ZONE

CWZ Signs can be ordered with
500 ft (05)
1000 ft (10)
1500 ft (15)
1/2 mile (5M)
1 mile (1M)
Ahead (AH)
__00 FT (F)
(Blank Space) (B)
Example:
S4848W202(AH)(X)AC

Huge Selection* IN STOCK READY TO SHIP SIGNS

S3030W202(XX)(X)AC S3636W202(XX)(X)AC S4848W202(XX)(X)AC | S3030W203(XX)(X)AC S3636W203(XX)(X)AC S4848W203(XX)(X)AC | S3030W204(XX)(X)AC S3636W204(XX)(X)AC S4848W204(XX)(X)AC | S3030W205L(XX)(X)AC S3636W205L(XX)(X)AC S4848W205L(XX)(X)AC | S3030W205R(XX)(X)AC S3636W205R(XX)(X)AC S4848W205R(XX)(X)AC | S3030W213(XX)(X)AC S3636W213(XX)(X)AC S4848W213(XX)(X)AC

S3030W201(XX)(X)AC S3636W201(XX)(X)AC S4848W201(XX)(X)AC | S3030W217(XX)(X)AC S3636W217(XX)(X)AC S4848W217(XX)(X)AC | S3030W205AL(XX)(X)AC S3636W205AL(XX)(X)AC S4848W205AL(XX)(X)AC | S3030W205AR(XX)(X)AC S3636W205AR(XX)(X)AC S4848W205AR(XX)(X)AC | S3030W215BL(XX)(X)AC S3636W215BL(XX)(X)AC S4848W215BL(XX)(X)AC | S3030W215BR(XX)(X)AC S3636W215BR(XX)(X)AC S4848W215BR(XX)(X)AC

**Call customer service for current availability. 48" Signs Must Ship Truck Line.*



Reverse Curve Left S4848W14L(X)AC | Reverse Curve Right S4848W14R(X)AC | Merge Left S4848W41L(D)AC | Merge Right S4848W41R(D)AC | Lane Reduction Left S4848W42L(X)AC | Lane Reduction Double S4848W42D(X)AC | Lane Reduction Right S4848W42R(X)AC | S4836W143(X)AC

Flagger Symbol S3030W207(X)AC S3636W207(X)AC S4848W207(X)AC | SLSZNONW207B4848(X)AC | S3030W34(X)AC S3636W34(X)AC S4848W34(X)AC | Men Working Symbol S3030W211(X)AC S3636W211(X)AC S4848W211(X)AC | S3030W811(X)AC S3636W811(X)AC S4848W811(X)AC | S3030W812(X)AC S3636W812(X)AC S4848W812(X)AC | S3030W93(X)AC S3636W93(X)AC S4848W93(X)AC | S3030W215(X)AC S3636W215(X)AC S4848W215(X)AC

S2424W211B(X)AC S3030W211B(X)AC S3636W211B(X)AC S4848W211B(X)AC | S3030W211C(X)AC S3636W211C(X)AC S4848W211C(X)AC | S3030W212(X)AC S3636W212(X)AC S4848W212(X)AC | S3030W212T(X)AC S3636W212T(X)AC S4848W212T(X)AC | S3030W215AL(X)AC S3636W215AL(X)AC S4848W215AL(X)AC | S3030W215AR(X)AC S3636W215AR(X)AC S4848W215AR(X)AC | S3030W216(X)AC S3636W216(X)AC S4848W216(X)AC | S3030W221(X)AC S3636W221(X)AC S4848W221(X)AC

S3030W241(L)(X)AC S3636W241(L)(X)AC S4848W241(L)(X)AC | S3030W241A(R)(X)AC S3636W241A(R)(X)AC S4848W241A(R)(X)AC | S3030W241B(R)(X)AC S3636W241B(R)(X)AC S4848W241B(R)(X)AC

S1818W131P10(X)AC S2424W131P10(X)AC | S1818W131P15(X)AC S2424W131P15(X)AC | S1818W131P20(X)AC S2424W131P20(X)AC | S1818W131P25(X)AC S2424W131P25(X)AC

S1818W131P30(X)AC S2424W131P30(X)AC | S1818W131P35(X)AC S2424W131P35(X)AC | S1818W131P40(X)AC S2424W131P40(X)AC | S1818W131P45(X)AC S2424W131P45(X)AC

0 DAYS Replacement Requirements*

Work Zone signs should only be used in "new" or "like new" condition and replaced immediately if missing, damaged or deteriorated. While they are temporary signs, condition is extremely critical because travel through work zones can be hazardous with unexpected or unusual conditions.

**Maintenance of Signs and Sign Support: FHWA-SA-09-025*

Are Your Signs Bright Enough?

All Ground Mounted Warning Signs MUST be Type II Reflective or better. All Roll-Up Signs used at night MUST be retro-reflective. To stay in compliance with the MUTCD, we recommend using:

3M™ Fluorescent Orange VIP or **Orange HIP** for all **Work Zone Signs** for the best overall value and warranty included.

Fluorescent Orange VIP | **Orange HIP**

3M™ MCS™ Warranty

"Crashworthy" Barricade Signs

Quick SHIP — CONSTRUCTION CWZ WORK ZONE — 0 DAYS

Substrates (S):
(M3) ACM *(radius corners & holes)*
(A) .080" Aluminum *(radius corners & holes)*
(C04) 4MM Coroplast *(straight corners)*
(C10) 10MM Coroplast *(straight corners)*

3M™ Reflective Sheeting (X):
(3) DG3 Diamond Grade Cubed
(D) VIP Diamond Grade
(H) High Intensity Prismatic

- ACM and Coroplast Signs are crashworthy when mounted on a Type III Barricade.
- Popular legends shown, available in all 4 substrates. Call customer service for custom legend signs (CLS).

S4830R112(X)(S)

S6030R113AM(X)(S)

S6030R113AB(XX)(H)A

S6030R114(X)(S)

S1824W18(X)(S)C
S2430W18(X)(S)C

S4830R112B(X)(S)

S6030R113CM(X)(S)

S6030R113B(XX)(H)A

S4830R112C(X)(S)

S3618W17(X)(S)C
S4824W17(X)(S)C

S4830R112L(X)(S)

S4830R112S(X)(S)

S2412R99(X)(S)

S2412R911A(L/R)(X)(S)



S2412R910A(L/R)(X)(S)

S4818M410(L)(X)(S)C

S3618G202(X)(S)C
S4824G202(X)(S)C

S2412M48(X)(S)C

S2412M48B(X)(S)C

S3618G201B(X)(S)C
S4824G201B(X)(S)C
*Specify miles

S3024M49B(X)(S)C

S3024M49U(X)(S)C

S2418M48A(X)(S)C

S4824W16(X)(S)C

S3024M49B(L)(X)(S)C

S3024M49(L)(X)(S)C

S4836E52A(X)(S)C

S3024M49A(L)(X)(S)C

S3024M49C(L)(X)(S)C

S4836E52(X)(S)C

Aluminum Vertical Panel


S0824OM3(L/R)HAC

ACM Sheets

- 3MM Aluminum Composite Material (ACM) is made of two sheets of .021 Aluminum bonded to a thermoplastic core.
- ACM's flat rigid surface and weather resistance ensures long-term performance and durability.
- ACM is lightweight at only .8 lbs per sq ft

RBACM3MM4896WHAL - 48" x 96"

Temporary CWZ Roll-Up Signs

0 DAYS

LEGEND	
W34	Be Prepared To Stop
W221	Blasting Zone
W202AH	Detour Ahead
W207AAH	Flagger Ahead
W207	Flagger Ahead Symbol
W207BAH	Flagman Ahead
W42(L/R)	(Left/Right) Lane Ends Merge Symbol
W205(L/R)(D)	(Left/Right) Lane Closed (Distance)
W211D	Litter Crew Ahead
W211B	Men Working
W211C	Mowers Ahead
W204AH	One Lane Road Ahead
W201(D)	Road Work (Distance)
W203	Road Closed
W203AH	Road Closed Ahead
W213AH	Road Machinery Ahead
SWC	Sheriff's Work Crew
W216AH	Survey Crew Ahead
W214TAH	Tree Work Ahead
W414	Trucks Entering Highway
W217(D)	Utility Work (Distance)
W211AAH	Workers Ahead
W218AH	Work Area Ahead
W211	Workers Symbol

Quantity Discounts Available

DROP SHIPS

Standard Roll-Up Sign Ribs SOLD Separately. A large variety of standard MUTCD legends via drop ship directly from the manufacturer thru trusted and reliable business partnerships.



Choose Sign Options: RMS(XX)(LEGEND)(L/R)(D)(M)

- **Size (XX):** (36) 36" | (48) 48"
- **Legend:** Include Left or Right **(L/R)** or **Distances (D)** : as required:
  • 500 ft (05) • 1000 ft (10) • 1500 ft (15) • 1/2 mile (5M) • 1 mile (1M) • Ahead (AH)
- **Sign Types** and **Material (M)**:
  (D) 3M Diamond Grade | Standard Vinyl Pockets | Ribs Sold Separately
  (H) 3M High Intensity | Standard Vinyl Pockets | Ribs Sold Separately
  (N) Econo Mesh Non Reflective | Standard Vinyl Pockets | Ribs Sold Separately
  (CSD) Marathon Diamond Grade | Compact Wrap & Roll System
  (CSH) Super Brite High Intensity | Compact Wrap & Roll System
- **Compact Wrap & Roll Signs** are part of a Premium Space Saving System that come pre-installed with hinged, integrated cross bracing to work in conjunction with the **MDI Compact Sign Stand-RPOTTCS23612DLK** and a **Carrying Case** to hold one collapsed Sign and the Stand. The sign is already latched into the stand allowing deployment in mere seconds!
- Call Customer Service for more info.

Premium Compact Wrap & Roll Shown Below



Standard Roll-Up Sign Ribs SOLD Separately. Heavy Duty Ribs available upon request.	
RMSR(36/48)	(36) 36" or (48) 48" Roll-Up Sign Ribs

CONSTRUCTION WORK ZONE

3M™ MCS™ Warranty

Quick SHIP Partially Finished Fluorescent Orange Diamond Grade Signs

Border Blank
S3636BOBKOR(D)ACD
S4848BOBKOR(D)ACD

Complete the partially finished signs in your sign shop by adding standard or custom legend signs (CLS) or number in blank space, as appropriate.

7" D Series
S4848W201F(D)AC

S1818W131PB(D)AC
S2424W131PB(D)AC
S3030W131PB(D)AC

S3618G201B(D)AC
S4824G201B(D)AC

S4848W92B(D)AC

Double Faced
SPLW205RL36(D)AC
SPLW205RL48(D)AC

- Use Left/Right Double Faced plaque in blank space to complete Lane Legends.
- **For use on Base Sign Size**:
  (36) 16" x 6" for use on 36" Sign
  (48) 20" x 7" for use on 48" Sign
- Plaques have no holes or corner radius.



S3636W205BB(D)AC
S4848W205BB(D)AC

S3636W205BAH(D)AC
S4848W205BAH(D)AC

S3636W205B05(D)AC
S4848W205B05(D)AC

S3636W205B15(D)AC
S4848W205B15(D)AC

S3636W205B10(D)AC
S4848W205B10(D)AC

S3636W205B5M(D)AC
S4848W205B5M(D)AC

S3636W205B1M(D)AC
S4848W205B1M(D)AC

Double Pavement Transition
S3636W42D(D)AC
S4848W42D(D)AC

Use the Straight Line Plaque with the Double Pavement Transition sign to create 3 options in pavement transitions; left lane, right lane and double lane transitions.

Straight Line Plaque
SPLW42DO36(D)AC
SPLW42DO48(D)AC

Brite-MAX

48" x 16" Plaque
for 48" x 60" Speed Limit Sign
BA080(D)OR4816BM
More sizes available, see page 15

Interchangeable Overlay Plaques for Base Signs

Interchangeable Overlay Plaques give the ability to change the message of MUTCD Legends W20-1, W20-3 & W21-7.

Interchangeable Overlay Plaques

Line 1 | **Line 2** | **Line 3**

- **PRODUCT ID: SPLW201(XX)(L)(S/D)(X)AC**
- **For use on Base Sign Size (XX):** **(36)** 36" x 36" | **(48)** 48" x 48"
- **Line (L):** **(1)** ROAD, STREET, UTILITY
  (2) WORK, CLOSED | **(3)** AHEAD, 500 FT, 1000FT, 1500FT, 1/2 MILE
- **Sides (S/D):** **(S)** Single-Faced | **(D)** Double-Faced
- **Reflective Sheeting (X):** **(D)** VIP Diamond Grade **TOP SELLER**
  (3) DG3 Diamond Grade Cubed | **(H)** High Intensity Prismatic
- **Substrate**: .080" Aluminum
- Plaques have no holes or corner radius.

Base Signs

W20-1AH | **W20-3AH** | **W21-7AH**

- **PRODUCT ID: S(XXXX)(L)(X)AC**
- **Base Sign Size (XXXX):** **(3636)** 36" x 36" | **(4848)** 48" x 48"
- **Legend (L):** **(W201AH)** ROAD WORK AHEAD
  (W203AH) ROAD CLOSED AHEAD | **(W217AH)** UTILITY WORK AHEAD
- **Reflective Sheeting (X):** **(D)** VIP Diamond Grade **TOP SELLER**
  (3) DG3 Diamond Grade Cubed | **(H)** High Intensity Prismatic
- **Substrate**: .080" Aluminum
- **Standard Specifications**: Punched and Radiused to meet MUTCD standards.
  36" x 36" Signs: (2) 3/8" holes punched at top and bottom for 1 post mount.
  48" x 48" Signs: (4) 3/8" holes punched at top and bottom for 2 post mount.

Gemstone Vertical Panel Messaging Systems

- **Body Colors:** Orange, White or Black
- **Body Size:** 15.4" W x 45" H
- **Weight:** 4 lbs.
- **Sign Legend:** We can turn any standard or special legend sign into a vertical panel message system or customize your message with the help of our skilled art department.
- **Sign Size:** 8" wide x 36" high sign fits into recessed panel on body.
- Oversized handle with comfort grip.
- Flashing light mounting receptacle. Lights, Sold Separately.
- **Compatibility:** For use with Gemstone Vertical Panel Bases, Sold Separately.
- **BASE PRODUCT ID: RSPCVZBASE(XX)**
- **Weight/Size (XX):**
  (20) 20 lbs. | 20.25" x 20.25"
  (30) 30 lbs. | 20.25" x 28.25"
- Solid recycled rubber bases with carrying handles.

Systems are ideal for social distancing guidance, restaurants, retail stores, parking lots, schools, churches, or business applications.

Examples of some of the many sign legend options:



Plasticade Safety Signage

Easy-Fold Sandwich Boards are a great option for Temporary Traffic Control when ease of use and portability are a must.

- Choose from 3 sizes and 3 body colors: White, Yellow or Orange
- 51 Standard Legends; *Custom Legend Signs (CLS) also available.*
- Hassle-free, guaranteed, professional application available on legends.
- Available as a blank, single or double sided.
- **Sheeting:** **(H)** High Intensity or **(3)** Diamond Grade Cubed or **(E)** Engineer Grade Prismatic
- **School Zone Sheeting:** Flo-Yellow Green Diamond Grade Cubed **(3)**
- May be internally ballasted with sand.

Narrowcade®
Holds signs 12"W x 24"H
Dimensions: 45"H x 13"W
Item #C165 Weight: 11 lbs.

Minicade®
Holds signs 12"W x 24"H
Dimensions: 36"H x 13"W
Item C155 Weight: 10 lbs.

Signicade®
Holds signs 24"W x 36"H
Dimensions: 45"H x 25"W
Item C130 Weight: 18 lbs.

Specifications	Standard	Additional Options Available
Colors	White	Orange or Yellow
Reflectivity	HIP	3
Usage	Barricade and Vertical Panel	Safety Signage

C130 -or- C155 -or- C165 ▼ STAND OPTION	(X1) ▼ LEGEND SIDE 1	(X2) ▼ LEGEND SIDE 2	H -or- E -or- 3 ▼ REFLECTIVE OPTION

CODE	LEGEND/COLOR SCHEME
1005	10 MPH
1006	15 MPH
1007	20 MPH
1133	SLOW - Vertical
1443	SLOW - Horizontal
1465	SLOW WORK ZONE AHEAD
1147	SLOW SCHOOL ZONE AHEAD
9278	SCHOOL CROSSING
1126	SCHOOL ZONE 10 MPH
1127	SCHOOL ZONE 15 MPH
1128	SCHOOL ZONE 20 MPH
1091	← NO EXIT
1048	EXIT

CODE	LEGEND/COLOR SCHEME
1049	EXIT →
1016L	LEFT ARROW
1016R	RIGHT ARROW
1073	← KEEP LEFT
1074	KEEP RIGHT →
1043	← DETOUR
1044	DETOUR →
1046	DO NOT ENTER
1061	FUNERAL NO PARKING
1093	NO PARKING
1098	← PARKING
1099	PARKING →
1100	↑ PARKING

CODE	LEGEND/COLOR SCHEME
1102	PARKING LOT CLOSED
1104	PARKING LOT FULL
1120	ROAD CLOSED
1080	LANE CLOSED
1092	NO LEFT TURN
1095	NO RIGHT TURN
1084	MEN WORKING
1086	MOWING AHEAD
1180	SURVEY CREW AHEAD
1190	TREE WORK AHEAD
1191	UTILITY WORK AHEAD
1196	FLAGMEN AHEAD
1198	RESERVED

CODE	LEGEND/COLOR SCHEME
1162	STOP
1164	STOP FOR PEDESTRIANS IN CROSSWALK
1170	STOP POLICE CHECK POINT
1142	SLOW POLICE CHECK POINT AHEAD
1177	STOP SOBRIETY CHECK POINT
1150	SLOW SOBRIETY CHECK
1148	SLOW SHERIFF CHECKPOINT
1134	SLOW ACCIDENT AHEAD
1136	SLOW EMERGENCY AHEAD
1140	SLOW PEDESTRIAN CROSSING
1200	LEFT BARRICADE
1210	RIGHT BARRICADE

Barriers & Barricades

Strongwall ADA Pedestrian Barricade

Use Strongwall to create ADA compliant walkway

- MASH Passed, meets or exceeds ADA Guidelines and MUTCD Standards, no trip hazard for pedestrians
- Linking sections fit together securely
- Top Wall - rugged polyethylene
- Bottom Base - 43 lbs. self weighted black base with carry handle. Stable in windy conditions, no sandbags needed!
- Modular system can be shaped to any layout and is quick and easy to install
- Anti-tamper linking system - difficult for unauthorized personnel to dismantle when linked
- Compact stacking lowers transport costs
- Available in orange or white with or without retro-reflective sheeting.

ADA Compliant

Single Section w/Base
43" L x 15.5" w x 38" H
Weight: 51 lbs.

43 lb. Base Eliminates Sandbags

Carry Handle

RSPCSWPSZB
Base Dimensions
40.4" L x 15.5" W x 12" H

RSPCSWPSAW

RSPCSWPSAO

Sheeting Area: 6" x 30" on both sides

Specifications	Standard	Additional Options Available
Color	Orange	White -or- Alternating Orange & White
Reflective Sides	2	1 on pedestrian side -or- 1 on outside
Reflectivity	NONE	HIP -or- ENG
Use of water or sand bags for stabilization	NONE: the base design eliminates the need	Fillable with up to 33 lbs of water

Plasticade Water Filled Barricade System

- Durable construction, impact resistant.
- Conforms to any roadway design, can turn 90 degrees - linked units secured with connector pin - quick assembly and breakdown.
- Lightweight - no heavy machinery needed for installation
- Stackable for transport and storage
- Can be moved while filled with water
- Accepts standard warning lights
- Accepts optional fence panels 54" W fencing with 8' H - 3" diameter posts
- MASH Passed and meets MUTCD Standards
- Uses: Block off Work Zone Areas from workers and public; Provides visual pathway for vehicles and pedestrians; Perimeter security; Crowd Control

Sheeting Area
48" x 8" on both sides

RSPCSWPTL2ORH
Orange

RSPCSWPTL2WHH
White

Single Section
60" L x 36" H | Weight Empty: 50 lbs. | Weight Filled: 683 lbs.

Specifications	Standard	Additional Options Available
Color	Orange or White	NONE
Reflective Sides	2	No Reflective
Reflectivity	HIP	NONE -or- ENG
Use of water or sand bags for stabilization	NONE	Fillable with sand or up to 72 gallons of water

Crowdcade Control Barrier

- Linking bracket accommodates various configurations - units pivot on bracket and adjust to uneven ground
- Easy stacking, no tangling of feet that rotate flat for stacking
- Panels on both sides for retro-reflective sheeting
- Holes for signs to be affixed
- Sturdy, durable - thick, double wall panel

Sheeting Area 5.5" x 51" on both sides

Single Section w/Feet
74" L x 39.5" H Weight: 32 lbs.
RSPCSPCOR6 - Orange
RSPCSPCWH6 - White

Crowdcade Deluxe Control Barrier

- Double locking hooks accommodate various configurations - units pivot on hooks and adjust to uneven ground
- Stands up to large crowds with steel legs integrated with barricade panel to prevent top-over.
- Unique Quick-Change™ system makes it easy to insert signs
- Sturdy and extra durable - Feels as solid as steel, but won't rust - 50% thicker double wall panel, prevents warping or bending. (when compared to Crowdcade)

Single Section w/Feet
86.25" L x 42" H Weight: 51 lbs.
RSPCSPCOR7 - Orange
RSPCSPCWH7 - White

NON CONDUCTIVE No Metal Used

Safegate Manhole Guard

RSPCSCPBSGMG

Single Unit
29.5" L x 39.4" H
Weight: 4.4 lbs.

- Ideal for Utility Work
- Non-conductive (dielectric), no metal used
- Great for protecting any area requiring temporary restriction of access
- Hinged clips make it easy to configure sections into rectangles of various sizes - locking clamp to be used for straight sections
- Folds up for storage and sets up quickly
- Carry handles for transport
- Longer life than metal, replacement sections available
- Available in yellow

Trench Covers & Curb Ramps

• Lighter than Steel • Stronger than Wood • Anti-Slip Surface • Deters Metal Thieves •

Trench Covers - 27" or 35"

- Two sizes - designed to cover trenches up to 27" or 35".
- Takes the vehicle weight up to 4,410 lbs.
- Beveled edge prevents tripping
- Molded from a single piece of fiberglass composite - underside has ribbed framework for added strength
- Recommended bolting to road surface



SafeKerb Ramp

- Adapts to curb heights from 3" to 6.3"
- Withstands loads up to 553 lbs.
- Raised sides prevent vehicle run off
- Molded from high density polyethylene
- Stacks for transport and storage
- Bolt to road and walkway surface for added stability

Pedestrian Trench Cover

- Pedestrians Only - takes up to 553 lbs.
- Covers trenches up to 27.5"
- Smooth rubber edge greatly reduces tripping hazard
- Resists sliding, no need to bolt down - flexible material which grips the surface underneath

Specifications		
Traffic Type	**Vehicle & Pedestrian**	**Pedestrian Only**
	27" Trench Cover 35" Trench Cover Road Plate	Ped Trench Cover SafeKerb Ramp
Trench Widths	**Up to 27" Wide**	**Up to 35" Wide**
	27" Trench Cover 35" Trench Cover Road Plate Ped Trench Cover	35" Trench Cover Road Plate
Vehicle Weight Limit	**Up to 4, 410 Lbs**	**Up to 14,520 lbs per wheel**
	27" Trench Cover 35" Trench Cover Road Plate	Road Plate

Road Plate: 59" L x 19.7" W | Weight - 96.8 lbs.
End Section: 59" L x 19.7" W | Weight - 50.6 lbs.

Road Plate

- Easy to install modular system with no special equipment needed, weighs 97 lbs. per section
- Tested to vehicle weights of 96,800 lbs - Single wheel load, 14,520 lbs.
- No rust or corrosion
- Long lasting polymer material
- No "rattle" from crossing vehicles
- Design slows traffic for increased safety
- Features "Drop Pins" that increase stability - pins protrude into trench preventing lateral movement of plate
- Steel linking brackets lock sections together
- End sections must be bolted to ground in order to lock unit into position
- Stacks securely for transportation and storage

Safety Vests

Economy Safety Vest

ANSI/ISEA 107-2015 Class 2

RSAGV2EOSDVM(XX)N Orange
RSAGV2ELSDVM(XX)N Lime
Zipper Closure Vest with Reflective Striping.

RSAGV2EOSDZM(XX)N Orange
RSAGV2ELSDZM(XX)N Lime
Hook & Loop Closure Mesh Vest with Reflective Striping.

Specify Size (XX)
(L), (XL), (2X)

Two-Tone Safety Vests

ANSI/ISEA 107-2010 Class 2

RSAGV2SLSDZM(XX)N - Lime
RSAGV2SOSDZM(XX)N - Orange

Hook & Loop Closure, Reflective Striping, Contrasting Trim & 1 Upper Left Front Pocket and 1 Lower Right Inside Pocket.

Specify Size (XX)
(M) fits M, (L) fits L,
(XL) fits XL, (2X) fits 2XL

Premium Safety Vest

ANSI/ISEA 207-2006 Class 3/Type R

RSAGV35PBLSSZM(XX)N - Lime

5-Point Breakaway with Zipper Front Closure, Reflective Stripes, Contrasting Trim, 2 Upper Outside Pockets and 2 Lower Inside Pockets.

Specify Size (XX):
(ML) fits M-L,
(XL2X) fits XL-2XL
(3X5X) fits 3XL-5XL

Work Zone Sign Stands

30TRI Tri-pod Stand

ECONOMY

RPOTTCE30TRI - Universal Brackets

NO Spring

- For use with 36" or 48" Roll-Up or Rigid Signs in no wind to low wind speed conditions on low volume, rural or 2-lane roads.
- 16 GA steel construction with a powder coat orange finish.
- Above Grade Clearance of 12".
- Folded Dimensions: 62" x 4.5" x 3"
- Open Footprint: 46" x 60"
- Weight: 12 lbs.

SZ412 Compact Stand

MASH PASSED | STANDARD

NO Spring

RPOTTCRSZ412 - Auto-Latch
RPOTTCRSZ412UB - Universal Bracket

- For use with 36" Roll-Up Signs in no wind to low wind speed conditions on low volume, rural or 2-lane roads.
- Above Grade Clearance of 12".
- Less than 1 cubic foot when stored.
- Weight: 20 lbs.

WM5012SS Compact *WindMaster*® Stand

STANDARD | MASH PASSED

Single Spring

- For use with 36" & 48" Roll-Up Signs in no wind to high wind speed conditions on low volume, rural or 2-lane roads.
- Above Grade Clearance of 12".
- Requires 1 cubic foot of storage space.
- Weight: 20 lbs.

Screw Lock
RPOTTCS1WM5012SS

WM4818K Mid-Size Stand *WindMaster*®

Premium Quality

RPOTTCS2WM4818(KX)

K1 - Roll Up
K2 - Rigid
K3 - Dual

Dual Springs

- Above Grade Clearance of 18".
- Weight: 32 lbs.
- For use with 36" & 48" Roll-Up and Rigid Signs in no wind to high wind speed conditions on low to medium volume, 2 or 4-lane roads. 3 Flag holder included.

Full-Size Stand

STANDARD

Dual Springs

- For use with 36" & 48" Roll-Up and Rigid Signs in no wind to high wind speed conditions on low to high volume, 2 or 4-lane roads.

RPOTTCS2SZZROLLUPB
Roll-Up Bracket

Add-On Roll-Up Bracket

RPOTTCS2SZ4602S (5'/60")
RPOTTCS2SZ4842S (7'/84")

2 Sizes:

- Above Grade Clearance of 5'/60"
  Weight: 42 lbs. | 48 lbs. w/rigid assembly
- Above Grade Clearance of 7'/84"
  Weight: 44 lbs. | 50 lbs. w/rigid assembly

Median Barrier Clamp

STANDARD

- For use with 36" & 48" Roll-Up and/or Rigid Signs in no wind to high wind speed conditions.

Safety Flags see p. 91

- WindMaster® dual springs and telescoping upright.
- Attaches firmly to median barrier with four, screw-in T-handle spikes.
- 3-Flag Holder included, flags sold separately.

RPOTTCMBCSA114818K2- Rigid Sign Holder | 5"-11" Clamp Range | 40.85 lbs.
RPOTTCMBCSA114818K3- Rigid/Roll-up Sign Holders | 5"-11" Clamp Range

RPOTTCMBCSA154818K2- Rigid Sign Holder | 9"-15" Clamp Range
RPOTTCMBCSA154818K3- Rigid/Roll-up Sign Holders | 9"-15" Clamp Range

Zephyr Stand

Premium Quality | MASH PASSED | Quick SHIP

- For use with 36" & 48" Roll-Up Signs in no wind to low wind speed conditions on low volume, rural or 2-lane roads.
- Above Grade Clearance of 12".
- Recycled rubber base folds to 4" high & has stacking lugs for easy transport & storage.
- Molded in carrying handles.
- Weight: 38 lbs.

RPOTTCR26000USH - Universal Bracket

Barricade Lights

Type A, C, and 3 Way

- Flasher, steady burn & OFF
- "D" cell
- High efficiency LED bulbs
- Redesigned rugged and durable case

RSPBL3LDYY Yellow Lens
RSPBL3LDRY Red Lens

Type A, C, and 3 Way Solar Assist LED

- Flasher, steady burn, and OFF
- 3 Volt high efficiency lights
- LED bulbs
- Internal solar panels trickle charge "D" cell alkaline batteries to give a superior long lasting more reliable power source.

RSPBL3LDYYSA Yellow Lens

Type B Solar LED

- Daytime Use
- High Intensity Flashing
- LED bulbs
- Power Options: Solar panel trickle charges "D" Cell -or- Fully Solar Power Battery

RSPBLBL3YYSA Yellow Lens | D Cell Solar
RSPBLBL3RYSA Red Lens | D Cell Solar
RSPBLBLSYY - Yellow Lens | Fully Solar

Type A & C Solar LED

- 4-5 year expected life.
- LED bulbs
- True Solar Powered light with rechargeable NiMH rechargeable battery included

RSPBL3LSYY Yellow Lens
RSPBL3LSRY Red Lens

Type B LED

- Detachable lens available upon request
- 6 Volt battery
- LED bulb

RSPBLBL6YY Yellow Lens
RSPBLBL6RY Red Lens

Safety Flags

RSPFLAGVINYL1824
18x18 • 24" dowel

RSPFLAGMESH1824
18x18 • 24" dowel

RSPFLAGVINYL2436
• 24x24 • 36" dowel

- 18" or 24" Fluorescent Red/Orange vinyl coated nylon or mesh available
- 24" flag required for flagging operations
- 18" or 24" flag suitable to mount above a traffic control sign or device
- 3/4" wood dowels

Barricade Light Brackets

- Brackets allow proper alignment of light
- I.T.E. Specifications require the lights to be mounted with base of the light perpendicular to the ground line
- Brackets line the light to requirements and have positive stops to eliminate rotation!

RSPBLZHBRBARRIERL
Barrier L Mounting Bracket

RSPBLZHBR1278L
Left Side Mounting Bracket

RSPBLZHBR1276
Center Mounting Bracket

RSPBLZHBR1277
Z Mounting Bracket
(Not for Diamond Shaped Signs)

RSPBLZHBR1278R
Right Side Mounting Bracket

Vehicle Mount Sign Holders

Vehicle Hitch Mount Sign Holder

- Transforms standard 2" square vehicle hitches into a sign holder.
- Universal screw lock attaches to fiberglass rib on a roll-up sign. *(Roll-up Signs are Sold Separately)*
- Ideal for rolling crews.
- Weight: 8 lbs
- Product ID: RPOTTLSA43921



Pilot Car Safety

SMV Emblem

RVSSMV10H Aluminum *ASAE/ANSI approved*
RVSSMV10 Aluminum | **RVSSMV20** Decal

S3618G204(X)AC

RVSCT983320250

Conspicuity Tape

- 2" x 50 yds with red and white pattern repeats
- Meets all requirements for marking vehicles

CONSTRUCTION WORK ZONE

STOP/SLOW Hand Paddles

SAVE MONEY by purchasing one of our Economy, Premium or EZ Connect Hand Paddle Kits.

Custom Hand Paddles available by purchasing individual components of your choice. Use the Customized Easy Order Checklist below to build a hand paddle to your specifications. Paddles are universally punched to accept all handle types in this catalog.

Use STOP/STOP Hand Paddles in School Zones, and STOP/SLOW Hand Paddles at Events, for Incident Management, or in Construction Work Zones.

ALL Handles & Staffs come with standard hardware

Customized Easy Order Checklist

❶ *Paddle Material*
Aluminum: ☐.040" ☐.080"
ABS Plastic: ☐.125"

❷ *Reflective Type*
☐(DH) Fluorescent Orange Diamond Grade & High Intensity Prismatic

☐(D3) Fluorescent Orange Diamond Grade & Diamond Grade Cubed

☐(H) *ALL* High Intensity Prismatic

☐(E) *ALL* Engineer Grade

☐(B) Non-Reflective

❸ *Legend*
☐STOP/SLOW ☐STOP/STOP *(School Zone)*

❹ *Paddle Size*
☐18" x 18" ☐24" x 24"

❺ *Handle Type and Size*
Galvanized Steel: ☐10" ☐18"
Wood: ☐12" ☐18"
Gray PVC Plastic: ☐18" *(12" Grip Area)*

❻ *4.5" Vynafoam Grip*
☐None
☐YES *(for conduit handle only)*

❼ *Staff Size and Type*
☐None ☐60" ☐72"
☐Galvanized Steel Conduit
☐Wood
☐Gray PVC Plastic -
must use with 18" PVC handle - the PVC handle and staff have been matched together and tested for a good fit.

❽ *Shipping Requirement*
☐Unassembled - *Recommended*
☐Assembled - *oversized freight charges may apply and freight damage is more likely to occur.*

ALL handles and staffs include appropriate hardware

Value Minded
Non-Reflective
18" x 18" hand paddles made of .040" aluminum with 10" Galvanized Steel Conduit Handle
SHP1818SL040BK10C

OPTIONAL foam grip for conduit handles

Vynafoam Grip
HPZFOAMGRIP

- Use on Conduit Paddle Handles
- Color: Black • Size: 3/4" diameter x 4.5" long
- Soft, velvet-like finish with the comfort of foam and durability of vinyl.

STOP/SLOW

Durable Reflective 18" x 18" hand paddles made of .080" aluminum
High Intensity (H) reflective with 60" Conduit Staff

SHP1818SL080HK60C

EZ Connect Hand Paddle Kits

The Leader *in* *Safety and Convenience*

.125" Black ABS plastic sign on
Gray PVC "Snap Together" plastic handle

NON CONDUCTIVE

SHP(**XXXX**)SLABS	**(X)**	**(XX)**
↓ HEAD SIZE	↓ REFLECTIVE COMBO	↓ HEIGHT

- 2 Head Sizes:
  18" x 18" (1818) Paddle - 4.6 lbs.
  24" x 24" (2424) Paddle - 5.6 lbs.
- 2 Staff Lengths: 72" (72) or 84" (84) to bottom of sign
- The PVC handle and staff which make up the length have been matched together and tested for a good fit.
- 18" Handle with 12" grip area can be used by itself as a hand paddle or attach to a staff.
- Meets Federal Specifications
- Non-Conductive, Non-Corrosive, Lightweight
- No couplings or threads involved.

EASY Connect or Disconnect in a SNAP!

Choose from 4 Reflective Combinations:			
Fluorescent Orange Diamond Grade & High Intensity Prismatic **(DH)**	Fluorescent Orange Diamond Grade & Diamond Grade Cubed **(D3)**	*ALL* High Intensity Prismatic **(H)**	*ALL* Engineer Grade **(E)**

Reflective Roll Conversion

Don't buy $3000 worth of reflective and protective overlay (aka graffiti overlay) to fabricate $500 worth of signs Ever Again! Lower your inventory and improve your sign shop's cash flow, by purchasing reflective roll material by the square foot.
(1 sq ft min on stock items to unlimited)

- Quick Shipments with many Colors and Widths available.
- Reflective ASTM types III, IV, XI available. *Other types may be available on request.*
- Certifications for materials available from manufacturer. ***Also Available:*** EC Film, Protective Overlays, Magnetics & Sheeted Blanks

Quick SHIP 3M™ High Intensity Prismatic (HIP

3M™ 3930 meets all requirements for ASTM Type III and IV. HIP is the most common type of reflective sheeting today due to the combination of its minimum retro-reflectivity, exceptional warranty, and afford-ability!



RSH (393X) (XX50)
COLOR SIZE

Common Sizes	1800 sq ft MOQ*	Colors
6" x 50 yds	Yellow, Red, Orange, Blue, Green, Brown	White (3930) | Yellow (3931) Red (3932) | Orange (3934) Blue (3935) | Green (3937) Brown (3939)
9" x 50 yds	Yellow, Red, Orange, Blue, Green, Brown	
24" x 50 yds	Brown	
30" x 50 yds	Blue, Brown	
36" x 50 yds	N/A	
48" x 50 yds	N/A	

NOTE: Other sizes available. Some colors and sizes may incur a slit and/or cut fee.

**MOQ = Minimum Order Quantity*

Quick SHIP 3M™ Engineer Grade Prismatic

3M™ 3430 Series meets all requirements for ASTM Type I reflective. **(EGP) Engineer Grade Prismatic** is NOT suitable for cutting in electronic sign making devices nor does it accept digital printing.



**4850CUT – Have the master roll cut in any combination of sizes. NOTE: Some colors and sizes may incur a slit and/or cut fee*

RSH (XXXX) (XX50)
COLOR SIZE

Common Sizes	Colors
24" x 50 yds	White (3430) | Yellow (3431) | Green (3437)
30" x 50 yds 36" x 50 yds	White (3430) | Yellow (3431)
48" x 50 yds 48" CUT*	ALL COLORS

Quick SHIP Specialty & Flexible Reflectives

We stock **Nikkalite® Series 48000** Flexible pressure sensitive in many colors. The Best Engineer Grade for Plotting, Weeding, and Digital Printing! Nikkalite Series 48000 Engineer Grade meets all requirements for ASTM Type I reflective. Unpunched. We also distribute **3M™ 680** and **Avery Graphics** specialty reflectives.

RSH(48XXX)(2450)
COLOR SIZE

Common Sizes	Colors
24" x 50 yds | 30" x 50 yds 48" x 50 yds *NOTE: Some sizes in colors may not be available. Some colors and sizes may incur a slit and/or cut fee.*	Black (48003) | Brown (48009) | Gold (48010) Dark Red (48025) | Ruby Red (48035) | Red (48005) Blue (48006) | Sky/Lt Blue (48046) Green (48008) White (48012) Yellow (48004) | Orange (48077)

Engineer Grade (EGB) Quick SHIP

Nikkalite® 8100 Series Engineer Grade meets all requirements for ASTM Type I reflective and is ideal for flat surfaces. 8100 Series has a durable acrylic outer layer and is not suitable for most digital printers.

RSH(81XX)P(2450)
COLOR SIZE

UN-Punched Roll Sizes	Colors
24" x 50 yds | 30" x 50 yds 36" x 50 yds | 48" x 50 yds 48" CUT*	White (8112) | Yellow (8104) Orange (8177) Red (8105) | Blue (8106) | Green (8108)
48" x 50 yds | 48" CUT*	Brown (8109)

**4850CUT – Have the master roll cut in any combination of sizes to your specifications.*
NOTE: Some colors and sizes may incur a slit and/or cut fee.

3M™ Diamond Grade Quick SHIP

Meets ASTM reflective:
3M™ Diamond Grade Cubed Series 4000 Type XI | **3M™ 3924** Type VIII

RSH (XXXX) (2450)
COLOR SIZE

Sheeting Description	Common Sizes	1800 sq ft MOQ*	Colors
DG3 4090 Series (Type XI)	6" x 50 yds | 9" x 50 yds	White, Yellow, Red, Blue, Green, Brown	White (4090) | Yellow (4091) Red (4092) | Blue (4095) Green (4097) | Brown (4099)
	24" x 50 yds | 30" x 50 yds	Red, Green, Brown	
	36" x 50 yds	Red	
	48" x 50 yds	Red, Brown	
DG Fluorescent Colors 4080 Series - DG3	24" x 50 yds | 30" x 50 yds 36" x 50 yds | 48" x 50 yds	N/A	Yellow-Green (4083) Yellow (4081) | Orange (4084)
Fluorescent Orange 3924 Series (Type VIII)	24" x 50 yds | 30" x 50 yds 36" x 50 yds | 48" x 50 yds	N/A	Fluorescent Orange (3924)

*NOTE: Other sizes available. Some colors and sizes may incur a slit and/or cut fee. *MOQ = Minimum Order Quantity*

Buy Reflective Sheeting by the Square Foot or Roll.
- Call for Availability -

3M™ Electro Cut™ Film

Quick SHIP

3M™ Electro Cut™ Film Series 1170 is a durable, transparent acrylic color film that allows traffic signs to be made on a computer plotter while maintaining the sheeting warranty.

Electro Cut Film Series 1170 & Premium Vinyl Series 7725-012			RSH (11XX) (XX50) ↑ COLOR ↑ SIZE
Product	**Common Sizes**	**1800 sq ft MOQ***	**Colors**
EC Film Series 1170	18" x 50 yds	Clear, Yellow, Red, Blue, Brown	Clear (1170) | Yellow (1171) Red (1172) Blue (1175) | Green (1177) Black (1178) | Brown (1179)
	24" x 50 yds	Yellow	
	30" x 50 yds		
	36" x 50 yds		
	48" x 50 yds	N/A	
Black Premium Vinyl Series 7725-012	24" x 50 yds | 30" x 50 yds 36" x 50 yds | 48" x 50 yds *NOTE: Other sizes available.*	N/A	Black (7725-012)

*NOTE: Other sizes available. Some colors and sizes may incur a slit and/or cut fee. *MOQ = Minimum Order Quantity*

3M™ Protective Overlay Film

Quick SHIP

3M™ Premium Protective Overlay Film Series 1160i Premium is a durable, UV and graffiti resistant protective overlay film, with a clear pressure-sensitive adhesive. It is applied as a protective overlay to signs made from 3M™ Reflective Sheetings.

Many types of defacement from vandalism can be cleaned from this film to restore function and appearance of the overlayed sign.

Product	Sizes	Colors
PREMIUM Protective Overlay Film Series 1160i with premask or 1160iA w/o premask	24" x 50 yds	Clear (1160I) (1160IA)
	30" x 50 yds	
	36" x 50 yds	
	48" x 50 yds	

NOTE: Other sizes available. Some colors and sizes may incur a slit and/or cut fee. MOQ = Minimum Order Quantity Increments may be very large, call for details.

Vinyl Graphic Films

One stop shop for all your vinyl and special effect film needs!

Go to www.cpcsigns.com for available options.

ORACAL®
An ORAFOL Brand

AVERY DENNISON

Find Application Tapes, Tools & Accessories on page 96

Transfer & Prespacing Tapes

We carry all the products you need for a smooth application.

3M™ Clear Transfer Tape (TPM-5)
For use with 3M Series 1170 electronic cuttable film, designed to be used to transfer prepositioned copy.

3M™ Prespacing Tape SCPS-2
This prespace tape is specially formulated for use with large format screen printed and electronically cut graphics to ease the application of small text.

Call for available sizes and details on Transfer and Pre-spacing tapes.

Application Tapes

Conform Series With RLA™ Application Tape

Quick SHIP

R-Tape Conform Series Application Tape 100 Yard Rolls		
Item #	Width	
RSHZAC1026S	4.25"	The original high tack application tape that lays flat and sticks to the liner - resists tunneling, wrinkling, and edge curling! Excellent for ready-to-apply graphics.
RSHZAC1027S	6.5"	
RSHZAC1028S	8.5"	
RSHZAC1029S	12"	
RSHZAC1030S	14"	
RSHZAC1033S	24"	
RSHZAC1034S	30"	

R-Tape ApliTape Series

is available in White and Clear as well as a wide variety of sizes.

Other Sizes Available Call for Quotation

R-Tape ApliTape Series 100 Yard Rolls		
Item #	Width	
RSHZA1024S	2.25"	HI-TAC PAPER
RSHZA1025S	3.25"	
RSHZA1026S	4.25"	
RSHZA1027S	6.5"	
RSHZA1028S	8.5"	
RSHZA1029S	10.5"	
RSHZA1030S	12"	
RSHZA1031S	14"	
RSHZA1033S	24"	
RSHZA1034S	30"	
RSHZA1017S	6.5"	CLEAR
RSHZA1018105S	10.5"	
RSHZA1018125S	12"	
RSHZA1021S	14"	
RSHZA1022S	24"	
RSHZA1022T30S	30"	
RSHZA1022T36S	36"	
RSHZA1022T48S	48"	

Application Tools

RSHZTS0059
3M™ Gold Nylon Squeegee

RSHZTS1008
White Squeegee

RSHZT1006S
4" Roller

RSHZT0015
1" Rivet Brush

RSHZT0016
3" Rivet Brush

Application Fluids

Item#	Description
Rapid-Tac Application Fluid	
RSHZ1003S	32oz. Bottle w/Sprayer
RSHZ1002S	1 Gallon Bottle
Adhesive Removal Formula	
RSHZ0414	32 oz. Bottle w/Sprayer
RSHZ0415	1 Gallon Bottle

ACM Sheets

Aluminum Composite Material (ACM)



Best for Commercial Graphics

RBACM3MM4896WHWH - 48" x 96"
Both Sides - Gloss White with PVC Protective Layer

Best for Temporary Traffic Construction Work Zone Signs

RBACM3MM4896WHAL - 48" x 96" | Side 1 - Matte White ***WITHOUT*** the PVC Protective Layer
Side 2 - Matte White ***WITHOUT*** the PVC Protective Layer

- 3mm **Aluminum Composite Material** (ACM) is made of two sheets of .021 Aluminum bonded to a thermoplastic core.
- ACM's flat rigid surface and weather resistance ensures long-term performance and durability.
- Use for indoor and outdoor applications.

Magnetics

Quick SHIP

Magnum Magnetics
Magnetic Material

- .030" Matte White
- Available by the sq ft or by the roll (24" x 25')

RSHMAG2425

Plate Blanks

Quick SHIP

License Plate Blanks

.025"Aluminum, 12" x 6", painted White, rounded corners, and slotted holes.

RBA0251206WWCT

Corrugated Plastic Blanks & Wire Stands

Quick SHIP

Econo Wire Stand



BWIRESTAND6
6" x 30"

BWIRESTAND
10" x 30"

Custom Cut Sheets are Available

"Coroplast" Corrugated Plastic White Blanks

Please Specify Flute Direction When Ordering

RBC4MM2418WH
24" x 18" Pre-Cut White Sheet

RBC4MM4896WH - 4MM White
RBC4MM4896BK - 4MM Black
RBC4MM4896YE - 4MM Yellow
BC10MM4896WH- 10MM White
48" x 96" Flat Sheets

Easy-Fold Plastic Signicade Stand

100% Plastic Easy-Fold Sandwich Boards are a great option for Temporary Signage with a molded-in handle, easy to use and portable. ***Call today for your quote!***

Minicade®
Holds signs 12"W x 24"H
Dimensions: 36"H x 13"W
Weight: 10 lbs.
RPOTCSPLMCWH

Signicade®
Holds signs 24"W x 36"H
Dimensions: 45"H x 25"W
Weight: 18 lbs.
RPOTCSPLSCWH

- Available blank or pre-sheeted, single or double sided.
- Easily *ADD* Corrugated Plastic Blanks, for even more signage options and flexibility.
- Custom Legends available.
- Surface Should Be Heat Treated Before Direct Application Of Vinyl.
- May be internally ballasted with sand.

Die Cut Letters & Numbers

- All Characters are packaged in groups of 25 identical pieces.
- Combine Stock Packs for Quantity Discounts.
- Letters and Numbers are available in a full range of series, sizes, and materials.
- Letter and Number Sizes Available: 2", 3", 4", 5", 6", 7", 8" and 10"
- White High Intensity Prismatic, White Engineer Grade and Black Vinyl are available in pressure sensitive material.
- Other colors and materials are available but may be considered special order, call for details.
- Specify Size, Series, Material and Quantities when ordering.

Combine for Quantity Discounts

Parking Arrows



B Series C Series D Series E Series

Custom Shapes & Sizes!

Custom Sign Blanks

Reflective Custom Blanks are Our Speciality

How many Business or Entrance Signs go Unnoticed?

We are your *Single Source* for Custom Legend Signs (CLS) and Blanks, *as well as ALL* your Traffic Sign needs.

Raw Materials Available	
Bare Aluminum Blanks	.080 Aluminum
Engineer Grade Reflective	.063 Aluminum
High Intensity Reflective	.040 Aluminum
Diamond Grade Reflective	.100 Aluminum
DG3	.125 Aluminum
Fluorescent Prismatic Reflective	Corrugated Plastic
Painted blanks	3MM ACM .040 Aluminum .080 Aluminum
Computer Routed	*Other substrates available by request*

- We provide bare, sheeted or painted blank in Aluminum, Plastic or ACM cut to custom size and shape!
- Our team can add Text & Graphics with applied computer cut vinyl, -or- digital, thermal or screen printing.
- Prompt manufacturing and *fast* shipment.
- Sold by the square foot.

***HELPFUL HINT**: For little or no extra cost you can upgrade plywood or baked enamel signs to reflective .080 Aluminum. They will last longer and draw much more attention to the signs both day and night.*

Create your signs with one of the many CPC shapes below. See pages 26-27 & 100-101 for available sizes.



Aluminum Sheets

Alodined Aluminum Sheets

Item	Size	Gauge
BA0634896NN	48" x 96"	.063"
RBA0804896H32	48" x 96"	.080"
RBA08048120H32	48" x 120"	.080"
BA10030120NN	30" x 120"	.100"
BA10036144NN	36" x 144"	.100"
BA1004896NN	48" x 96"	.100"
BA10048120NN	48" x 120"	.100"
BA10048144NN	48" x 144"	.100"
BA12530120NN	30" x 120"	.125"
BA12536144NN	36" x 144"	.125"
BA1254896NN	48" x 96"	.125"
BA12548120NN	48" x 120"	.125"
BA12548144NN	48" x 144"	.125"

Aluminum Sheets *(painted White both sides)*

Item	Size	Gauge
BA040BWH4896NN	48" x 96"	.040"
BA040BWH48120NN	48" x 120"	.040"
RBA0804896WWNN	48" x 96"	.080"

Alodined Aluminum Sheets
Gauges: .063" - .125"
Sizes: up to 48" x 144"

Painted Aluminum Sheets
Painted White Both Sides
Gauges: .040"
Sizes: up to 48" x 120"

NOTE: Aluminum Sheets must ship motor freight. Skid charge may apply

.040" Aluminum Blanks

Pre-Cut .040" Painted Aluminum Blanks

Item	Size	Color
RBA0401218WWNN	12" x 18"	White/White
RBA0401824WWNN	18" x 24"	White/White
RBA0402436WWNN	24" x 36"	White/White
RBA0401007WWNN	10" x 7"	White/White
RBA0401007YYNN	10" x 7"	Yellow/Yellow
RBA0401410WWNN	14" x 10"	White/White
RBA0401410YYNN	14" x 10"	Yellow/Yellow
RBA0402014WWNN	20" x 14"	White/White
RBA0402014YYNN	20" x 14"	Yellow/Yellow
BA040TRAFFIC	ADD 3/8" Holes for Post Mount	
BA040OSHA	ADD 3/16" Holes in Corners	

BLANKS



BLANKS
NO Radius Corners and NO Holes.

BLANKS are NOT punched or radiused. You may add "Traffic" or "OSHA" style punch and radius for a small fee.

All blanks come with PVC protective film on one side.



TRAFFIC
Radius Corners and 2 Holes.

OSHA
Radius Corners and 4 Holes.

Hole Punch & Radius Info

Standard Punch Holes

- 3/16" Screw, Nail Punch, or Wall Mount.
- 1/4" Screw or Fence Punch
- 3/8" Sign Post or Bolt Mount

Other Hole Sizes available by request.

Standard Radius Corners



Also Available
3/16" Radius
1/2" Radius
5/8" Radius
1" Radius
1 7/8" Radius
2 1/4" Radius

Use for Screen Printing or with Overlay Film or Vinyl

Sheeted Aluminum Blanks

Quick SHIP

When Ordering Blanks **REMEMBER** Specify Width first and Height second.

- Standard reflective traffic sign blanks come with radius corners, .080" aluminum, 3/8" hole punch, and Alodine coating to meet Federal specifications.
- Standard street name sign blanks are sheeted with High Intensity Prismatic (H) and have radius corners, .080" aluminum, NO hole punch, and Alodine coating to meet Federal specifications.
- Standard Routed street name sign blanks are sheeted with High Intensity Prismatic (H) and have routed shape, .080" aluminum, NO hole punch, and Alodine coating to meet Federal specifications.
- Yellow Diamonds may also be ordered with High Intensity Prismatic (H), Diamond Grade Cubed (3) or Fluorescent Diamond Grade Cubed(3)(Y).
- Orange Diamonds may also be ordered with High Intensity Prismatic (H), Fluorescent 3924S Diamond Grade (D) or Fluorescent 4084 Diamond Grade Cubed(3) .
- Other shapes, colors, reflective types, and aluminum thicknesses are available. Call for a quote.

Rectangles

BA080(X)WH(XXXX)R

w/Engineer Grade	w/HIP
Size	Size
12x6R	12x6R
	12x9R
12x18R	12x18R
18x12R	18x12R
18x24R	18x24R
	24x12R
24x18R	24x18R
	24x30R
	30x24R
	30x36R

Squares

w/HIP
Size
24x24S
30x30S



BA080(X)WH(XXXX)S

Yellow Diamonds



BA080(XXX)(XXXX)D

w/ HIP (HYE)	w/ Diamond Grade Cubed (3YE)	w/ Fluorescent Diamond Grade Cubed (3FY)
Size	Size	Size
24x24D	24x24D	24x24D
30x30D	30x30D	30x30D
36x36D	36x36D	36x36D

FYG Diamonds



BA0803FG(XXXX)D

w/ Fluorescent Diamond Grade Cubed
Size
30x30D
36x36D

Orange Diamonds



BA080(X)OR(XXXX)D

w/ HIP	w/ 3924S Diamond Grade	w/ 4084 Diamond Grade Cubed
Size	Size	Size
24x24D	24x24D	24x24D
30x30D	30x30D	30x30D
36x36D	36x36D	36x36D
48x48D 2 Post Mount	48x48D 2 Post Mount	48x48D 2 Post Mount

Flat Blades

w/HIP	
Size	
6x18F	9x24F
6x24F	9x30F
6x30F	9x36F
6x36F	9x42F
6x42F	9x48F
6x48F	9x54F
	9x60F

Sheeted Aluminum Street Name Blanks

Available Colors: Blue, Green, Brown and White.

All Reflective Street Name Sign Blanks are Double Sided. Call for quote on Single Sided.

Extruded Blades

w/HIP	
Size	
6x18E	9x24E
6x24E	9x30E
6x30E	9x36E
6x36E	9x42E
6x42E	9x48E
6x48E	9x54E
	9x60E

Sheeted Aluminum Standard Routed Street Name Blanks

The below Routed Street Name Sign Blanks are examples of blanks available in our ornamental product line. See pages 22-27 for more info.



Product ID	Size
OSIS11001CHWH	36x13.5
OSIS11001JHWH	30x11



Product ID	Size
OSIS11016CHWH	36x15
OSIS11016JHWH	30x11.82



Product ID	Size
OSIS11003CHWH	36x12
OSIS11003JHWH	30x9.25



Product ID	Size
OSIS11004CHWH	36x14.25
OSIS11004JHWH	30x11.5

- Traffic sign blanks come with radius corners, .080" aluminum, 3/8" hole punch, and Alodine coating to meet Federal specifications.
- Other thicknesses, shapes, and sizes of aluminum are available. Call for a quote!

REMEMBER Specify Width first and Height second, When Ordering Any Blanks, *except* Street Name Sign Blanks. For Street Name Sign Blanks, specify Height first and Width second.



BA080(XXXX)R

Rectangle

Size
12X6R
12X18R
12X36R
18X12R
18X24R
21X15R
24X12R
24X18R
24X30R
30X24R
30X36R
36X12R
36X24R 1 POST
36X24R2 2 POST
48X24R 2 POST
48X30R 2 POST
48X60R 2 POST



BA080(XXXX)C

Circle

Size
30X30C
36X36C



BA080(XXXX)CRM

CRM

Size
24X24CRM



BA080(XXXX)T

Triangle

Size
30X30T
36X36T
36X48T



BA080(XXXX)O

Octagon

Size
24X24O
30X30O
36X36O



BA080(XXXX)D

Diamond

Size
24X24D
30X30D
36X36D
48X48D - 2 POST

BA080(XXXX)S

Square

Size
18X18S
24X24S
30X30S
36X36S -1 POST



BA080(XXXX)P

Pentagon

Size
30X30P
36X36P



BA080(XXXX)I

Interstate Shield

Size
24X24I
30X24I
36x36I



Flat Side View

BA080(XXXX)SNSR | .75" corner radius

6" Flat

Size
6X18F
6X24F
6X30F
6X36F
6X42F
6X48F

9" Flat

Size
9X24F
9X30F
9X36F
9X42F
9X48F
9X54F
9X60F

BA080(XXXX)SNSR15

9" Flat for Ornamental*

Size
9X36F
9X42F

*These 9" flat blanks have a 1.5" radius to fit CPC ornamental sign trims.

Extruded Side View

BE090(XXXX)N

6" Extruded

Size
6X18E
6X24E
6X30E
6X36E
6X42E
6X48E

9" Extruded

Size
9X24E
9X30E
9X36E
9X42E
9X48E
9X54E
9X60E

Quick SHIP Border Blanks & Partially Finished Signs

We make a variety of border blanks made with H High Intensity Prismatic on .080" aluminum. Most are in stock.



S1218BOBKWHHA
S1824BOBKWHHA
S2430BOBKWHHA



S1218BOREWHHA
S1824BOREWHHA



S1218BOGRWHHA



S1218RBGRWHHA

S1218RBBUWHHA
S1824RBBUWHHA



S1824BOBKYEHA

Need a CUSTOM LEGEND SIGN (CLS)? CALL US, we can make it!

S1218R71BHA

S1218R83ABHA

S1218R83AVHA

S1824R21BHA
S2430R21BHA
S4860R21BHA

S1818W131PBHA



S2424BOBKWHHA
S3030BOBKWHHA

Yellow Diamond border blanks made with H High Intensity Prismatic on .080" aluminum.

Other border blank/partially finished sign combinations available.
However, a **minimum order of identical faces** applies, call for details.
THESE ARE NOT COMBINABLE FOR QUANTITY DISCOUNTS.

Orange Diamond border blanks made with (H) High Intensity Prismatic, (D) Diamond Grade or (3) Diamond Grade Cubed on .080" aluminum.

S3030BOBKOR(D)ACD
S3636BOBKOR(D)ACD
S4848BOBKOR(D)ACD

S2424BOBKYEHA
S3030BOBKYEHA
S3636BOBKYEHA

Quick SHIP 14" x 10" OSHA Sign Headers

OSHA signs are non-reflective painted finish on .040" aluminum (A) material.

ISS1410A1000

ISS1410A2000

ISS1410A3000

ISS1410A4000

ISS1410A5000

Fluorescent Orange Diamond Grade Signs

Quick SHIP

CALL for MORE LEGENDS

S3618G201BDAC
S4824G201BDAC

10" E Series
S2424W131PBDAC

SPLW42DO48DAC
Straight Line Plaque
For W4-2

7" D Series
S4848W201FDAC

Border Blank
S3636BOBKORDACD
S4848BOBKORDACD



Double Pavement
Transition
S4848W42DDAC

48"X 16" Plaque
for 48" X 60"
Speed Limit Sign
BA080DOR4816BM

S4848W205B1MDAC

S4848W205B5MDAC

S4848W205B15DAC

Double Faced
SPLW205RL48DAC

STOP Faces

Quick SHIP

Minimum order of 5 identical faces required.

Stop Faces w/ High Intensity Prismatic
Size
FNON2424R11HP
F3030R11HP

OSHA Safety Signs

See pages 46-47. OSHA headers may also be incorporated into underground notification signs as shown to the right.

Utility Signs & Marking Products

Examples of the many options available are shown on this page.

Call a customer service specialist to get a customized quote and more details.



Flexible & Enhanced Markers plus Decals

Page 117
or call for details.

More Work Zone Safety Products including Rigid and Roll-up Signs and Stands are also available for all types of utility crews.
Pages 78-93

Sign Stands

Page 90

Safety Vests

Page 89

Traffic Cones

Page 78

Stenciling Available

Type I & II Barricades

Pages 80-81

Hand Paddles

Pages 92-93

Rust Tough®Utili-Coat Paint

Check out our website or Call for details.

APWA Detectable Underground Warning Tape

Check out our website or Call for details..

Surveyor's Marking Tape

Check out our website or Call for details.

Marking Flags

Page 107

Inverted Marking Paints & Wands

Page 107

3M Raised Pavement Markers

SERIES 290

- Apply with standard bitumen and epoxy adhesives.
- Durable, lightweight, molded-in body color thermoplastic.
- Highly reflective Diamond Grade™ microprismatic optics.
- Long-life visibility, particularly at night and in wet weather.
- Apply to asphalt or concrete surfaces in non-snowplow regions.
- Impact and abrasion resistant.
- Increase awareness with an added rumble effect.
- 100 per carton. In-Stock colors available individually.

SERIES 290 with PSA

- Applied with pressure sensitive adhesive.
- Designed for application on asphalt and portland cement concrete road surfaces.
- These markers provide highly effective, long-life visibility, particularly at night and in wet weather.

Ceramic Traffic Buttons & Jiggle Bars

DROP SHIPS

Retro-Reflective Ceramic Markers combine the power of brilliant and exceptional night time visibility with a self cleaning glazed surface for excellent daytime visibility.

Non-Reflective Ceramic Markers are maintenance free and feature a heat fired glazed surface that promotes self-cleaning and excellent daytime visibility.

Jiggle Bar
RPMMJB6W
1-Way Retro-Reflective
Material: Ceramic
Color: White
Size: 6"x 6"



Jiggle Bar
RPMMJB6WW
2-Way Retro-Reflective
Material: Ceramic
Color: White
Size: 6"x 6"



Jiggle Bar
RPMMJB6Y
1-Way Retro-Reflective
Material: Ceramic
Color: Yellow
Size: 6"x 6"



Jiggle Bar
RPMMJB6YY
2-Way Retro-Reflective
Material: Ceramic
Color: Yellow
Size: 6"x 6"



Jiggle Bar
RPMMJB6WN
Non-Reflective
Material: Ceramic
Color: White
Size: 6"x 6"

Jiggle Bar
RPMMJB6YN
Non-Reflective
Material: Ceramic
Color: Yellow
Size: 6"x 6"

Round Button
RPMMCB(X)W
1-Way Retro-Reflective
Material: Ceramic
Color: White
Sizes(X): 6" or 8"

Round Button
RPMMCB(X)Y
1-Way Retro-Reflective
Material: Ceramic
Color: Yellow
Sizes(X): 6" or 8"

Round Button
RPMMCB4Y
1 Way Retro-Reflective
Material: Ceramic
Color: Yellow
Size: 4"

Round Button
RPMMCB4W
1 Way Retro-Reflective
Material: Ceramic
Color: White
Size: 4"

Round Button
RPMMCB(X)WN
Non-Reflective
Material: Ceramic
Color: White
Sizes(X): 4", 6" or 8"

Round Button
RPMMCB(X)YN
Non-Reflective
Material: Ceramic
Color: Yellow
Sizes(X): 4", 6" or 8"

Round Button
RPMMCB(X)WWW
2-Way Retro-Reflective
Material: Ceramic
Color: White
Sizes(X): 6" or 8"

Round Button
RPMMCB(X)YYY
2-Way Retro-Reflective
Material: Ceramic
Color: Yellow
Sizes(X): 6" or 8"

Round Button
RPMMCB4YYY
2 Way Retro-Reflective
Material: Ceramic
Color: Yellow
Size: 4"

Round Button
RPMMCB4WWW
2 Way Retro-Reflective
Material: Ceramic
Color: White
Size: 4"

4" Traffic Buttons

Quick SHIP

6" & 8" Ceramic Buttons AVAILABLE page 104

RPMMTD10500(W)N White
RPMMTD10500(Y)N Yellow
RPMMTD10500(B)N Black

- Raised hexagon pattern increases strength and adhesive surface area.
- Buttons made from polypropylene
- White (W), Yellow (Y), and Black (B)

Chip Seal Temp Markers

- Polyurethane body allows marker to straighten itself after impact.
- Reflective surface is protected by clear plastic cover. Also available with double cover
- Marker comes with adhesive attached
- White (W) or Yellow (Y), 1-way or 2-way
- 500/Box (Sold in box quantities only)



RPMMC(W) 1 Way
RPMMC(WW) 2 Way

Rumble Strips

RPMRS(XX)ROAD0424 - 4" x 24" x 1/2" | 1.25 lbs
Color (XX): (WH) White | (YE) Yellow *Yellow is Quick Ship*

- The **Road Rumbler** is made from a specially formulated glass-filled polymer material.
- Physical and audible warning for motorists.
- Superior road surface adhesion.
- Unique raised dot grip system and special grooves for improved adhesion.
- Adhere with marker adhesive, bottom of this page.

3708 Rumble Strip RPMRS(XX)3708(##)

Colors (XX): (BK) Black | (BU) Blue | (RE) Red | (WH) White | (YE) Yellow
Lengths (##): (01) 12" | (04) 4' | (05) 5' | (06) 6' | (08) 8'

- The **3708 Rumble Strip** is solid uni-body marker which eliminates any hollow areas that can crack or crush when impacted by vehicle.
- Ideal to delineate gores, bike and pedestrian lanes, and road shoulders to help prevent dangerous run-off-the-road accidents.
- Install with hot melt bitumen or 2-part epoxy.

Recycled Rubber Speed Bumps & Parking Curbs

- Made of 100% recycled rubber tires
- Embedded reflective glass beads
- Removable, flexible, durable
- Installs with 14" rebar spikes *(1/2" masonry bit required)*

Stock#	Description	Size	Spikes	Weight
RPMRRSB48	Speed Bump	4' x 2.25" x 11"	3	35 lbs.
RPMRRSB72	Speed Bump	6' x 2.25" x 11"	5	52 lbs.
RPMRRPC6YEBK	Yellow Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRPC6WHBK	White Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRPC6BUBK	Handicap Blue Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRRSPIKE	Rebar Spike Pointed	14"		1.22 lbs.

Marker Adhesives

Stock#	Description	# 4"x4" Markers	Coverage
RPMABITUMEN	Adhesive Bituminous - 55# Carton	165	2600 sq in
RPMAEPOXYKITGAL02	Adhesive Epoxy Kit - 2 Gallon (1 ea A/B)	200	3200 sq in
RPMAEPOXYKITGAL10	Adhesive Epoxy Kit - 10 Gallon (5 ea A/B)	1000	16000 sq in
RPMAEPOXYKITQT02	Adhesive Epoxy Kit - 2 Quart (1 ea A/B)	50	800 sq in
RPMAEPOXYKITTUBE	Adhesive Epoxy Tube Kit (1 ea A/B)	8-12	128 to 192 sq in

Stock#	Description	# Markers
RPMABUTYLPAD(XX)	Adhesive Butyl Single Pad - Sizes: (44) 4" x 4" | (88) 8" x 8" | (8ROUND) 8" Diameter Round	1
RPMABUNDY(XX)5BOX	Bundy Thermoplastic Adhesive - Size: 5" x 5" | Colors: (BK) Black | (BU) Blue (WH) White | (YE) Yellow	140
RPMASBUNDYGY0239BOX	Super Bundy Thermoplastic Adhesive - Size: 2" x 39" | Color: Grey	40
RPMASBUNDYGY8BOX	Super Bundy Thermoplastic Adhesive - Size: 8" x 8" | Color: Grey	40
RPMAHOTSPOTBK5	Hotspot Thermoplastic Adhesive - Size: 5" x 5" | Color: Black	1
RPMAHOTSPOT(XX)5BOX	Hotspot Thermoplastic Adhesive - Size: 5" x 5" | Colors: (BK) Black | (BU) Blue | (WH) White | (YE) Yellow	150
RPMAHOTSPOTBK8BOX	Hotspot Thermoplastic Adhesive - Size: 8" x 8" | Color: Black	80

3M™ Stamark Pavement Markings

- ✓ Superior daytime visibility
- ✓ High reflectivity at night
- ✓ Reinforced toughness
- ✓ Extended season productivity
- ✓ Easy application

Tapes also Available with Liner, Call for Details.

380 ES Series Extended Season High Performance Tape

Solid Non-Lineered: RPMTRA380IES - white | **RPMTRA381IES** - yellow

Sizes: 20 yds (48") | 30 yds (4", 5", 6", 8", 10", 12", 16", 18", 24") | 80 yds (8") | 100 yds (4", 5", 6")

Solid Non-Lineered: RPMTRA385IES - black *Sizes: 25 yds (4", 6", 8", 12", 24")*

Contrast Non-Lineered: RPMTRA380I5ES - white

Sizes: 50 yds (7", 8", 9", 11" includes 1½" black border)

- May be applied in temperatures as cool as 40 degrees F.

380 AW Series ALL Weather High Performance Tape

Solid Non-Lineered: RPMTRA380AW - white | **RPMTRA381AW** - yellow

Sizes: 20 yds (48") | 25 yds (10", 12", 16", 18", 24") | 60 yds (8")

Contrast Non-Lineered: RPMTRA380AW5 - white

- Includes "extended season" adhesive for application during normal season, or during early/late season with surface prep adhesive.

270 ES Series Intersection Durable Tape

Solid Non-Lineered: RPMTRA270ES - white | **RPMTRA271ES** - yellow

Sizes: 20 yds (48") | 30 yds (4", 6", 8", 12", 16", 18", 24", 36") | 100 yds (4", 6")

- Exceptionally durable, long-lasting visibility, ideal for intersections.

710 Series Wet Reflective Removable Tape

Solid Non-Lineered: RPMTRA710 - white | **RPMTRA711** - yellow

Sizes: 20 yds (48") | 40 yds (4", 6", 8") | 120 yds (4", 5", 6")

Contrast Non-Lineered: RPMTRA7105 - white | **RPMTRA7115** - yellow

Sizes: 65 yds (7", 8", 9" includes 1½" black border)

Solid Non-Lineered: RPMTRA715 - black *Sizes: 40 yds (6", 8") | 120 yds (6", 8")*

- Designed to perform for the duration of a normal construction season.
- Superior adhesion and conformability, fast and easy to apply and remove, and eliminates grinding.

380IES Series • 380AW Series • 270ES Series • 710 Series Pre-Cut Legends, Symbols and Arrows

Symbols, Legends, Arrows Code

RPMTRSMSL(XXXX)(XX)

1234 indicates availability in Series

Series Code

380IES[1] • 380AW[2] • 270ES[3] • 710[4]

AH[1234] B4[123] BU[123] L4[123] M8[123] ME[1234] ON[1234] PE[123]

R[123] R78[123] SC[1234] SL[123] ST[1234] XI[123] YI[1234] BK[123] K4[1234] | K8[1234] RK6[1234] | LK6[1234] SH[1234] HC[1234]

Rail Road Crossing Package Contains:
(2) 78¾" tall R's
(1) ROLL 16" x 42 ft FOR "X"

RP78[1234]

Rail Road Crossing Package Contains:
(2) 72" tall R's
(1) ROLL 16" x 42 ft FOR "X"

RX[1234]



LEFT LA[1234] RIGHT RA[1234]



LD[1234] RD[1234]



LE[123] RE[123]



SA[123]



SE[123]

HotTape® Lines, Legends & Arrows

HotTape® Legends and Arrows

- Available in standard FHWA designs that are compliant with the Manual on Uniform Traffic Control Devices (MUTCD) including lines, arrows, bike lane markings, railroad markings and word legends such as "STOP", "ONLY", and "SCHOOL" plus many legends shown above on this page.
- Call a Customer Service Representative for Details.

HotTape® Lines

RPMTP90(##)03(XX) - *3ft length x various widths*

Width (##): *(04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24"*

Colors (XX): *(WH) White | (YE) Yellow (NOTE: Also available in 90-mil rolls and 125-mil lines)*

For HotTape® Application *(Cylinder SOLD Separately)*

RPMTPMTORCH - Magnum Heat Torch w/ 30' Hose

RPMTPMTTROLLEY - Hot Tape Magnum Tank Trolley

PreMark® Lines, Legends & Arrows

PreMark® Lines, Legends and Arrows

- Available in the FHWA Standard sizes as shown in the Manual on Uniform Traffic Control Devices (MUTCD) similar to many legends shown above on this page as well as custom designs.
- Call a Customer Service Representative for Details.

PreMark® Lines

RPMTPPM125(##)03(XX) - *3ft length x various widths*

Width (##): *(04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24"*

Colors (XX): *(WH) White | (YE) Yellow*

For Premark Application use: *(Cylinder SOLD Separately)*

RPMTPPM2000EXHTORCH - Pre-Mark Flint 2000 EX Heat Torch 5" Nozzle

RPMTPPMC20LPGCYL - Pre-Mark C-20 Mark LPG Cylinder *(20lb capacity)*

RPMTPPMC40LPGCYL - Pre-Mark C-40 Mark LPG Cylinder *(40lb capacity)*

Inverted Tip Marking Paints, Wands and Machines

Water Based Marking Paint

Unleaded • APWA Approved • Cap-On Spray Mechanism

Stock#	RPMPITIPWB(XX)

Colors (XX): (RE) Brilliant Red APWA
(WH) Brilliant White APWA | (FBU) Flo Caution Blue
(FOR) Flo Orange | (FPI) Flo Pink | (FPU) Flo Purple
(FGR) Flo Safety Green | (FRE) Flo Safety Red
(YE) Utility Yellow APWA

Solvent Based Marking Paint

More durable than water based paint • Unleaded
APWA Approved • Cap-On Spray Mechanism

Stock#	RPMPITIPSB(XX)

Colors (XX): (BK) Asphalt Black | (BU) Blue APWA
(FBU) Flo Blue | (FPI) Flo Hot Pink
(FGR) Flo Neon Green | (FOR) Flo Orange
(FROR) Flo Red/Orange | (FRE) Flo Safety Red
(GR) Green AWPA | (YE) Hi Vis Yellow APWA
(RE) Red APWA | (WH) Utility White AWPA
(PU) Flo Purple

Marking Chalk

More permanent than water based paint
Unleaded • Non-Clogging Tip

Stock#	RPMPITIPMC(XX)

Colors (XX): (BU) Blue | (GR) Green | (OR) Orange
(RE) Red | (WH) White | (YE) Yellow

Athletic Field Striping Paint

Water Based • VOC Compliant • Unleaded • APWA Colors

Stock#	RPMPITIPAFSA(XX)

Colors (XX): (WH) White | (YE) Yellow | (OR) Orange
(FLOR) Flo Orange | (RBU) Royal Blue | (TGR) Turf Green

Pavement Striping Paint

30 Minute Dry Time • VOC Compliant • Unleaded

Stock#	RPMPITIPPS(XX)

Colors (XX): (CUBK) Cover-Up Black
(FRE) Fire Lane Red | (HBU) Handicap Blue
(HWH) Highway White | (HYE) Highway Yellow

- 20 oz. Krylon Cans
- Sold by Case (12 Cans/Case)

34" Marking Wand
RPMPITIPMWAND

12" Hand-Held Wand
RPMPITIPHWAND

34" Marking Wand
w/flag holder **RPMPITIPMWANDFH**

34" Line-Up Striping Wand
RPMPITIPPSWAND

Pavement Striping Machine

RPMPITIPPSM

- Makes 2"-4" Line
- 18 gauge steel
- 7" Wheels
- Stores a full case of paint

APWA Uniform Color Code

- **White:** Proposed Excavation
- **Pink:** Temporary Survey Markings
- **Red:** Electric Power Lines, Cables, Conduit and Lighting Cables
- **Yellow:** Gas, Oil, Steam, Petroleum or Gaseous Materials
- **Orange:** Communication, Alarm or Signal Lines, Cables or Conduit
- **Blue:** Potable Water
- **Purple:** Reclaimed Water, Irrigation and Slurry Lines
- **Green:** Sewers and Drain Lines

Athletic Field Striping Machine

RPMPITIPAFSM

- 18 gauge steel
- 10" Wheels
- Stores a full case of paint

Marking Flags

- **RSP950(XXXX)4521**
  Fluorescent Colors:
  (FLGR) Flo Green | (FLLI) Flo Lime
  (FLOR) Flo Orange | (FLPK) Flo Pink
  (FLRR) Flo Rocket Red
- **RSP951(XX)4521**
  Standard Colors:
  (BK) Black | (BU) Blue | (CL) Clear
  (GR) Green | (OR) Orange
  (PU) Purple | (RE) Red | (SL) Silver
  (WH) White | (YE) Yellow
- 4" x 5" flag w/21" wire staff is a Top Seller.
- Many other variations and custom printed flags are available *(min qty of 1,000 on flag orders)*

Reflective Glass Beads

Quick SHIP

RPMBEAD

BEST PRICE 40 Bag Pallet

- "Drop On" Glass Beads
- AASHTO Type I Specifications
- 50 Lb. Bags

- Glass beads are dropped or sprayed upon pavement markings to produce a reflectorized marking.
- High end glass beads suitable for state DOT jobs and exceed city/county/parking lot specifications.

Construction Grade Pavement Tape

Quick SHIP

RPMTRFOL200W0450 White
RPMTRFOL200Y0450 Yellow

Reflective temporary construction grade pavement tape withstands tough weather and road conditions. 4" X 50 yards

Graphic Word & Symbol Stencils

Golf Cart
RPMS033628GOLF
36"x28" | 1/16" thick

Roller Blading In-Line Skating
RPMS031620ROLLINSKT
16"x20" | 1/16" thick

Baby & Stork
RPMS034524STORK
45"x24" | 1/16" thick

Baby & Carriage
RPMS033236BABYCAR
32"x36" | 1/16" thick

No Parking
RPMS0326NP
26" Diameter | 1/8" thick

No Skateboards
RPMS0326NOSKT
26" Diameter | 1/16" thick

Clean Up! Trash Your Trash
RPMS031012TRASH
10"x12" | 1/16" thick



Maltese Cross
RPMS033737MALCROSS
37"x37" | 1/8" thick



Fire Hydrant w/Arrow
RPMS031833FIREHYDA
18"x33" | 1/8" thick



Clean In Clean Out
RPMS036060CLEAN
60"x60" | 1/16" thick

No Roller Skating
RPMS03NOROLLBLADE
26" Diameter | 1/16" thick

Speed Hump
RPMS037272SPEEDHUMP
72"x72" | 1/8" thick

Electric Charging Station/Parking Stalls
RPMS034035ELECCHRG
40"x35" | 1/8" thick



Electric Charging Station/Parking Stalls
RPMS034344ELECCHRG
43"x44" | 1/16" thick

Alt Parking Stall
RPMS0346ALTPARKSTALL
46" Diameter | 1/8" thick

STOP - Military Style
RPMS05(XX)MILITARYSTP
(60) 60" | (96) 96" | 1/8" thick



S-T-O-P
RPMS0560STOP
60" High | 1/8" thick

STOP
RPMS0596STOP
96" High | 1/8" thick

YIELD
RPMS0536YIELD
36" High | 1/8" thick

Sewer Grate
RPMS032436SEWER
24"x36" | 1/8" thick



Compact Car
RPMS033630COMCAR
36"x30" | 1/16" thick



Motorcycle Parking
RPMS033625MOTORPARK
36"x25" | 1/8" thick



Electric Charging Station/Parking Stalls
RPMS0345ELECCHRG
45" Diameter | 1/16" thick



Buckle-Up
RPMS039628BUCKLE
96"x28" | 1/8" thick



Barricade Stripe
RPMS030672BS
6"x72" | 1/8" thick

Electric Charging Station Parking Stalls
RPMS032056ELECCHRG
20"x56" | 1/8" thick

Low-Emitting & Fuel Efficient Vehicle
RPMS034824LOWEMFUELV
48"x24" | 1/8" thick

Compact Car
RPMS033648COMCAR
36"x48" | 1/8" thick



Circle
RPMS08XXCIRCLEPLAY
Custom Size 4"-30" | 1/8" thick



Tic Tac Toe with 4 X' & 4 O's
RPMS081212TTTKIT
12"x12" | 1/8" thick

Child Running
RPMS032548CRUN
25"x48" | 1/8" thick

Pedestrian Crossing
RPMS034060PEDCROSS
36"x60" | 1/8" thick

No Pedestrians
RPMS0342NOPEDESTRIAN
42" Diameter | 1/16" thick

Recycle
RPMS0336RECYCLE
36" Diameter | 1/8" thick

No Smoking
RPMS0336NS
36" Diameter | 1/8" thick

McDonald's Kit
RPMSMCDONALDSKIT
34" Letters | 42" Circles
1/8" or 1/16" thick

Leaf w/Roadway Low Emit Fuel
RPMS033655LEAFROAD
36"x55" | 1/16" thick

Double Leaf - Low Emitting Fuels
RPMS034040DBLELEAF
40"x40" | 1/8" thick

Crosswalk Awareness
RPMS03(XX)LOOK
(12) 12" or (16) 16" letters
1/8" thick



Line Stencil
RPMS0104144LINE
4"x144" | 1/16" thick

Crosswalk Bar
RPMS01(XXXX)CROSSBAR
24" or 36" x72" | 1/8" thick

Federal Spec. Arrow Stencils

Multi-Purpose
22" Straight Arrow
RPMS0222ARROWS
1/8" thick



Multi-Purpose
24" Curved Arrow
RPMS0224ARROWC
1/8" thick



5' Straight Arrow
RPMS0205ARROWS
5' Curved Arrow
RPMS0205ARROWC
1/8" thick



6' Curved & Straight Arrow
ALL 3 PCS
RPMS0206ARROWCS

6' Straight Arrow - 2 PCS
RPMS0206ARROWS
6' Curved Arrow - 2 PCS
RPMS0206ARROWC
1/8" thick



Arrow A
RPMS0236ARROWASC
36" L x 18" W x 10" wide tail
(Both Straight & Curve Arrow included)
1/8" thick

Arrow B
RPMS0236ARROWBSC
36" L x 24" W x 12" wide tail
(Both Straight & Curve Arrow included)
1/8" thick

48" Arrow C
RPMS0248ARROWCSC
48" L x 24" W x 14" wide tail
(Both Straight & Curve Arrow included)
1/8" thick



Curved Arrow
RPMS0208ARROWCF
72" x 8' | 1/8" thick

Curved/Straight Combo Tail
RPMS021207ARROWCOMF
Size: 44" x 7' | 1/8" thick



Straight Arrow
RPMS0295ARROWSF
38" x 9.5' | 1/8" thick

RPMSPA0236ARROWC
Size: 36" x 144"
1/8" thick
2 Piece Stencils

PENN DOT Spec Arrows

RPMSPA0220ARROWS
2 Piece Stencils
Size: 20" x 144"
1/8" thick



California Loop
RPMSCA01LOOPXXXX
(35 SIZES AVAILABLE)
1/8" thick



Lane Reduction Arrow
RPMS0218ARROWLRF
18' long x 5'6" wide | 1/8" thick



U-Turn Arrow
RPMS0208ARROWUF
8' long x 9'2" wide | 1/8" thick

Universal Arrow Stencils



8' Straight Arrow
RPMS0208ARROWS



8' Curved Arrow
RPMS0208ARROWC
1/8" thick



4" Outlined Straight Arrow
RPMS0204ARROWSOUT
1/8" thick



4" Outlined Curved Arrow
RPMS0204ARROWCOUT
1/8" thick



Curved/Straight Arrow
6' Kit - 3PC
RPMS0206ARROWKIT3
Straight Arrow - 37"
Curve Arrow - 43"
1/8" thick



Arrow Kit - 2PC
RPMS0242ARROWKIT2
20" Wide x 42" High | 1/8" thick



Arrow Kit - 3PC
RPMS0275ARROWKIT3
36" Wide x 90" High | 1/8" thick



6' Straight Thin Arrow
RPMS0206ARROWST1



6' Arrow Combination
RPMS0206ARROWCOM
1/8" thick



Universal Arrow Kit - 3PC
RPMS02ARROWKITU3
1/8" thick

Curved/Straight Arrow Kit - 3PC
RPMS0322ARROWKITCOM3 | 1/8" thick

Word Stencils

4" High Letters

RPMS0504COM	COMPACT
RPMS0504CUS	CUSTOMER
RPMS0504FIRE	FIRE
RPMS0504GUEST	GUEST
RPMS0504H	HANDICAP
RPMS0504LANE	LANE
RPMS0504LOAD	LOADING
RPMS0504MGR	MANAGER
RPMS0504MIN	MIN
RPMS0504ND	NO DIVING
RPMS0504NP	NO PARKING
RPMS0504NROLL	NO ROLLER BLADING
RPMS0504NR	NO RUNNING
RPMS0504ONLY	ONLY
RPMS0504P	PARKING
RPMS0504RESI	RESIDENT
RPMS0504RES	RESERVED
RPMS0504SKT	SKATEBOARDING
RPMS0504VIS	VISITOR
RPMS0504WFWS	

RPMS0504ZONE	ZONE

6" High Letters

RPMS0506ACC	ACCESSIBLE
RPMS0506COM	COMPACT
RPMS0506EXIT	EXIT
RPMS0506FIRE	FIRE
RPMS0506H	HANDICAP
RPMS0506LANE	LANE
RPMS0506LOAD	LOADING
RPMS0506ND	NO DIVING
RPMS0506NR	NO RUNNING
RPMS0506NSK	NO SKATEBOARDING
RPMS0506NS	NO SMOKING
RPMS0506NP	NO PARKING
RPMS0506ONLY	ONLY
RPMS0506P	PARKING
RPMS0506RES	RESERVED
RPMS0506SL	

RPMS0506VAN	VAN
RPMS0506VIS	VISITOR
RPMS0506ZONE	ZONE

8" High Letters

RPMS0508ASST	ASST
RPMS0508CARS	CARS
RPMS0508CHIEF	CHIEF
RPMS0508COM	COMPACT
RPMS0508CUS	CUSTOMER
RPMS0508DOC	DOCTOR
RPMS0508FIRE	FIRE
RPMS0508H	HANDICAP
RPMS0508LANE	LANE
RPMS0508LOAD	LOADING
RPMS0508MGRA	MGR
RPMS0508NP	NO PARKING
RPMS0508ONLY	ONLY
RPMS0508P	PARKING
RPMS0508PRES	PRESIDENT
RPMS0508RES	RESERVED
RPMS0508SEN	SENIOR
RPMS0508STA	STAND
RPMS0508TAXI	TAXI
RPMS0508VICE	VICE
RPMS0508VIS	VISITOR
RPMS0508ZONE	ZONE

10" High Letters

RPMS0510ASST	ASST
RPMS0510CARS	CARS
RPMS0510CHIEF	CHIEF
RPMS0510COM	COMPACT
RPMS0510CUS	CUSTOMER
RPMS0510DOC	DOCTOR
RPMS0510FIRE	FIRE
RPMS0510H	HANDICAP
RPMS0510LANE	LANE
RPMS0510LOAD	LOADING
RPMS0510MGR	MANAGER
RPMS0510MGRA	MGR
RPMS0510NP	NO PARKING
RPMS0510OW	ONE WAY
RPMS0510ONLY	ONLY
RPMS0510P	PARKING
RPMS0510PRES	PRESIDENT
RPMS0510RESC	RESERVED (CONDENSED)
RPMS0510RES	RESERVED
RPMS0510SEN	SENIOR
RPMS0510STA	STAND
RPMS0510STOP	STOP
RPMS0510TAXI	TAXI
RPMS0510VICE	VICE
RPMS0510VIS	VISITOR
RPMS0510ZONE	ZONE

9" High Letters

1 Piece Stencil

RPMS0509NP

1 Piece Stencil

RPMS0509SS

12" High Letters

RPMS0512COM	COMPACT
RPMS0512CUS	CUSTOMER
RPMS0512DO	DO
RPMS0512DRIVE	DRIVE
RPMS0512ENTER	ENTER
RPMS0512EXIT	EXIT
RPMS0512FIRE	FIRE
RPMS0512LANE	LANE
RPMS0512LOAD	LOADING
RPMS0512NO	NO
RPMS0512NOT	NOT
RPMS0512ONLY	ONLY
RPMS0512P	PARKING
RPMS0512RES	RESERVED
RPMS0512STOP	STOP
RPMS0512THRU	THRU
RPMS0512VIS	VISITOR
RPMS0512ZONE	ZONE

18" High Letters

RPMS0518DO	DO
RPMS0518DRIVE	DRIVE
RPMS0518ENTER	ENTER
RPMS0518EXIT	EXIT
RPMS0518FIRE	FIRE
RPMS0518IN	IN
RPMS0518LANE	LANE
RPMS0518NO	NO
RPMS0518NOT	NOT
RPMS0518ONE	ONE
RPMS0518ONLY	ONLY
RPMS0518OUT	OUT
RPMS0518P	PARKING
RPMS0518STOP	STOP
RPMS0518THRU	THRU
RPMS0518WAY	WAY
RPMS0518ZONE	ZONE

RPMS0510OW

Word Stencils

24" High Letters	
RPMS0524NO	NO
RPMS0524P	PARKING
RPMS0524DO	DO
RPMS0524NOT	NOT
RPMS0524FIRE	FIRE
RPMS0524LANE	LANE
RPMS0524ZONE	ZONE
RPMS0524ENTER	ENTER
RPMS0524EXIT	EXIT
RPMS0524DRIVE	DRIVE
RPMS0524THRU	THRU
RPMS0524LOAD	LOADING
RPMS0524ONE	ONE
RPMS0524WAY	WAY
RPMS0524STOP	STOP
RPMS0524ONLY	ONLY
RPMS0524SLOW	SLOW
RPMS0524AHEAD	AHEAD

48" High Letters

1 & 2 Piece Stencils • Made from Durable 1/8" Poly Material

RPMS0548DRIVE -2pc

RPMS0548DO -1pc

RPMS0548LANE -1pc

RPMS0548AHEAD -2pc

RPMS0548THRU -1pc

RPMS0548NOT -1pc

RPMS0548NO -1pc

RPMS0548YIELD -2pc

RPMS0548EXIT -1pc

RPMS0548ONLY - 1pc

RPMS0548ENTER - 2pc

RPMS0548SLOW - 1pc

RPMS0548STOP - 1pc

Bicycle Lane Stencils

Bike Lane (no helmet)
RPMS03(XXXX)BLANE
(1733)17"x33" | (2448) 24"x48"
1/8" thick

Bike Trail
RPMS036540BTRAIL
65"x40" | 1/8" thick

Bike Lane (w/helmet)
RPMS0340(XX)BLANEH
40"x(60)" or (72)" | 1/8" thick

Bicycle Diamond
RPMS033672BICDIA
36"x72" | 1/8" thick

Bike Shared Lane
RPMS0340(XXX)SHAREBIC
40" x (111)"or (69)" | 1/8" thick

Railroad Stencils

6'6" RR XING
(PENNDOT SPEC)

"R" - **RPMSPA0366RR**
"X" **- RPMSPA03RRX**

1/8" thick

6' Fed "R" for Railroad XING
RPMS0306RRCROSSF

"X" for Railroad XING
RPMS0320RRX

1/8" thick

5' Fed "R" for Railroad XING
RPMS0305RRCROSS

"X" for Railroad XING
RPMS0320RRX
8ft wide x 20 ft high
1/8" thick

Handicap/Disabled Stencils

12" x 18" ADA SYMBOLS • 6" Wording • 1 Piece Stencils
• Made from Durable 1/8" Poly Material

RPMS05ADANP

RPMS05ADAVAN

RPMS05ADAHP

Active Handicap - 1/8" thick
RPMS033628H | 36"x28"

Active Handicap (NY SPEC)
RPMSNY034536H | 45"x36"
1/8" thick

Walmart ADA Handicap
RPMS508472WALADAH2
(8472) 84"x72"
1/8" thick

RPMS032032HB20"x32" Handicap Symbol w/Border

Stencils are 1/8" thick

RPMS031812H1 12"x18" Handicap Symbol *(1.25" Stroke)*
RPMS033224H2 32"x24" Handicap Symbol *(2" stroke)*
RPMS034133H25 41"x33" Handicap Symbol *(2.5" stroke)*
RPMS034236H35 42"x36"Handicap Symbol *(3.5" stroke)*

Stencils are 1/8" thick

Aluminum Barrier Mount Delineators

Brite-MAX

The Brite-Max Delineator is the best delineator on the market for combined safety and durability. The Aluminum body provides long life in all climates in both work zone and permanent installations.

- **PRODUCT ID: BMJB(XXX)(X)(XX)(S/D)**
- **Reflective Size (XXX): (009)** 3" x 3" **Tab Size:** 2" **(012)** 4.25" x 3.5" **Tab Size:** 2" | **(015)** 3" x 5" **Tab Size:** 3" **(048)** 6" x 8" **Tab Size:** 3" | **(072)** 6" x 12" **Tab Size:** 3" **(096)** 8" x 12" **Tab Size:** 3" | **(100)** 10" x 10" **Tab Size:** 3"
- **3M Reflective Sheeting (X): (H)** High Intensity Prismatic **(3)** DG3 Diamond Grade Cube
- **Quick Ship Colors (XX): (WH)** White | **(YE)** Yellow **(FY)** Fluorescent Yellow | **(OR)** Fluorescent Orange
- **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- **Compatibility:** The Brite-Max Barrier Mount Delineators can be used for top or side mount applications on concrete barriers and wooden guardrail posts.

All non-stock standard reflective sheeting colors and types available by custom order. Call customer service at 1-800-367-1492 for details.

- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas.

BMJB-9



BMJB-12

BMJB-15

BMJB-48

BMJB-72

BMJB-96

BMJB-100

SCAN QR codes with Smart Phone camera to view product videos.

Key features of Portable Concrete Barrier Markers

- Brite-Max BMJBs are becoming DOT approved nationwide in states which prefer durable aluminum over plastic!
- Plastic PCBMs meet specifications nationwide.
- Also known as a "Jersey" Barrier Marker. Typical applications include temporary and permanent concrete barriers, concrete bridge parapets and wooden guardrail posts. BMJB bases are pre-drilled for either adhesive or bolt mounting.
- **Installation:** BMJBs have 3/8" holes pre-drilled for permanent 5/16" hardware installations. Use adhesives for a quick, reliable and less labor intensive installation. Standard pavement marking adhesives are available for purchase. Also, Dapco brand 795A Adhesive (RPMAEPOXYTUBE1P) is available through special order by calling customer service at 1-800-367-1492.

Portable Concrete Barrier Markers

- **PRODUCT ID: RDBM(XXX)(X)(XX)(S/D)**
- **Reflective Size (XXX): (PCBM09)** 9" sq in **(PCBM12)** 12" sq in | **(PCBM15)** 15" sq in | **(PCBML16)** 32" sq in **(LITTLEDOG)** 72" sq in | **(BIGDOG)** 96" sq in
- **3M Reflective Sheeting (X): (H)** High Intensity Prismatic **(3)** DG3 Diamond Grade Cube | **(D)** Orange VIP Diamond Grade
- **Colors (XX): (WH)** White | **(YE)** Yellow **(OR)** Fluorescent Orange
- **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- **Body Substrate:** UV-stabilized polymers for long life in both work zones and permanent installations.
- **Compatibility:** PCBMs can be used for top and/or side mount applications.

PCBM-9

BOX QTY 300

- *HIP White or Yellow Sheeting*
- *Side or Top Mount*



PCBM-12

BOX QTY 200

- *White or Yellow HIP -or-DG3 Sheeting*
- *Side or Top Mount*

PCBM-15

- *HIP White or Yellow Sheeting*
- *Top Mount Only*

BOX QTY 100

PCBM-L16

- *HIP White or Yellow Sheeting*
- *Top Mount Only*

BOX QTY 75

LITTLE DOG

- *DG Orange Fluorescent Sheeting*
- *Top Mount Only*

BOX QTY 100

BIG DOG

- *DG Orange Fluorescent Sheeting*
- *Top Mount Only*

BOX QTY 50

Flexible Hinged Barrier Markers

- **PRODUCT ID: RDBMPCBMT9(H)(XX)(S/D)**
- **Reflective Sheeting Size:** 9 sq in of High Intensity Prismatic
- **3M Reflective Sheeting: (H)** High Intensity Prismatic
- **Colors (XX): (WH)** White | **(YE)** Yellow
- **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- **Body Substrate:** UV-stabilized polymers for long life in both work zones and permanent installations.
- **Compatibility:** The PCBM-T9 is a hinged version of the PCBM-9 and is designed for use on top of movable barrier systems.

BOX QTY 150

Available individually



PCBM-T9

HIP Sheeting

Flexible Hinged Barrier Markers

- **PRODUCT ID: RDGRDFT(H)(XX)(S/D)**
- **Reflective Sheeting: (H)** 12" sq in of High Intensity Prismatic
- **Colors (XX): (WH)** White | **(YE)** Yellow
- **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- **Body Substrate:** Marker body made of rigid PVC with co-extruded 80 durometer polyurethane acting as working hinge.
- **Compatibility:** Designed for use on top of movable barrier systems.

FLEXTAB-12

HIP Sheeting

BOX QTY 250



JD Cube Barrier Markers

BOX QTY 100

- **PRODUCT ID: RDBMJD(1/2) (XX)**
- **Size:** approx 3" x 5.25" x 2.5"
- **Reflective Size:** approx 9.5" sq. in.
- **Reflective Sides (1/2):** **(1)** Single-Sided | **(2)** Double-Sided
- **Colors (XX): (WH)** White | **(YE)** Yellow
- **Body Substrate:** ABS and Acrylic
- The JD Cube is bright! Exceeds all state and federal brightness standards.

MUTCD Guidance

About Delineators

- Delineators are beneficial at locations such as at lane-reduction transitions and curves and provide effective guidance at night and during adverse weather conditions. Refer to the MUTCD for more information.
- Retroreflective elements for delineators shall have a minimum dimension of 3 inches.
- Delineators are considered guidance devices rather than warning devices.
- Delineators may be used on long continuous sections of highway or through short stretches where there are changes in horizontal alignment.

Color Definitions

- **WHITE:** Lane markings or to mark the right pavement edge.
- **YELLOW:** Separate traffic moving in opposite directions, or mark the left pavement edge on one-way roadways.
- **RED:** Used to warn motorists of "Do Not Enter" or "Wrong Way". Also, delineators shall be red when used on a truck escape ramp.
- **BLUE:** Used to mark the location of fire hydrants on the shoulder or at the curb.
- **GREEN:** Used for snowplow markings.
- **ORANGE:** Used in construction work zone areas.

Brite-Max Butterfly Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.

The Aluminum body of Brite-Max Delineators provides long life in all climates and provide effective guidance at night, in low light and adverse weather conditions.

Brite-MAX

BMGRD-567

Butterfly Aluminum
Bolt On Existing Guardrail

BMGRD-818

Butterfly Aluminum
Bolt On New Guardrail

- **PRODUCT ID: BMGRD(XXX)(1/2)(X)(XX)**
- **Installation Type (XXX): (567)** Slot installs on existing guardrail bolt **(818)** Hole installs on new guardrail
- **Reflectivity:** Provides 8.5" square inches of reflectivity.
- **Reflective Sides (1/2): (1)** Single-Sided* | **(2)** Double-Sided
- **3M Reflective Sheeting (X):**
  (H) High Intensity Prismatic | **(3)** DG3 Diamond Grade Cube
- ***NOTE:** Industry Standard for Single-Sided Reflective placement on the side that bends towards the fork side as shown in images. Custom orders for non-standard single-sided reflective placement is available by custom order, call 1-800-367-1492.
- **Reflective Colors (XX): (WH)** White | **(YE)** Yellow | **(FYE)** Fluorescent Yellow
- **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- **Compatibility:** Butterfly shape fits in the center channel for protection from accidental damage or vandalism.
- Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.
- **MUTCD Guidance:** Meets the minimum MUTCD requirements for reflectivity.
- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.

W-Beam/Butterfly Guardrail Delineators

- **W-Beam/Butterfly Style Reflectors** provide effective guidance at night, in low light and adverse weather conditions.
- **Compatibility:** Fit in the center channel of guardrails for protection from accidental damage or vandalism.

BOX QTY Double-Sided 40
BOX QTY Single-Sided 50

RDGRD-18

Round Steel - Bolt On

- **PRODUCT ID: RDGRD18(X)(XX)**
- **Reflectivity:** Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- **Reflective Sides (X) Colors (XX):**
  (1)(WH) Single-Sided White
  (1)(YE) Single-Sided Yellow
  (2)(WY) Double-Sided White/Yellow Bi-Directional
- **Size:** 3.25" Diameter
- **Body Substrate:** Galvanized steel bracket w/plastic reflector

BOX QTY 100

RDGRD-AGR

Round Poly - Glue On

- **PRODUCT ID: RDGRDAGR(X)(XX)**
- **Reflectivity:** Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- **Reflective Sides (X):**
  (1) One-Sided | **(2)** Double-Sided
- **Colors (XX):**
  (WH) White | **(YE)** Yellow
- **Size:** 3.25" Diameter
- **Body Substrate:** Polycarbonate bracket w/plastic reflector

BOX QTY 50

RDGRD-567

Butterfly Steel - Bolt On

- **PRODUCT ID: RDGRD567(X)(H)(XX)**
- **Reflective Sheeting:** 8" sq in of **(H)** High Intensity Prismatic
- **Reflective Sides (X) Colors (XX):**
  (1)(WH) Single-Sided White
  (1)(YE) Single-Sided Yellow
  (2)(WH) Double-Sided White
  (2)(YE) Double-Sided Yellow
  (2)(WHYE) Double-Sided White/Yellow Bi-Directional
- **Body Substrate:** Galvanized Steel

RDGRD-721

Butterfly Poly - Glue On

BOX QTY 250
Available individually

RDGRD-717

Butterfly Poly - Bolt On

- **PRODUCT ID: RDGRD(XXX)(X) (H) (XX)**
- **Reflective Sheeting:** 8" sq in of **(H)** High Intensity Prismatic
- **Install Type (XXX):**
  (717) Bolt Slot | **(721)** Glue-On
- **Reflective Sides (X):**
  (1) Single-Sided | **(2)** Double-Sided
- **Colors (XX):**
  (WH) White | **(YE)** Yellow
- **Body Substrate:** Polycarbonate

Brite-Max A-Style Barrier/Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.

Brite-MAX

The Brite-Max A-Style Delineators offer a unique style for the ultimate in delineation.

BMGA-04
Barrier Top Mount Only

BMGA-025
Barrier Top or Side Mount
Guardrail Mount

- **PRODUCT ID: BMG(ASTYLE)(X)(XX)(S/D)**
- **A-STYLE (A04)**
  Reflectivity: 18.5" sq in
  Body Size: 10.375" x 4" x 4" in bent position.
  Installation: (2) 4" x 1.25" mounting surfaces,
  (2) 1/4" diameter holes for fasteners and
  (6) 1/4" x 1 1/4" obround holes to assist with adhesion.
  Compatibility: Concrete barriers top mounting only.
- **A-STYLE (A025)**
  Reflectivity: 11" sq in
  Body Size: 6.5" x 4" x 2.5" in bent position.
  Installation: (2) 4" x 3/4" mounting surfaces,
  (2) 1/4" diameter holes for fasteners and
  (4) 3/16" x 3/4" obround holes to assist with adhesion.
  Compatibility: Concrete barriers mounting on top and/or on the side or guardrail post mount.
- **3M Reflective Sheeting (X):**
  (H) High Intensity Prismatic | **(3)** DG3 Diamond Grade Cube
- **Reflective Colors (XX): (WH)** White | **(YE)** Yellow
  (FYE) Fluorescent Yellow
- **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- **MUTCD Guidance:** Meets the minimum MUTCD requirements for reflectivity.
- **NOTE:** Adhesive and hardware, sold separately.
- Utilize Brite-Max A-Style Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.

Brite-Max Utility-View Reflectors

- **PRODUCT ID: BMUV(X)(XX)(XXXX)**
- **3M Reflective Sheeting (X):**
  (H) High Intensity Prismatic | **(3)** DG3 Diamond Grade Cube
- **Colors (XX): (YE)** Yellow | **(FY)** Fluorescent Yellow | **(WH)** White
  (RE) Red | **(OR)** Fluorescent Orange | **(FG)** Fluorescent Yellow-Green
- **Size (XXXX): (01536)** 1.5" x 36" | **(01560)** 1.5" x 60" | **(0436)** 4" x 36"
  (0460) 4" x 60" | **(0636)** 6" x 36" | **(0660)** 6" x 60"
- **Material:** .040" Aluminum
- The flexible bands are designed to wrap around utility poles, as well as marking transformer covers, and other potential hazards for pedestrians and motorists. Suitable for both rural and urban areas.
- **Compatibility:** 36" long reflectors fit 11.46" diameter utility poles and 60" long reflectors fit 19.09" diameter utility poles.
- **Installation:** Reflectors can be cut with tin snips to mark poles with other diameters. The .040" aluminum is both rigid and flexible, which allows quick and easy installation around wood utility poles using roof nails, staples, or screws. A combination of these fasteners as well as adhesives can be used to mount them to other surfaces. Tools, hardware and adhesives, sold separately.
- Utility-View Reflectors can be ordered with VHB tape on the back, in other colors and with reflective or non-reflective numbers to better identify locations.

Brite-MAX

Utility-View Reflective Flexible Bands help increase safety by increasing visibility both day and night.

Brite-Max Guardrail Delineators

Multi-View

Brite-MAX

Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.

The Brite-Max Multi-View Delineator is the best delineator on the market for combined safety and durability.

Single-View

- **PRODUCT ID: BMGS(XXXX)(X)(XX)(S/D)**
- **Single-View Sizes (XXXX): (0415)** 4" x 15" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity
  (0427) 4" x 27" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity
  (0327) 3" x 27" body with 3" x 12" reflective sheeting provides 36" square inches of reflectivity
- **Multi-View Sizes (XXXX):**
  (MV0415) 3.75" x 15" x .75" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity
  (MV0427) 3.75" x 27" x .75" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity
- **3M Reflective Sheeting (X):**
  (H) High Intensity Prismatic | **(3)** DG3 Diamond Grade Cube
- **Colors (XX): (WH)** White | **(YE)** Yellow | **(FY)** Fluorescent Yellow
- **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- **Body Substrate:** Non-hinged .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- The **Single-View** is a durable, economical marker that provides an efficient way to delineate guardrails day and night.
- The long term durability of aluminum backing plus the extreme angularity of the **Multi-View** profile combine to form an unbeatable product.
- **Compatibility:** Easy to install on wooden guardrail posts. Guardrail reflectors can be either adhesively or bolt mounted to metal guardrails.
- **NOTE:** Adhesive and hardware, sold separately.
- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. ***Call customer service at 1-800-367-1492 for details.***

Guardrail Mount Delineators

Fits over steel I-beam guardrail posts

I-Flex *Hinged*

BOX QTY 200

- **PRODUCT ID: RDGRDIFLEX12(H)(XX)(S/D)**
- **Reflective Sheeting:** 3" x 4" with 12" sq in **(H)** High Intensity Prismatic
- **Reflective Colors (XX) (WH)** White | **(YE)** Yellow
- **Sides (S/D) : (S)** Single | **(D)** Double
- **Bi-Directional: (WHYE)(D)** Double-Sided White/Yellow
- **Body Substrate:** Resin body & polyurethane hinge

S-Flex

Hinged

BOX QTY 200

- **PRODUCT ID: RDGRDSFLEX (H)(XX)(S/D)**
- **Reflective Sheeting: (H)** High Intensity Prismatic
- **Reflective Colors (XX) (WH)** White | **(YE)** Yellow
- **Sides (S/D) : (S)** Single-Sided **(D)** Double-Sided
- **Body Size:** 4" x 8.75"
- **Body Substrate:** Resin body & polyurethane hinge

Flex-Rail

Hinged

BOX QTY 200

Available individually

- **PRODUCT ID: RDGRDFR(X)(H)(XX)(S/D)**
- **Body Size (X): (3)** 3" x 5.75" with 12" sq in of sheeting or **(4)** 4" x 5.75" with 16" sq in of sheeting
- **Reflective Sheeting: (H)** High Intensity Prismatic
- **Reflective Colors (XX) (WH)** White | **(YE)** Yellow
- **Sides (S/D) : (S)** Single | **(D)** Double
- **Body Substrate:** PVC body & polyurethane hinge

Straight-Flex

Non-Hinged

BOX QTY 50

- **PRODUCT ID: RDGRP(OPTIONS)**
- **Body Color:** White
- **Body Size:** 3" x 13"
- **Reflective Sheeting:** High Intensity Prismatic
- **Reflective Colors:** White | Yellow
- **Sides:** Single | Double
- **Reflective Sizes:** 3" x 5"
- **Body Substrate:** Resin



Flex-Post

Non-Hinged

BOX QTY 25

- **PRODUCT ID: RDGRPF(OPTIONS)**
- **Body Colors:** Yellow, White, Grey
- **Body Sizes:** 3"x27" | 4"x27"
- **Profiles:** 3" Dual Curve or 3" or 4" Single Curve
- **Reflective Sheeting:** High Intensity Prismatic
- **Reflective Colors:** White, Yellow
- **Reflective Sizes:** 3" x 8" | 3" x 12"

Ground Mount Flex Delineators & Markers



Boundary Marker

Economical survey marker is designed for marking trails and boundaries.

RPOFDGGBS(##)(XX)

Lengths (##):
(66) 66" | (72) 72"

Color (XX):
(OR) Orange

Utilimark

Design with a thicker middle for easier installation into hard soil.

RPOFDGGFT(##)(XX)

Lengths (##):
(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown (YE) Yellow (WH) White (OR) Orange | (RE) Red (GR) Green | (BU) Blue



Triple Rail

Use as a roadway delineator or as a marker for buried utilities.

RPOFDGGTF(##)(XX)

Lengths(##): (62) 62" (66) 66" | (72) 72"

Colors (XX): (BR) Brown (YE) Yellow (WH) White (OR) Orange | (RE) Red (GR) Green | (BU) Blue

Boundary Marker

Use Boundary Marker, Utilimark or Triple Rail Markers for marking property. Over 90 legends available.

Boundary Decals

RPOFDGGZD(R/V)(XX)

(R) High Intensity Prismatic
(V) Non-Reflective Vinyl

Legends (XX):
(WPSM) Witness Post Survey Marker
(PB) Property Boundary
(ROW) Right of Way

Optional Anchors

Fiberglass Anchor

RPOFDGGZAGAI

For stability in soft or sandy conditions. Includes (1) one pre-installed fiberglass anchor.

Fiberglass Anchor Kit

RPOFDGGZAGAK

Includes (10) ten anchors plus rivets for installation onto flexible markers.

Rivet Gun

RHRBALMGUN

For installation of anchors to flexible markers with kit rivets.



Recreation Decals

Standard & Customized Decals Available

Available for agencies such as National Park Service, Bureau of Land Management, Corps of Engineers, Department of the Interior, Fish and Wildlife Service, NOAA, Bureau of Indian Affairs, and National Forest Service. *Call for details.*

911 Marker

Utilimark and Triple Rail Markers are ideal as an emergency 911 marker.

4" Reflective Die Cut Series B Letters & Numbers

DC(H)WHL04B

(H) High Intensity Prismatic.
Other sizes and options available.

Fire Hydrant Marker

Use Utilimark Marker as a Fire Hydrant Marker to locate hydrants in low visibility areas.

Fire Hydrant Decal

RPOFDGGZD(R/V)FH

(R) High Intensity Prismatic
(V) Non-Reflective Vinyl

Reflective Decals

Add Reflective Sheeting Decals to Ground Mount Delineators.

RPOFDGGZRS(H)(X)(####)

Colors (X):
(W) White | (Y) Yellow

Sizes (####):
(0303) 3"x 3" | (0306) 3"x 6"
(0309) 3"x 9" | (0312) 3"x 12"

Reflective Sheeting :
(H) High Intensity Prismatic

Fiberglass Snow Pole Markers

Composite fiberglass snow poles improve roadway demarcation for motorists and snow removal crews.

RDSNOWGR(XXX)(##)

Thickness (XXX): (316) 3/16" | (38) 3/8"
Lengths (##): (72) 72" | (84) 84" | (96) 96"

Snow Pole Decals

RDSNOWGZDV(XX)

(WL) Water Line
(SM) Survey Marker
(TC) Telephone Cable
(WM) Water Meter
(SFM) Sewage Force Main
(GS) Gas Service
(B) Boundary
(CU) Custom Decal

Installation and Removal Tools Also Available. Call for Details.

S STANDARD Tubular Markers & Tube Delineators

DROP SHIPS

Choose from one of the 3 most popular Tubular Markers

TOP SELLER

Quick SHIP

MASH PASSED

- **RPOFDSNTM236WH2W**
  White Body/White Sheeting
- **RPOFDSNTM236WH2Y**
  White Body/Yellow Sheeting
- **RPOFDSNTM236YE2Y**
  Yellow Body/Yellow Sheeting

Standard Features:
Surface Mount Base
w/One Pin System, 2.25" OD tube,
36" tall Marker and 2 HIP reflective bands.

Option: use one of our Easy Order Checklists found below to customize your order.

Tubular Markers and Tube Delineators are highly visible day or night, remain flexible at extreme temperatures, and return upright after impact. Approved by most state DOT's.

Ground Mount Tube Delineator

Surface Mount Tube Delineator

Ground Mount Tubular Marker

Surface Mount Tubular Marker

Easy Order Checklist - Standard Options

Follow the steps below to build your own standard tubular marker or tube delineator to suit your specific needs.

STEP 1 Choose a Mounting Style

- ☐ **Ground Mount Base** - 2-Part System: 1. Drivable Ground Anchor and 2. Replaceable Flex Delineator
- ☐ **Surface Mount Base** - One Pin System: Simple installation base is included with replaceable tube for low maintenance cost.

STEP 2 Choose a Tube Style

- ☐ **Tubular Marker** - 2.25" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes.
- ☐ **Tubular Marker** - 3" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes. (available in 36" height only)
- ☐ **Tube Delineator -** 2.25" OD tube for use as a delineator. Comes with 3" x 12" HIP reflective decals.

STEP 3 Choose a Height

Height: ☐36" ☐42" ☐48"

STEP 4 Choose a Tube Color

Body Color: ☐ White ☐Yellow ☐Orange

STEP 5 Choose HIP Reflective Color

Tube Delineators

Side 1: ☐White ☐Yellow

Side 2: ☐NONE ☐White ☐Yellow

Tubular Markers

2 Bands: ☐White ☐Yellow

In accordance with MUTCD Tubular Markers versus Tube Delineators

Delineator: a retroreflective device mounted on the roadway surface or at the side of the roadway in a series to indicate the alignment of the roadway, especially at night or in adverse weather.

Tubular Markers may be effectively used for emphasis of pavement marking patterns including • opposing lane dividers of traffic • dividing traffic when two or more lanes are kept open in the same direction • channelizing traffic in exit only applications • urban turn restrictions • indicating changes of alignment in the roadway • delineating edge of pavement drop off where space limitations do not allow the use of larger systems.

- Shall be made of a material that can be struck without causing vehicle damage.
- Day and low speed roadways (40 MPH or less). Requirements: 18" minimum height with at least (1) one 3" retro-reflective stripe.
- Night and high speed roadways (45 MPH or higher) Requirements: 28" minimum height with (2) two retro-reflective stripes that are between 2" - 3" wide.
- Channelizer Stripes shall begin 2" from the top and have 2" - 6" between stripes
- Marker Tube Diameter shall be a minimum of 2" with 2" - 3" outside diameters being the most common.
- Tubular Markers shall have permanently affixed bases or have weighted portable bases.
- Lane separators shall be crashworthy.
- In TTC work zones, Tubular Markers should only be used where space restrictions do not allow more visible devices.

Helpful Hint:

- White Reflective Sheeting separates same direction traffic flow or supplements right edge white lines.
- Yellow Reflective Sheeting separates opposite direction traffic flow or supplements left edge yellow lines.

Tubular Markers & Tube Delineators

Patented reactive spring system allows markers to withstand multiple impacts. The premium level of durability translates into an extended life cycle, decreased product maintenance costs, and reduced labor/personnel service demands.

IMPACT recovery SYSTEMS



Tube Delineators

Tubular Markers

PART 1: Easy Order Checklist - Premium Tops

Follow the steps below to ***build your own multi-purpose premium tubular marker or tube delineator*** to suit your specific needs.

STEP ❶ Choose a Tube Style

☐ **Tubular Marker** - 2.375" OD tube for use as a channelizing device. Short squeezed top keeps out weather and debris. Comes with 2 bands of HIP reflective stripes.

☐ **Tube Delineator** - 2.375" OD tube is flattened into a long squeezed top for use as a delineator. Comes with 1 or 2, 3" x 12" HIP reflective decals.

NOTE: The 2.375" Multi-Purpose Post is most commonly used with 3" and 4" Tuff Post also available.

STEP ❷ Choose a Height

Height: ☐36" ☐48"

STEP ❸ Choose a Tube Color

Body Color: ☐White ☐ Yellow ☐Orange

STEP ❹ Choose a Reflective Color

Tube Delineators

Side 1: ☐White ☐Yellow ☐Orange

Side 2: ☐NONE ☐White ☐Yellow ☐Orange

Tubular Markers

2 Bands: ☐White ☐Yellow ☐Orange

STEP ❺ Choose a Mounting Style

Mounting Style: ☐ Fixed ☐Quick Release ☐ Drivable

Features Impact Recovery System's exclusive patented, anti-twist reactive spring system.

PART 2: Easy Order Checklist - Mounting Bases

Tuff Curb End Cap

Tuff Curb

Tuff Curb XLP
Xtreme
Low Profile



Drivable Base

Portable One Base

Fixed Base

Quick Release Base

Bases & Accessories for Quick Release Mounting Style

☐ **Quick Release Base** - Surface Mount
Body Color: ☐ Black ☐ Yellow ☐ White

☐ **Portable One Base** - 100% Recycled Rubber

☐ **Anchor Kit** includes 4 lag screws (installs 1 base)
See Marker Adhesives on page 105 for alternate anchor systems.

☐ **Quick Release Replacement Pin**

☐ **Quick Release Lane Separator** - 40" long
Curb Style: ☐ Tuff Curb ☐ Tuff Curb XLP
Body Color: ☐ White ☐ Yellow
Reflectors: ☐ 2-Way Red/White ☐ 1 Way White
☐ 2-Way White/White ☐ 2-Way Yellow/Yellow

☐ **Lane Separator Tuff Curb End Cap** - 18" long
Body Color: ☐ White ☐ Yellow

Bases & Accessories for Fixed Mounting Style

☐ **Fixed Base** - Surface Mount **Body Color:** ☐ Black ☐ Yellow ☐ White

☐ **Anchor Kit** includes 4 lag screws (installs 1 base)
See Marker Adhesives on page 105 for alternate anchor systems.

☐ **Fixed Lane Separator** - 40" long
Curb Style: ☐Tuff Curb ☐Tuff Curb XLP
Body Color: ☐ White ☐ Yellow
Reflectors: ☐ 2-Way Red/White ☐ 1 Way White
☐ 2-Way White/White ☐ 2-Way Yellow/Yellow

☐ **Lane Separator Tuff Curb End Cap** - 18" long
Body Color: ☐ Yellow ☐ White

Bases for Drivable Mounting Style

☐ **Drivable Base** - Ground Mount

Custom Products Corporation
P.O. Box 54091
Jackson, MS 39288-4091
www.cpcsigns.com

PRST STD
U.S. Postage
PAID
Custom Products Corporation

CATALOG #18 - 2025

Leave an Impression with a Comprehensive Branding Program

CPC offers a robust line of products and services to help you develop and implement your own comprehensive branding program from your smallest and simplest to your largest and most complex sign.

See pages 30-31.

Custom Street Name Packages
See pages 34-45.

2023 MUTCD 11th Edition

The 11th edition of the MUTCD was released in December of 2023. There is an ongoing release of sign drawings to the 2024 SHS (Standard Highway Signs Publication). To purchase the most up to date signs in the 2023 MUTCD, visit www.cpcsigns.com. CPC is continually updating our website as the FEDS release new drawings to the 2024 SHS!

U.S. Department of Transportation
Federal Highway Administration

Mail:
P.O. Box 54091
Jackson, MS 39288-4091

Shipping:
1120 Flowood Dr.
Jackson, MS 39232

EMAIL
sales@cpcsigns.com

CUSTOM PRODUCTS CORPORATION
JACKSON MISSISSIPPI

Sales:
1-800-367-1492 (Voice)
1-601-932-5854 (Voice)
1-800-206-3444 (Fax)
1-601-932-7178 (Fax)

find us on social media

CPCGo! - mobile app
Download on the App Store

WEBSITE
www.cpcsigns.com