



1-800-367-1492 • www.cpcsigns.com



School Zone Safety Products

School Zone Signs

Go to www.cpcsigns.com to find more Special Legend School Signs.



STOP/STOP School Crossing Hand Paddles

SHP1818ST040(X)NH - 18" x 18" .040" Aluminum Paddle Head
Sheeting (X): (B) Non-Reflective | (E) Engineer Grade Prismatic
 (H) High Intensity Prismatic

Handle **HPHANDLE10** 10" Galvanized Steel Conduit (Sold Separately)
 Vynafoam Grip **HPZFOAMGRIP** (Sold Separately)



SIGN ALERT

Add Blinking Solar LEDs to signs see page 16



S3030S313AG
S3636S313AG



S3030S323AG
S3636S323AG



S3030S45A(XX)3AG
S3636S45A(XX)3AG
*Specify Speed



S2412W169P3AG
S3018W169P3AG



S1218R7321HA



SLSPBP73041218HA



S1218R7217HA



S1218R7360HA




S1218R7309HA



S1218R7323HA




S2430S52HA




S2430S53HA



S2430R210HA



S2410S41PHA
*Specify times



S2430R211HA



Replacement Requirements*

Damaged or missing school zone signs should be replaced or repaired within 3 working days of the agency having notice of them missing, down or damaged. Some signs may warrant faster replacement based on nature of sign. *Maintenance of Signs and Sign Support: FHWA-SA-09-025

Are Your Signs Bright Enough?

School Zone Signs MUST be Fluorescent Yellow-Green Diamond Grade. To stay in compliance with the MUTCD, we recommend using: **3M[®] FYG Diamond Grade Cubed** for all **School Zone Signs** for the best overall value and warranty.

Fluorescent Yellow Green DG3 (FYG)



S2410S44PHA



S2410S46PHA



S2410S42PHA



S1236R16AH3AG



S1236R16H3AG



S3030S113AG
S3636S113AG



S2418W162P3AG
S3024W162P3AG
*Specify FEET



S3030S45(XX)3AG
S3636S45(XX)3AG
S3030S45(XX)H3AG
S3636S45(XX)H3AG
*Specify Speed



S2408S43P3AG

S3030S45A(XX)3AG
S3636S45A(XX)3AG
*Specify Speed



S2412W169P3AG
S3018W169P3AG



S2412W167P3AG
S3018W167P3AG



S2412W167P3AG
S3018W167P3AG

Athletic Marking Paint & Stencils



Athletic Marking Paints and Stencils available in standard and custom legend signs (CLS) for all your traffic, parking lot, playground, and athletic field needs.

Pages 107-111



S2412W166P3AG
S3018W166P3AG



S2412W166PL3AG
S3018W166PL3AG



S2412W162AP3AG
S3018W162AP3AG
*Specify FEET



S2412W169P3AG
S3018W169P3AG



S2412W165P3AG
S3018W165P3AG



S2412S47P3AG
S3018S47P3AG



S2412W167P3AG
S3018W167P3AG





S2412W167P3AG
S3018W167P3AG

Stickers, Decals & Tags

Bumper Stickers, Parking Permits, Polyester Decals & Vinyl Decals


Available in many standard colors and sizes with customized graphics for your school or college.




S1218PC236HA



S1824PC230HA



S1824PC235HA



S1824PC200HA



S1218S36HA



S1218PC250HA



Go to www.cpcsigns.com to find more Special Legends for School Zone Signs.



In-Street Pedestrian Crosswalk Signage



- Quickly grabs motorists' attention and alerts them to pedestrians in crosswalk.
- Utilizes Highly Visible, Reflective Diamond Grade Fluorescent Yellow Green sheeting plus FYG posts.
- 12" x 36" Yield to Pedestrian -or- Stop for Pedestrian signs are constructed of durable plastic.

52" X-Tube Rigid Upright with Sign

PART #	LEGEND
RPOFPIPX50WHTSS603	YIELD to Ped - Double Faced
RPOFPIPX50WHTSS602	YIELD to Ped - Single Faced
RPOFPIPX50WHTSS605	STOP for Ped - Single Faced
RPOFPIPX50WHTSS604	STOP for Ped - Double Faced

Choose Sign from above to use with the Yeti Base

RPOFZPTUBEBASEYETI	"The Yeti" 40# Portable Base
RPOFZPTUBEBASE800QR	Quick Release Pin for 1.75" X-Tube Post




Children and other pedestrians are at risk when crossing the street every single day.

42" EFX FYG Flexible Safety Post with Sign

PART #	LEGEND
RPOFPIPG342FLGFX613	YIELD to Ped - Double Faced
RPOFPIPG342FLGFX612	YIELD to Ped - Single Faced
RPOFPIPG342FLGFX615	STOP for Ped - Double Faced
RPOFPIPG342FLGFX614	STOP for Ped - Single Faced

Choose Sign from above to use with the Banana Base or Fixed Base

RPOFZPBSEBANANA	35# Portable Banana Base
RPOFZPFG300BAFYG	Fixed Base
RHSMSCA3840	Asphalt Anchor Bolt
RHSMSCA3825	Concrete Anchor Bolt
RPOFZPFG300XPINS	Post Pins (Box of 50)



The 300 FYG Fixed Base for fixed installations where the post and base will remain on the road surface for an extended period of time.

Bases are constructed of a UV stable, high impact plastic. Safety posts are mounted to the base with two nylon locking pins. Bases are secured to the roadway with either epoxy or bolts.

In-Street Pedestrian Crosswalk Signage



In-Street Pedestrian Crosswalk Signage provides enhanced conspicuity at un-signalized intersections in order to alert motorists to local laws concerning yielding to or stopping for pedestrians in crosswalks.

FEATURES exclusive patented, anti-twist reactive spring system.



IMPACT recovery SYSTEMS



The One Base attaches to quick release post types.

Quick Release Mounting Style Post w/Sign

PART #	Legend	Sign Faces
RPOFPIPDSTDQ	STOP for Ped	Double Faced
RPOFPIPDYDDQ	YIELD to Ped	Double Faced
RPOFPIPDYDSQ	YIELD to Ped	Single Faced
RPOFPIPSSTDQ	(SCHOOL) STOP for Ped	Double Faced
RPOFPIPSYDDQ	(SCHOOL) YIELD to Ped	Double Faced
RPOFPIPSYDSQ	(SCHOOL) YIELD to Ped	Single Faced

Choose Sign from above to use with a Base below

PART #	Description
RPOFZIQRFBASEBK	Quick Release Base - Surface Mount
RPOFZIQRPBASE	Portable One Base - 100% Recycled Rubber
RPOFZIQRPIN	Quick Release Replacement Pin

Portable School Zone Signage



Easy Fold Sandwich Boards

Find a full line of standard and custom options
@ www.cpcsigns.com

Fixed Mounting Style Post w/Sign

PART #	Legend	Signs Faces
RPOFPIPDSTDF	STOP for Ped	Double Faced
RPOFPIPDSTSF	STOP for Ped	Single Faced
RPOFPIPDYDDF	YIELD to Ped	Double Faced
RPOFPIPDYDSF	YIELD to Ped	Single Faced
RPOFPIPSSTDF	(SCHOOL) STOP for Ped	Double Faced
RPOFPIPSYDDF	(SCHOOL) YIELD to Ped	Double Faced

Choose Sign from above to use with a Base below

PART #	Description
RPOFZISMFBK	Fixed Base - Surface Mount
RHSMSLS12	Anchor Kit with 4 lag screws (installs 1 base)

Blinker Beacons™



Vertically Mounted Dual Solar Flashing LED Beacons

- Adds visibility
- Solar Powered, no electric bills, virtually maintenance free
- Low cost installation (no trenching or wiring)
- Patented Auto Bright™ circuitry automatically adjusts brightness levels, maintaining optimal LED output and extending battery life



School Zone Sign MUTCD Regulations

Are Your Signs **BIG ENOUGH?**

MUTCD 2009
CHAPTER 7B
Table 7B-1
p. 733

**Larger signs are required
throughout the 2009 MUTCD.**

Are Your Signs **BRIGHT ENOUGH?**

**Fluorescent Yellow Green
sheeting is required for ALL
School Zone Warning Signs.**


COMPLIANCE REQUIRED

as signs are being replaced or refurbished
because they are damaged, missing, or
no longer serviceable for any reason.


For more information, call customer service, visit
our website: www.cpcsigns.com or the official
MUTCD website: <http://mutcd.fhwa.dot.gov>

Are Your Signs **CORRECT?**

**There are new signs in every section of
the 2009 MUTCD, as well as, many signs
that are no longer an option.**



**NO LONGER
PERMITTED**



W16-9




W16-7




W16-2

The S2-1 School Advance Crossing sign has been replaced
by the S1-1 School Crossing sign combined with the W16-9
AHEAD, the W16-2 500 FEET, or the W16-7 Arrow Plaque.



S5-2



S5-3

The S5-3 END SCHOOL SPEED
LIMIT or S5-2 END SCHOOL ZONE
sign is required at the end of
reduced school speed limit zone.



**NO LONGER
PERMITTED**

The S3-1 School Bus
Stop Ahead (words) has
been replaced by the
NEW S3-1 School Bus
Stop Ahead Symbol.



NEW S3-1

LBCSCHOOL2



VOICE: 1-800-367-1492 • FAX: 1-800-206-3444
sales@cpcsigns.com • www.cpcsigns.com

JACKSON, MISSISSIPPI