















**Pavement Markings** 

# Raised Pavement Markers



































### **SERIES 290**

- Apply with standard bitumen and epoxy adhesives.
- Durable, lightweight, molded-in body color thermoplastic.
- ♦ Highly reflective Diamond Grade™ microprismatic optics.
- Long-life visibility, particularly at night and in wet weather.
- Apply to asphalt or concrete surfaces in non-snowplow regions.
- Impact and abrasion resistant.
- Increase awareness with an added rumble effect.
- 100 per carton. In-Stock colors available individually.



### SERIES 290 with PSA

- Applied with pressure sensitive adhesive.
- Designed for application on asphalt and portland cement concrete road surfaces.
- These markers provide highly effective, long-life visibility, particularly at night and in wet weather.

# **Ceramic Traffic Buttons & Jiggle Bars**



Retro-Reflective Ceramic Markers combine the power of brilliant and exceptional night time visibility with a self cleaning glazed surface for excellent daytime visibility.

### Non-Reflective Ceramic Markers

are maintenance free and feature a heat fired glazed surface that promotes self-cleaning and excellent daytime visibility.




Jiggle Bar **RPMMJB6W** 1-Way Retro-Reflective Material: Ceramic Color: White Size: 6"x 6"



Jiggle Bar **RPMMJB6WW** 2-Way Retro-Reflective Material: Ceramic Color: White Size: 6"x 6"



Jiggle Bar **RPMMJB6Y** 1-Way Retro-Reflective Material: Ceramic Color: Yellow Size: 6"x 6"



Jiggle Bar RPMMJB6YY 2-Way Retro-Reflective Material: Ceramic Color: Yellow Size: 6"x 6"



Jiggle Bar **RPMMJB6WN** Non-Reflective Material: Ceramic Color: White Size: 6"x 6"



RPMMJB6YN
Non-Reflective
Material: Ceramic
Color: Yellow
Size: 6"x 6"



Round Button RPMMCB(X)W 1-Way Retro-Reflective Material: Ceramic Color: White Sizes(X): 6" or 8"



Round Button RPMMCB(X)Y 1-Way Retro-Reflective Material: Ceramic Color: Yellow Sizes(X): 6" or 8"



Round Button RPMMCB4Y 1 Way Retro-Reflective Material: Ceramic Color: Yellow Size: 4"



Round Button RPMMCB4W 1 Way Retro-Reflective Material: Ceramic Color: White Size: 4"



Round Button RPMMCB(X)WN Non-Reflective Material: Ceramic Color: White Sizes(X): 4", 6" or 8'



Round Button RPMMCB(X)YN Non-Reflective Material: Ceramic Color: Yellow Sizes(X): 4", 6" or 8"



Round Button

RPMMCB(X)WWW

2-Way Retro-Reflective

Material: Ceramic

Color: White

Sizes(X): 6" or 8"



Round Button RPMMCB(X)YYY 2-Way Retro-Reflective Material: Ceramic Color: Yellow Sizes(X): 6" or 8"



Round Button RPMMCB4YYY 2 Way Retro-Reflective Material: Ceramic Color: Yellow Size: 4"



Round Button RPMMCB4WWW 2 Way Retro-Reflective Material: Ceramic Color: White Size: 4"

# 4" Traffic Buttons



RPMMTD10500(W)N White RPMMTD10500(Y)N Yellow RPMMTD10500(B)N Black

RPMRRPC6BUBK

RPMRRRSPIKE

- Raised hexagon pattern increases strength and adhesive surface area.
- Buttons made from polypropylene
- ♦ White (W), Yellow (Y), and Black (B)



 Polyurethane body allows marker to straighten itself

after impact.

RPMMC(W) 1 Way RPMMC(WW) 2 Way

- Reflective surface is protected by clear plastic cover.
   Also available with double cover
- Marker comes with adhesive attached

**Chip Seal Temp Markers** 

- ♦ White (W) or Yellow (Y), 1-way or 2-way
- 500/Box (Sold in box quantities only)

# **Rumble Strips**



**RPMRS(XX)ROAD0424** - 4" x 24" x 1/2" | 1.25 lbs **Color (XX):** (WH) White | (YE) Yellow *Yellow is Quick Ship* 



- The Road Rumbler is made from a specially formulated glass-filled polymer material.
- Physical and audible warning for motorists.
- Superior road surface adhesion.
- Unique raised dot grip system and special grooves for improved adhesion.
- Adhere with marker adhesive, bottom of this page.



### 3708 Rumble Strip RPMRS(XX)3708(##)

**Colors (XX):** (BK) Black | (BU) Blue | (RE) Red | (WH) White | (YE) Yellow **Lengths (##):** (01) 12" | (04) 4' | (05) 5' | (06) 6' | (08) 8'

- The 3708 Rumble Strip is solid uni-body marker which eliminates any hollow areas that can crack or crush when impacted by vehicle.
- Ideal to delineate gores, bike and pedestrian lanes, and road shoulders to help prevent dangerous run-off-the-road accidents.
- Install with hot melt bitumen or 2-part epoxy.

38 lbs

1.22 lbs





# **Recycled Rubber Speed Bumps & Parking Curbs**



- Made of 100% recycled rubber tires
- Embedded reflective glass beads
- Removable, flexible, durable
- Installs with 14" rebar spikes (1/2" masonry bit required)

	Quick SHIP		Quick SHIP		Quick	
	Stock#	Description	Size	Spikes	Weight	244
	RPMRRSB48	Speed Bump	4' x 2.25" x 11"	3	35 lbs.	
ires	RPMRRSB72	Speed Bump	6' x 2.25" x 11"	5	52 lbs.	· Comments of the
S	RPMRRPC6YEBK	Yellow Parking Curb	6' x 6" x 4.25"	4	38 lbs.	
	RPMRRPC6WHBK	White Parking Curb	6' x 6" x 4.25"	4	38 lbs.	

6' x 6" x 4.25"

14"

# **Marker Adhesives**

Stock#	Description	# 4"x4" Markers	Coverage
RPMABITUMEN	Adhesive Bituminous - 55# Carton	165	2600 sq in
RPMAEPOXYKITGAL02	Adhesive Epoxy Kit - 2 Gallon (1 ea A/B)	200	3200 sq in
RPMAEPOXYKITGAL10	Adhesive Epoxy Kit - 10 Gallon (5 ea A/B)	1000	16000 sq in
RPMAEPOXYKITQT02	Adhesive Epoxy Kit - 2 Quart (1 ea A/B)	50	800 sq in
RPMAEPOXYKITTUBE	Adhesive Epoxy Tube Kit (1 ea A/B)	8-12	128 to 192 sa in

Handicap Blue Parking Curb

Rebar Spike Pointed

Trailesive Epoxy Table Nit (Tea Typ)		120
Description	# Mark	ers
Adhesive Butyl Single Pad - Sizes: (44) 4" x 4"   (88) 8" x 8"   (8ROUND) 8" Diameter Round	1	
Bundy Thermoplastic Adhesive - Size: 5" x 5"   Colors: (BK) Black   (BU) Blue (WH) White   (YE) Yello	w 140	
Super Bundy Thermoplastic Adhesive - Size: 2" x 39"   Color: Grey	40	
Super Bundy Thermoplastic Adhesive - Size: 8" x 8"   Color: Grey	40	
Hotspot Thermoplastic Adhesive - Size: 5" x 5"   Color: Black	1	
Hotspot Thermoplastic Adhesive - Size: 5" x 5"   Colors: (BK) Black   (BU) Blue   (WH) White   (YE) Y	ellow 150	
Hotspot Thermoplastic Adhesive - Size: 8" x 8"   Color: Black	80	
	Description  Adhesive Butyl Single Pad - Sizes: (44) 4" x 4"   (88) 8" x 8"   (8ROUND) 8" Diameter Round  Bundy Thermoplastic Adhesive - Size: 5" x 5"   Colors: (BK) Black   (BU) Blue (WH) White   (YE) Yellor  Super Bundy Thermoplastic Adhesive - Size: 2" x 39"   Color: Grey  Super Bundy Thermoplastic Adhesive - Size: 8" x 8"   Color: Grey  Hotspot Thermoplastic Adhesive - Size: 5" x 5"   Color: Black  Hotspot Thermoplastic Adhesive - Size: 5" x 5"   Colors: (BK) Black   (BU) Blue   (WH) White   (YE) Yellor	Adhesive Butyl Single Pad - Sizes: (44) 4" x 4"   (88) 8" x 8"   (8ROUND) 8" Diameter Round 1  Bundy Thermoplastic Adhesive - Size: 5" x 5"   Colors: (BK) Black   (BU) Blue (WH) White   (YE) Yellow 140  Super Bundy Thermoplastic Adhesive - Size: 2" x 39"   Color: Grey 40  Super Bundy Thermoplastic Adhesive - Size: 8" x 8"   Color: Grey 40  Hotspot Thermoplastic Adhesive - Size: 5" x 5"   Color: Black 1  Hotspot Thermoplastic Adhesive - Size: 5" x 5"   Colors: (BK) Black   (BU) Blue   (WH) White   (YE) Yellow 150

# **3M** Stamark Pavement Markings



### 380 ES Series Extended Season High Performance Tape

**Solid Non-Linered: RPMTRA380IES** - white | **RPMTRA381IES** - yellow *Sizes: 20 yds (48")* | *30 yds (4",5",6",8",10",12",16",18",24")* | *80 yds (8")* | *100 yds (4",5",6")* 

Solid Non-Linered: RPMTRA385IES - black Sizes: 25 yds (4", 6", 8", 12", 24")

Contrast Non-Linered: RPMTRA380I5ES - white

Sizes: 50 yds (7", 8", 9", 11" includes 1½" black border)

May be applied in temperatures as cool as 40 degrees F.

### 380 AW Series ALL Weather High Performance Tape

**Solid Non-Linered: RPMTRA380AW** - white | **RPMTRA381AW** - yellow *Sizes: 20 yds (48")* | *25 yds (10", 12", 16", 18", 24")* | *60 yds (8")* 

Contrast Non-Linered: RPMTRA380AW5 - white

 Includes "extended season" adhesive for application during normal season, or during early/late season with surface prep adhesive.

### **270 ES Series Intersection Durable Tape**

**Solid Non-Linered: RPMTRA270ES** - white | **RPMTRA271ES** - yellow *Sizes: 20 yds (48") | 30 yds (4",6",8",12",16",18",24",36") | 100 yds (4",6")* 

Exceptionally durable, long-lasting visibility, ideal for intersections.

### 710 Series Wet Reflective Removable Tape

**Solid Non-Linered: RPMTRA710** - white | **RPMTRA711** - yellow *Sizes: 20 yds (48")* | *40 yds (4", 6", 8")* | *120 yds (4", 5", 6")* 

Contrast Non-Linered: RPMTRA7105 - white | RPMTRA7115 - yellow Sizes: 65 yds (7", 8", 9" includes 1½" black border)

Solid Non-Linered: RPMTRA715 - black Sizes: 40 yds (6", 8") | 120 yds (6", 8")

- Designed to perform for the duration of a normal construction season.
- Superior adhesion and conformability, fast and easy to apply and remove, and eliminates grinding.

### 380IES Series • 380AW Series • 270ES Series • 710 Series Pre-Cut Legends, Symbols and Arrows ----









































Rail Road Crossing Package Contains: (2) 78¾" tall R's (1) ROLL 16" x 42 ft FOR "X" RP78<sup>1234</sup>



Rail Road Crossing Package Contains: (2) 72" tall R's (1) ROLL 16" x 42 ft FOR "X"













# HotTape® Lines, Legends & Arrows

### **HotTape® Legends and Arrows**

- Available in standard FHWA designs that are compliant with the Manual on Uniform Traffic Control Devices (MUTCD) including lines, arrows, bike lane markings, railroad markings and word legends such as "STOP", "ONLY", and "SCHOOL" plus many legends shown above on this page.
- Call a Customer Service Representative for Details.

### **HotTape® Lines**

RPMTP90(##)03(XX) - 3ft length x various widths

Width (##): (04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24"

Colors (XX): (WH) White | (YE) Yellow (NOTE: Also available in 90-mil rolls and 125-mil lines)

For HotTape® Application (Cylinder SOLD Separately)

**RPMTPMTORCH** - Magnum Heat Torch w/ 30' Hose **RPMTPMTTROLLEY** - Hot Tape Magnum Tank Trolley

# PreMark® Lines, Legends & Arrows

### **PreMark® Lines, Legends and Arrows**

- Available in the FHWA Standard sizes as shown in the Manual on Uniform Traffic Control Devices (MUTCD) similar to many legends shown above on this page as well as custom designs.
- Call a Customer Service Representative for Details.

### **PreMark® Lines**

RPMTPPM125(##)03(XX) - 3ft length x various widths

Width (##): (04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24" Colors (XX): (WH) White | (YE) Yellow

### For Premark Application use: (Cylinder SOLD Separately)

RPMTPPM2000EXHTORCH - Pre-Mark Flint 2000 EX Heat Torch 5" Nozzle RPMTPPMC20LPGCYL - Pre-Mark C-20 Mark LPG Cylinder (20lb capacity) RPMTPPMC40LPGCYL - Pre-Mark C-40 Mark LPG Cylinder (40lb capacity)

# **Inverted Tip Marking Paints, Wands and Machines**

### **Water Based Marking Paint**

Unleaded • APWA Approved • Cap-On Spray Mechanism

Stock# RPMPITIPWB(XX)

Colors (XX): (RE) Brilliant Red APWA (WH) Brilliant White APWA | (FBU) Flo Caution Blue (FOR) Flo Orange | (FPI) Flo Pink | (FPU) Flo Purple (FGR) Flo Safety Green | (FRE) Flo Safety Red (YE) Utility Yellow APWA

### **Solvent Based Marking Paint**

More durable than water based paint • Unleaded APWA Approved • Cap-On Spray Mechanism

### Stock# RPMPITIPSB(XX

Colors (XX): (BK) Asphalt Black | (BU) Blue APWA (FBU) Flo Blue | (FPI) Flo Hot Pink (FGR) Flo Neon Green | (FOR) Flo Orange (FROR) Flo Red/Orange | (FRE) Flo Safety Red (GR) Green AWPA | (YE) Hi Vis Yellow APWA (RE) Red APWA | (WH) Utility White AWPA (PU) Flo Purple

### **Marking Chalk**

More permanent than water based paint Unleaded • Non-Clogging Tip

### Stock# RPMPITIPMC(XX

Colors (XX): (BU) Blue | (GR) Green | (OR) Orange (RE) Red | (WH) White | (YE) Yellow

### **Athletic Field Striping Paint**

Water Based • VOC Compliant • Unleaded • APWA Colors

### Stock# RPMPITIPAFSA(XX)

Colors (XX): (WH) White | (YE) Yellow | (OR) Orange (FLOR) Flo Orange | (RBU) Royal Blue | (TGR) Turf Green

### **Pavement Striping Paint**

30 Minute Dry Time • VOC Compliant • Unleaded

### Stock#

RPMPITIPPS(XX

Colors (XX): (CUBK) Cover-Up Black (FRE) Fire Lane Red | (HBU) Handicap Blue (HWH) Highway White | (HYE) Highway Yellow





Sold by Case (12 Cans/Case)

34" Marking Wand RPMPITIPMWAND

12" Hand-Held Wand RPMPITIPHWAND



# 34" Line-Up Striping Wand RPMPITIPPSWAND

### **Pavement Striping Machine RPMPITIPPSM**

- Makes 2"-4" Line
- 18 gauge steel
- 7" Wheels
- Stores a full case of paint

### **APWA Uniform Color Code**

- White: Proposed Excavation
- Pink: Temporary Survey Markings
- Red: Electric Power Lines, Cables, Conduit and Lighting
- Yellow: Gas, Oil, Steam, Petroleum or Gaseous Materials
- Orange: Communication, Alarm or Signal Lines, Cables or Conduit
- Blue: Potable Water
- Purple: Reclaimed Water, Irrigation and Slurry Lines
- **Green**: Sewers and Drain Lines

**Construction Grade Pavement Tape** 

### **Athletic Field Striping Machine**

RPMPITIPAFSM

- 18 gauge steel
  - 10" Wheels
- Stores a full case of paint



### RSP950(XXXX)4521 Fluorescent Colors:

(FLGR) Flo Green | (FLLI) Flo Lime (FLOR) Flo Orange | (FLPK) Flo Pink (FLRR) Flo Rocket Red

### RSP951(XX)4521

Standard Colors: (BK) Black | (BU) Blue | (CL) Clear (GR) Green | (OR) Orange (PU) Purple | (RE) Red | (SL) Silver (WH) White | (YE) Yellow

♦ 4" x 5" flag w/21" wire staff is a Top Seller.



Many other variations and custom printed flags are available (min qty of 1,000 on flag orders)



# Reflective Glass Beads





- "Drop On" Glass Beads
- AASHTO Type I Specifications
- 50 Lb. Bags



Reflective temporary construction grade pavement tape withstands tough weather and road conditions. 4" X 50 yards



- Glass beads are dropped or sprayed upon pavement markings to produce a reflectorized marking.
- High end glass beads suitable for state DOT jobs and exceed city/county/parking lot specifications.

# **Graphic Word & Symbol Stencils**



Golf Cart **RPMS033628GOLF** 36"x28" | 1/16" thick



16"x20" | 1/16" thick

Roller Blading In-Line Skating
RPMS031620ROLLINSKT

1 Piece Stencil Baby & Stork

Baby & Stork **RPMS034524STORK** 45"x24" | 1/16" thick



Baby & Carriage RPMS033236BABYCAR 32"x36" | 1/16" thick



No Parking **RPMS0326NP** 26" Diameter | 1/8" thick



No Skateboards **RPMS0326NOSKT** 26" Diameter | 1/16" thick



Clean Up! Trash Your Trash RPMS031012TRASH 10"x12" | 1/16" thick



Maltese Cross

RPMS033737MALCROSS

37"x37" | 1/8" thick



Fire Hydrant w/Arrow RPMS031833FIREHYDA 18"x33" | 1/8" thick



Clean In Clean Out RPMS036060CLEAN 60"x60" | 1/16" thick



No Roller Skating

RPMS03NOROLLBLADE

26" Diameter | 1/16" thick



RPMS037272SPEEDHUMP 72"x72" | 1/8" thick



Electric Charging Station/Parking Stalls

RPMS034035ELECCHRG

40"x35" | 1/8" thick



Electric Charging Station/Parking Stalls

RPMS034344ELECCHRG

43"x44" | 1/16" thick



Alt Parking Stall

RPMS0346ALTPARKSTALL

46" Diameter | 1/8" thick



STOP - Military Style **RPMS05(XX)MILITARYSTP** (60) 60" | (96) 96" | 1/8" thick




S-T-O-P **RPMS0560STOP** 60" High | 1/8" thick



RPMS0596STOP 96" High | 1/8" thick



RPMS0536YIELD 36" High | 1/8" thick



Sewer Grate

RPMS032436SEWER

24"x36" | 1/8" thick



RPMS033630COMCAR 36"x30" | 1/16" thick



Motorcycle Parking **RPMS033625MOTORPARK** 36"x25" | 1/8" thick



Electric Charging Station/Parking Stalls **RPMS0345ELECCHRG** 45" Diameter | 1/16" thick



**RPMS039628BUCKLE** 96"x28" | 1/8" thick



Barricade Stripe **RPMS030672BS** 6"x72" | 1/8" thick



Electric Charging Station Parking Stalls

RPMS032056ELECCHRG

20"x56" | 1/8" thick



Low-Emitting & Fuel Efficient Vehicle RPMS034824LOWEMFUELV 48"x24" | 1/8" thick



Compact Car RPMS033648COMCAR 36"x48" | 1/8" thick



RPMS08XXCIRCLEPLAY
Custom Size 4"-30" | 1/8" thick



Tic Tac Toe with 4 X' & 4 O's **RPMS081212TTTKIT** 12"x12" | 1/8" thick



Child Running RPMS032548CRUN 25"x48" | 1/8" thick



Pedestrian Crossing RPMS034060PEDCROSS 36"x60" | 1/8" thick



No Pedestrians **RPMS0342NOPEDESTRIAN** 42" Diameter | 1/16" thick



Recycle
RPMS0336RECYCLE
36" Diameter | 1/8" thick




No Smoking **RPMS0336NS** 36" Diameter | 1/8" thick

McDonald's Kit

RPMSMCDONALDSKIT

34" Letters | 42" Circles






Leaf w/Roadway Low Emit Fuel RPMS033655LEAFROAD 36"x55" | 1/16" thick



RPMS034040DBLELEAF 40"x40" | 1/8" thick



Crosswalk Awareness **RPMS03(XX)LOOK** (12) 12" or (16) 16" letters 1/8" thick



Crosswalk Bar RPMS01(XXXX)CROSSBAR 24" or 36" x72" | 1/8" thick




# **Federal Spec. Arrow Stencils**



Multi-Purpose 22" Straight Arrow RPMS0222ARROWS 1/8" thick




Multi-Purpose 24" Curved Arrow **RPMS0224ARROWC** 1/8" thick



5' Straight Arrow RPMS0205ARROWS 5' Curved Arrow RPMS0205ARROWC 1/8" thick



6' Straight Arrow - 2 PCS RPMS0206ARROWS 6' Curved Arrow - 2 PCS RPMS0206ARROWC 1/8" thick



Curved Arrow

RPMS0208ARROWCF
72" x 8' | 1/8" thick



Curved/Straight Combo Tail **RPMS021207ARROWCOMF** Size: 44" x 7' | 1/8" thick





### RPMSPA0236ARROWC

Size: 36" x 144" Piece 1/8" thick

**PENN DOT Spec Arrows** 

# RPMSPA0220ARROWS

2 Piece Size: 20" x 144" Stencils 1/8" thick





California Loop RPMSCA01LOOPXXXX (35 SIZES AVAILABLE) 1/8" thick



Lane Reduction Arrow RPMS0218ARROWLRF
18' long x 5'6" wide | 1/8" thick




U-Turn Arrow


RPMS0208ARROWUF

8' long x 9'2" wide | 1/8" thick


# **Universal Arrow Stencils**

1/8" thick







RPMS0208ARROWC



4" Outlined Straight Arrow RPMS0204ARROWSOUT 1/8" thick



4" Outlined Curved Arrow RPMS0204ARROWCOUT 1/8" thick





RPMS0206ARROWKIT3 Straight Arrow - 37" Curve Arrow - 43" 1/8" thick


6' Kit - 3PC













1/8" thick





4" High Letters		
RPMS0504COM	COMPACT	
RPMS0504CUS	CUSTOMER	
RPMS0504FIRE	FIRE	
RPMS0504GUEST	GUEST	
RPMS0504H	HANDICAP	
RPMS0504LANE	LANE	
RPMS0504LOAD	LOADING	
RPMS0504MGR	MANAGER	
RPMS0504MIN	MIN	
RPMS0504ND	NO DIVING	
RPMS0504NP	NO PARKING	
RPMS0504NROLL	NO ROLLER BLADING	
RPMS0504NR	NO RUNNING	
RPMS0504ONLY	ONLY	
RPMS0504P	PARKING	
RPMS0504RESI	RESIDENT	
RPMS0504RES	RESERVED	
RPMS0504SKT	SKATEBOARDING	
RPMS0504VIS	VISITOR	
RPMS0504WFWS		

# WAIT FOR WALK SIGNAL

RPMS0504ZONE ZONE

6" High Letters			
RPMS0506ACC	ACCESSIBLE		
RPMS0506COM	COMPACT		
RPMS0506EXIT	EXIT		
RPMS0506FIRE	FIRE		
RPMS0506H	HANDICAP		
RPMS0506LANE	LANE		
RPMS0506LOAD	LOADING		
RPMS0506ND	NO DIVING		
RPMS0506NR	NO RUNNING		
RPMS0506NSK	NO SKATEBOARDING		
RPMS0506NS	NO SMOKING		
RPMS0506NP	NO PARKING		
RPMS0506ONLY	ONLY		
RPMS0506P	PARKING		
RPMS0506RES	RESERVED		
RPMS0506SL			

# STOP - LOOK

RPMS0506VAN	VAN
RPMS0506VIS	VISITOR
RPMS0506ZONE	ZONE

8" High Letters		
RPMS0508ASST	ASST	
RPMS0508CARS	CARS	
RPMS0508CHIEF	CHIEF	
RPMS0508COM	COMPACT	
RPMS0508CUS	CUSTOMER	
RPMS0508DOC	DOCTOR	
RPMS0508FIRE	FIRE	
RPMS0508H	HANDICAP	
RPMS0508LANE	LANE	
RPMS0508LOAD	LOADING	
RPMS0508MGRA	MGR	
RPMS0508NP	NO PARKING	
RPMS0508ONLY	ONLY	
RPMS0508P	PARKING	
RPMS0508PRES	PRESIDENT	
RPMS0508RES	RESERVED	
RPMS0508SEN	SENIOR	
RPMS0508STA	STAND	
RPMS0508TAXI	TAXI	
RPMS0508VICE	VICE	
RPMS0508VIS	VISITOR	
RPMS0508ZONE	ZONE	
10" High Letters		

10" HI	gn Letters
RPMS0510ASST	ASST
RPMS0510CARS	CARS
RPMS0510CHIEF	CHIEF
RPMS0510COM	COMPACT
RPMS0510CUS	CUSTOMER
RPMS0510DOC	DOCTOR
RPMS0510FIRE	FIRE
RPMS0510H	HANDICAP
RPMS0510LANE	LANE
RPMS0510LOAD	LOADING
RPMS0510MGR	MANAGER
RPMS0510MGRA	MGR
RPMS0510NP	NO PARKING
RPMS0510OW	ONE WAY
RPMS0510ONLY	ONLY
RPMS0510P	PARKING
RPMS0510PRES	PRESIDENT
RPMS0510RESC	RESERVED (CONDENSED)
RPMS0510RES	RESERVED
RPMS0510SEN	SENIOR
RPMS0510STA	STAND
RPMS0510STOP	STOP
RPMS0510TAXI	TAXI
RPMS0510VICE	VICE
RPMS0510VIS	VISITOR
RPMS0510ZONE	ZONE

" Hig	jh Letters	9" Hig	h Letters
Т	ASST	Piece	NO
S	CARS	RPMS0509NP	
F	CHIEF	REWISUSUSINE	PARKING
١	COMPACT	1 Piece	07. O.U.
	CUSTOMER	Stencil	SLOW
	DOCTOR	RPMS0509SS	SPEED
	FIDE		

12" High Letters		
RPMS0512COM	COMPACT	
RPMS0512CUS	CUSTOMER	
RPMS0512DO	DO	
RPMS0512DRIVE	DRIVE	
RPMS0512ENTER	ENTER	
RPMS0512EXIT	EXIT	
RPMS0512FIRE	FIRE	
RPMS0512LANE	LANE	
RPMS0512LOAD	LOADING	
RPMS0512NO	NO	
RPMS0512NOT	NOT	
RPMS0512ONLY	ONLY	
RPMS0512P	PARKING	
RPMS0512RES	RESERVED	
RPMS0512STOP	STOP	
RPMS0512THRU	THRU	
RPMS0512VIS	VISITOR	
RPMS0512ZONE	ZONE	

<b>PMS0518DO</b> D	0
: III3031020	O .
RPMS0518DRIVE D	RIVE
RPMS0518ENTER E	NTER
RPMS0518EXIT	XIT
RPMS0518FIRE FI	IRE
RPMS0518IN	I
RPMS0518LANE	ANE
RPMS0518NO N	0
RPMS0518NOT N	ОТ
RPMS0518ONE O	NE
RPMS0518ONLY O	NLY
RPMS0518OUT O	UT
RPMS0518P PA	ARKING
RPMS0518STOP ST	TOP
RPMS0518THRU TI	HRU
RPMS0518WAY	/AY
RPMS0518ZONE Z	ONE



### 24" High Letters RPMS0524NO RPMS0524P **PARKING** RPMS0524DO DO RPMS0524NOT NOT RPMS0524FIRE **FIRE** RPMS0524LANE LANE RPMS0524ZONE ZONE RPMS0524ENTER **ENTER** RPMS0524EXIT **EXIT** RPMS0524DRIVE **DRIVE** RPMS0524THRU **THRU** RPMS0524LOAD **LOADING** RPMS0524ONE ONE RPMS0524WAY WAY RPMS0524STOP **STOP** RPMS0524ONLY **ONLY** RPMS0524SLOW **SLOW** RPMS0524AHEAD **AHEAD**







48" High Letters























# **Bicycle Lane Stencils**



Bike Lane (no helmet) RPMS03(XXXX)BLANE (1733)17"x33" | (2448) 24"x48" 1/8" thick



Bike Trail RPMS036540BTRAIL 65"x40" | 1/8" thick



Bike Lane (w/helmet) RPMS0340(XX)BLANEH 40"x(60)" or (72)" | 1/8" thick



Bicycle Diamond RPMS033672BICDIA 36"x72" | 1/8" thick



**Railroad Stencils** 

Bike Shared Lane RPMS0340(XXX)SHAREBIC 40" x (111)"or (69)" | 1/8" thick

6'6" RR XING (PENNDOT SPEC)

"R" - RPMSPA0366RR "X" - RPMSPA03RRX

1/8" thick



6' Fed "R" for Railroad XING RPMS0306RRCROSSF

> "X" for Railroad XING RPMS0320RRX

1/8" thick



5' Fed "R" for Railroad XING RPMS0305RRCROSS

> "X" for Railroad XING RPMS0320RRX 8ft wide x 20 ft high

# **Handicap/Disabled Stencils**

is Piece Stencil

12" x 18" ADA SYMBOLS • 6" Wording • 1 Piece Stencils • Made from Durable 1/8" Poly Material









Active Handicap - 1/8" thick RPMS033628H | 36"x28"

Active Handicap (NY SPEC) RPMSNY034536H | 45"x36' 1/8" thick



Walmart ADA Handicap RPMS508472WALADAH2 (8472) 84"x72" 1/8" thick



RPMS032032HB20"x32" Handicap Symbol w/Border

Stencils are 1/8" thick



RPMS031812H1 RPMS033224H2 RPMS034133H25 RPMS034236H35

12"x18" Handicap Symbol (1.25" Stroke) 32"x24" Handicap Symbol (2" stroke) 41"x33" Handicap Symbol (2.5" stroke) 42"x36"Handicap Symbol (3.5" stroke)

# **Aluminum Barrier Mount Delineators**



The Brite-Max Delineator is the best delineator on the market for combined safety and durability. The Aluminum body provides long life in all climates in both work zone and permanent installations.

- PRODUCT ID: BMJB(XXX)(X)(XX)(S/D)
- Reflective Size (XXX): (009) 3" x 3" Tab Size: 2" (012) 4.25" x 3.5" Tab Size: 2" | (015) 3" x 5" Tab Size: 3" (048) 6" x 8" Tab Size: 3" | (072) 6" x 12" Tab Size: 3" (096) 8" x 12" Tab Size: 3" | (100) 10" x 10" Tab Size: 3"
- 3M Reflective Sheeting (X): (H) High Intensity Prismatic
   (3) DG3 Diamond Grade Cube
- Quick Ship Colors (XX): (WH) White | (YE) Yellow
   (FY) Fluorescent Yellow | (OR) Fluorescent Orange
- ♦ Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- Body Substrate: .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- Compatibility: The Brite-Max Barrier Mount Delineators can be used for top or side mount applications on concrete barriers and wooden guardrail posts.



All non-stock standard reflective sheeting colors and types available by custom order.

Call customer service at 1-800-367-1492 for details.

 Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas.



SCAN QR codes with Smart Phone camera to view product videos.

# **Key features of Portable Concrete Barrier Markers**

- Brite-Max BMJBs are becoming DOT approved nationwide in states which prefer durable aluminum over plastic!
- Plastic PCBMs meet specifications nationwide.
- Also known as a "Jersey" Barrier Marker. Typical applications include temporary and permanent concrete barriers, concrete
  bridge parapets and wooden guardrail posts. BMJB bases are pre-drilled for either adhesive or bolt mounting.
- ◆ Installation: BMJBs have 3/8" holes pre-drilled for permanent 5/16" hardware installations. Use adhesives for a quick, reliable and less labor intensive installation. Standard pavement marking adhesives are available for purchase. Also, Dapco brand 795A Adhesive (RPMAEPOXYTUBE1P) is available through special order by calling customer service at 1-800-367-1492.

# **Plastic Barrier Mount Delineators**

### **Portable Concrete Barrier Markers**

- PRODUCT ID: RDBM(XXX)(X)(XX)(S/D)
- ◆ Reflective Size (XXX): (PCBM09) 9" sq in (PCBM12) 12" sq in | (PCBM15) 15" sq in | (PCBML16) 32" sq in (LITTLEDOG) 72" sq in | (BIGDOG) 96" sq in

- ◆ 3M Reflective Sheeting (X): (H) High Intensity Prismatic
  (3) DG3 Diamond Grade Cube | (D) Orange VIP Diamond Grade
- Colors (XX): (WH) White | (YE) Yellow (OR) Fluorescent Orange
- ♦ Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- Body Substrate: UV-stabilized polymers for long life in both work zones and permanent installations.
- Compatibility: PCBMs can be used for top and/or side mount applications.



### PCBM-9

- HIP White or Yellow Sheeting
- Side or Top Mount







PCBM-L16

Yellow Sheeting

· Top Mount Only

· HIP White or

### PCBM-12

- White or Yellow HIP -or-DG3 Sheeting
- Side or Top Mount



### PCBM-15

- HIP White or Yellow Sheeting
- Top Mount Only





- DG Orange Fluorescent Sheeting
   Top Mount Only
- BOX QTY



### **BIG DOG**

- DG Orange Fluorescent Sheeting
- Top Mount Only





### **Flexible Hinged Barrier Markers**

- PRODUCT ID: RDBMPCBMT9(H)(XX)(S/D)
- ♦ **Reflective Sheeting Size:** 9 sq in of High Intensity Prismatic
- Reflective Sheeting: (H) High Intensity Prismatic
- ◆ Colors (XX): (WH) White | (YE) Yellow
- ◆ Reflective Sides (S/D): (S) Single-Sided (D) Double-Sided
- Body Substrate: UV-stabilized polymers for long life in both work zones and permanent installations.
- Compatibility: The PCBM-T9 is a hinged version of the PCBM-9 and is designed for use on top of movable barrier systems.




### **Flexible Hinged Barrier Markers**

- ◆ PRODUCT ID: RDGRDFT(H)(XX)(S/D)
- ◆ **Reflective Sheeting: (H)** 12" sq in of High Intensity Prismatic
- ◆ Colors (XX): (WH) White | (YE) Yellow
- ♦ **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- Body Substrate: Marker body made of rigid PVC with coextruded 80 durometer polyurethane acting as working hinge.
- Compatibility: Designed for use on top of movable barrier systems.







### **JD Cube Barrier Markers**

- ◆ PRODUCT ID: RDBMJD(1/2) (XX)
- Size: approx 3" x 5.25" x 2.5"
- Reflective Size: approx 9.5" sq. in.
- Reflective Sides (1/2):
   (1) Single-Sided | (2) Double-Sided
- Colors (XX): (WH) White | (YE) Yellow
- ♦ **Body Substrate:** ABS and Acrylic
- The JD Cube is bright! Exceeds all state and federal brightness standards.





### **MUTCD Guidance**

### **About Delineators**

- Delineators are beneficial at locations such as at lane-reduction transitions and curves and provide effective guidance at night and during adverse weather conditions. Refer to the MUTCD for more information.
- Retroreflective elements for delineators shall have a minimum dimension of 3 inches.
- ♦ Delineators are considered guidance devices rather than warning devices.
- Delineators may be used on long continuous sections of highway or through short stretches where there are changes in horizontal alignment.

### **Color Definitions**

- WHITE: Lane markings or to mark the right pavement edge.
- YELLOW: Separate traffic moving in opposite directions, or mark the left pavement edge on one-way roadways.
- RED: Used to warn motorists of "Do Not Enter" or "Wrong Way".
   Also, delineators shall be red when used on a truck escape ramp.
- BLUE: Used to mark the location of fire hydrants on the shoulder or at the curb.
- GREEN: Used for snowplow markings.
- ORANGE: Used in construction work zone areas.

# Brite-Max Butterfly Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.



The Aluminum body of Brite-Max Delineators provides long life in all climates and provide effective guidance at night, in low light and adverse weather conditions.

- PRODUCT ID: BMGRD(XXX)(1/2)(X)(XX)
- Installation Type (XXX): (567) Slot installs on existing guardrail bolt (818) Hole installs on new guardrail
- **Reflectivity:** Provides 8.5" square inches of reflectivity.
- Reflective Sides (1/2): (1) Single-Sided\* | (2) Double-Sided
- **3M** Reflective Sheeting (X): (H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- \*NOTE: Industry Standard for Single-Sided Reflective placement on the side that bends towards the fork side as shown in images. Custom orders for non-standard single-sided reflective placement is available by custom order, call 1-800-367-1492.
- Reflective Colors (XX): (WH) White | (YE) Yellow | (FYE) Fluorescent Yellow
- Body Substrate: .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- Compatibility: Butterfly shape fits in the center channel for protection from accidental damage or vandalism.
- Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.
- **MUTCD Guidance:** Meets the minimum MUTCD requirements for reflectivity.
- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.



# W-Beam/Butterfly Guardrail Delineators

- W-Beam/Butterfly Style Reflectors provide effective guidance at night, in low light and adverse weather conditions.
- Compatibility: Fit in the center channel of guardrails for protection from accidental damage or vandalism.



Round Steel - Bolt On

- PRODUCT ID: RDGRD18(X)(XX)
- Reflectivity: Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- Reflective Sides (X) Colors (XX): (1)(WH) Single-Sided White (1)(YE) Single-Sided Yellow (2)(WY) Double-Sided White/Yellow Bi-Directional
- Size: 3.25" Diameter
- steel bracket w/plastic reflector 2024 | Catalog#17



Round Poly - Glue On

- PRODUCT ID: RDGRDAGR(X)(XX)
- ♦ Reflectivity: Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- Reflective Sides (X): (1) One-Sided | (2) Double-Sided
- Colors (XX): (WH) White | (YE) Yellow
- Size: 3.25" Diameter
- Body Substrate: Polycarbonate bracket w/plastic reflector



### RDGRD-567 Butterfly Steel - Bolt On

- PRODUCT ID: RDGRD567(X)(H)(XX)
- Reflective Sheeting: 8" sq in of (H) High Intensity Prismatic
- (1)(WH) Single-Sided White (1)(YE) Single-Sided Yellow (2)(WH) Double-Sided White (2)(YE) Double-Sided Yellow (2)(WHYE) Double-Sided White/Yellow Bi-Directional
- Body Substrate: Galvanized Steel



**BMGRD-567 Butterfly Aluminum Bolt On Existing Guardrail** 

**BMGRD-818** 

**Butterfly Aluminum Bolt On New Guardrail** 

### RDGRD-717

Butterfly Poly - Bolt On

- ◆ PRODUCT ID: RDGRD(XXX)(X) (H) (XX)
- ◆ Reflective Sheeting: 8" sq in of (H) High Intensity Prismatic
- ♦ Install Type (XXX): (717) Bolt Slot | (721) Glue-On
- Reflective Sides (X): (1) Single-Sided | (2) Double-Sided
- Colors (XX): (WH) White | (YE) Yellow
- Body Substrate: Polycarbonate



- Body Substrate: Galvanized



# Brite-Max A-Style Barrier/Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.



The Brite-Max A-Style
Delineators offer a
unique style for
the ultimate
in delineation.





- PRODUCT ID: BMG(ASTYLE)(X)(XX)(S/D)
- ♦ A-STYLE (A04)

Reflectivity: 18.5" sq in

**Body Size:** 10.375" x 4" x 4" in bent position. **Installation:** (2) 4" x 1.25" mounting surfaces, (2) 1/4" diameter holes for fasteners and

(6) 1/4" x 1 1/4" obround holes to assist with adhesion. **Compatibility:** Concrete barriers top mounting only.

♦ A-STYLE (A025)

Reflectivity: 11" sq in

**Body Size:** 6.5" x 4" x 2.5" in bent position. **Installation:** (2) 4" x 3/4" mounting surfaces,
(2) 1/4" diameter holes for fasteners and
(4) 3/16" x 3/4" obround holes to assist with adhesion. **Compatibility:** Concrete barriers mounting on top and/or on the side or guardrail post mount.

- 3M Reflective Sheeting (X):
   (H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- Reflective Colors (XX): (WH) White | (YE) Yellow (FYE) Fluorescent Yellow

- ♦ Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- ♦ **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- MUTCD Guidance: Meets the minimum MUTCD requirements for reflectivity.
- ♦ **NOTE:** Adhesive and hardware, sold separately.
- Utilize Brite-Max A-Style Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.




# **Brite-Max Utility-View Reflectors**

- PRODUCT ID: BMUV(X)(XX)(XXXX)
- ◆ 3M Reflective Sheeting (X):
  (H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- ◆ Colors (XX): (YE) Yellow | (FY) Fluorescent Yellow | (WH) White (RE) Red | (OR) Fluorescent Orange | (FG) Fluorescent Yellow-Green
- Size (XXXX): (01536) 1.5" x 36" | (01560) 1.5" x 60" | (0436) 4" x 36" (0460) 4" x 60" | (0636) 6" x 36" | (0660) 6" x 60"
- ♦ Material: .040" Aluminum
- The flexible bands are designed to wrap around utility poles, as well as marking transformer covers, and other potential hazards for pedestrians and motorists.
   Suitable for both rural and urban areas.
- ◆ **Compatibility:** 36" long reflectors fit 11.46" diameter utility poles and 60" long reflectors fit 19.09" diameter utility poles.
- Installation: Reflectors can be cut with tin snips to mark poles with other diameters. The .040" aluminum is both rigid and flexible, which allows quick and easy installation around wood utility poles using roof nails, staples, or screws. A combination of these fasteners as well as adhesives can be used to mount them to other surfaces. Tools, hardware and adhesives, sold separately.
- Utility-View Reflectors can be ordered with VHB tape on the back, in other colors and with reflective or non-reflective numbers to better identify locations.



Utility-View Reflective Flexible Bands help increase safety by increasing visibility both day and night.









Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.

The Brite-Max Multi-View Delineator is the best delineator on the market for combined safety and durability.



- PRODUCT ID: BMGS(XXXX)(X)(XX)(S/D)
- **Single-View Sizes (XXXX): (0415)** 4" x 15" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity (0427) 4" x 27" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity (0327) 3" x 27" body with 3" x 12" reflective sheeting provides 36" square inches of reflectivity
- Multi-View Sizes (XXXX): (MV0415) 3.75" x 15" x .75" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity (MV0427) 3.75" x 27" x .75" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity
- **3M** Reflective Sheeting (X): (H) High Intensity Prismatic (3) DG3 Diamond Grade Cube
- Colors (XX): (WH) White | (YE) Yellow | (FY) Fluorescent Yellow
- Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- Body Substrate: Non-hinged .080" Aluminum provides long life in all climates in both work zone and permanent installations.

- The **Single-View** is a durable, economical marker that provides an efficient way to delineate guardrails day and night.
- ♦ The long term durability of aluminum backing plus the extreme angularity of the **Multi-View** profile combine to form an unbeatable product.
- Compatibility: Easy to install on wooden quardrail posts. Guardrail reflectors can be either adhesively or bolt mounted to metal quardrails.
- NOTE: Adhesive and hardware, sold separately.
- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.



# **Guardrail Mount Delineators**



Fits over steel I-beam

- I-Flex Hinged
- PRODUCT ID: RDGRDIFLEX12(H)(XX)(S/D)
- Reflective Sheeting: 3" x 4" with 12" sq in (H) High Intensity Prismatic
- Reflective Colors (XX) (WH) White | (YE) Yellow
- Sides (S/D): (S) Single | (D) Double
- Bi-Directional: (WHYE)(D) Double-Sided White/Yellow
- Body Substrate: Resin body & polyurethane hinge



Hinged

PRODUCT ID: RDGRDSFLEX (H)(XX)(S/D)

- Reflective Sheeting: (H) High Intensity Prismatic
- Reflective Colors (XX) (WH) White | (YE) Yellow
- Sides (S/D): (S) Single-Sided (D) Double-Sided
- Body Size: 4" x 8.75"
- Body Substrate: Resin body & polyurethane hinge



Hinged

individually PRODUCT ID: RDGRDFR(X)(H)(XX)(S/D)

Available

- Body Size (X): (3) 3" x 5.75" with 12" sq in of sheeting or (4) 4" x 5.75" with 16" sq in of sheeting
- Reflective Sheeting: (H) High Intensity Prismatic
- Reflective Colors (XX) (WH) White | (YE) Yellow
- Sides (S/D): (S) Single | (D) Double
- Body Substrate: PVC body & polyurethane hinge



### Straight-Flex

Non-Hinged

- PRODUCT ID: RDGRP(OPTIONS)
- **Body Color:** White
- **Body Size:** 3" x 13"
- **Reflective Sheeting: High Intensity Prismatic**
- **Reflective Colors:** White | Yellow
- **Sides:** Single | Double
- Reflective Sizes: 3" x 5"
- **Body Substrate: Resin**



Flex-Post Non-Hinged



- RDGRPF(OPTIONS) **Body Colors:**
- Yellow, White, Grey Body Sizes: 3"x27" | 4"x27"
- Profiles: 3" Dual Curve or 3" or 4" Single Curve
- **Reflective Sheeting:** High Intensity Prismatic
- **Reflective Colors:** White, Yellow
- **Reflective Sizes:** 3" x 8" | 3" x 12"



# Ground Mount Flex Delineators & Markers



### **Boundary Marker**

**Economical survey** marker is designed for marking trails and boundaries.



Lengths (##):

(66) 66" | (72) 72"

Color (XX): (OR) Orange




### Jtilimark

Design with a thicker middle for easier installation into hard soil.



Lengths (##): (62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown (YE) Yellow (WH) White (OR) Orange | (RE) Red (GR) Green (BU) Blue



### **Triple Rail**

Use as a roadway delineator or as a marker for buried utilities.



Lengths(##): (62) 62" (66) 66" | (72) 72"

Colors (XX): (BR) Brown (YE) Yellow (WH) White (OR) Orange | (RE) Red (GR) Green | (BU) Blue



### **Boundary Marker**

Use Boundary Marker, Utilimark or Triple Rail Markers for marking property. Over 90 legends available.

### **Boundary Decals** RPOFDGGZD(R/V)(XX)

(R) High Intensity Prismatic (V) Non-Reflective Vinyl

### Legends (XX):

(WPSM) Witness Post Survey Marker (PB) Property Boundary (ROW) Right of Way



### **Optional Anchors**

### **Fiberglass Anchor RPOFDGGZAGAI**

For stability in soft or sandy conditions. Includes (1) one pre-installed fiberglass anchor.

### **Fiberglass Anchor Kit RPOFDGGZAGAK**

Includes (10) ten anchors plus rivets for installation onto flexible markers.



### **Rivet Gun** RHRBALMGUN

For installation of anchors to flexible markers with kit rivets.









### Standard & Customized Decals Available

Available for agencies such as National Park Service, Bureau of Land Management, Corps of Engineers, Department of the Interior, Fish and Wildlife Service, NOAA, Bureau of Indian Affairs, and National Forest Service. Call for details.



### 911 Marker

Utilimark and Triple Rail Markers are ideal as an emergency 911 marker.

### 4" Reflective **Die Cut Series B Letters & Numbers**

DC(H)WHL04B (H) High Intensity Prismatic. Other sizes and options available.



### **Fire Hydrant Marker**

Use Utilimark Marker as a Fire Hydrant Marker to locate hydrants in low visibility areas.

### **Fire Hydrant Decal** RPOFDGGZD(R/V)FH

(R) High Intensity Prismatic (V) Non-Reflective Vinyl





### **Reflective Decals**

Add Reflective Sheeting Decals to Ground Mount Delineators. RPOFDGGZRS(H)(X)(####)

### Colors (X):

(W) White | (Y) Yellow

### Sizes (####):

(0303) 3" x 3" | (0306) 3" x 6" (0309) 3" x 9" | (0312) 3" x 12"

### Reflective Sheeting:

(H) High Intensity Prismatic



### **Fiberglass Snow Pole Markers**

Composite fiberglass snow poles improve roadway demarcation for motorists and snow removal crews.

### RDSNOWGR(XXX)(##)

Thickness (XXX): (316) 3/16" | (38) 3/8" Lengths (##): (72) 72" | (84) 84" | (96) 96"



### **Snow Pole Decals** RDSNOWGZDV(XX)

(WL) Water Line (SM) Survey Marker (TC) Telephone Cable (WM) Water Meter (SFM) Sewage Force Main (GS) Gas Service (B) Boundary (CU) Custom Decal






# Tubular Markers & Tube Delineators



### Choose from one of the 3 most popular Tubular Markers









w/One Pin System, 2.25" OD tube,

36" tall Marker and 2 HIP reflective bands.

Option: use one of our Easy Order Checklists found below to customize your order.



RPOFDSNTM236YE2Y Yellow Body/Yellow Sheeting



Tubular Markers and Tube Delineators are highly visible day


or night, remain flexible at extreme temperatures, and return

upright after impact. Approved by most state DOT's.

Surface Mount Tube Delineator

**Ground Mount Tube Delineator** 





Surface Mount Tubular Marker

## **Easy Order Checklist - Standard Options**

Standard Features: Surface Mount Base

Follow the steps below to build your own standard tubular marker or tube delineator to suit your specific needs.

# **STEP 1** Choose a Mounting Style

- ☐ Ground Mount Base 2-Part System: 1. Drivable Ground Anchor and 2. Replaceable Flex Delineator
- ☐ Surface Mount Base One Pin System: Simple installation base is included with replaceable tube for low maintenance cost.

# **STEP 2** Choose a Tube Style

- ☐ Tubular Marker 2.25" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes.
- ☐ **Tubular Marker** 3" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes. (available in 36" height only)
- ☐ **Tube Delineator -** 2.25" OD tube for use as a delineator. Comes with 3" x 12" HIP reflective decals.

# STEP 3 Choose a Height

**Height:** □36" □42" □48"

# **STEP 4** Choose a Tube Color

**Body Color:** □ White □Yellow □Orange

# **STEP 5** Choose HIP Reflective Color

**Tube Delineators** 

Side 1: □White □Yellow

Side 2: □NONE □White □Yellow

**Tubular Markers** 2 Bands: □White

□Yellow

### In accordance with MUTCD **Tubular Markers versus Tube Delineators**

**Delineator**: a retroreflective device mounted on the roadway surface or at the side of the roadway in a series to indicate the alignment of the roadway, especially at night or in adverse weather.

Tubular Markers may be effectively used for emphasis of pavement marking patterns including • opposing lane dividers of traffic • dividing traffic when two or more lanes are kept open in the same direction • channelizing traffic in exit only applications • urban turn restrictions • indicating changes of alignment in the roadway • delineating edge of pavement drop off where space limitations do not allow the use of larger systems.

- Shall be made of a material that can be struck without causing vehicle damage.
- Day and low speed roadways (40 MPH or less). Requirements: 18" minimum height with at least (1) one 3" retro-reflective stripe.
- Night and high speed roadways (45 MPH or higher) Requirements: 28" minimum height with (2) two retro-reflective stripes that are between 2" - 3" wide.
- Channelizer Stripes shall begin 2" from the top and have 2" - 6" between stripes
- Marker Tube Diameter shall be a minimum of 2" with 2" - 3" outside diameters being the most common.
- Tubular Markers shall have permanently affixed bases or have weighted portable bases.
- Lane separators shall be crashworthy.
- In TTC work zones, Tubular Markers should only be used where space restrictions do not allow more visible devices.

### Helpful Hint:

- White Reflective Sheeting separates same direction traffic flow or supplements right edge white lines.
- Yellow Reflective Sheeting separates opposite direction traffic flow or supplements left edge yellow lines.



# **Tubular Markers & Tube Delineators**



Patented reactive spring system allows markers to withstand multiple impacts. The premium level of durability translates into an extended life cycle, decreased product maintenance costs, and reduced labor/personnel service demands.

# IMPACT recovery





### **PART 1: Easy Order Checklist - Premium Tops**

Follow the steps below to **build your own multi-purpose premium tubular marker or tube delineator** to suit your specific needs.

# STEP 1 Choose a Tube Style

- ☐ **Tubular Marker** 2.375" OD tube for use as a channelizing device. Short squeezed top keeps out weather and debris. Comes with 2 bands of HIP reflective stripes.
- ☐ **Tube Delineator** 2.375" OD tube is flattened into a long squeezed top for use as a delineator. Comes with 1 or 2, 3" x 12" HIP reflective decals.

NOTE: The 2.375" Multi-Purpose Post is most commonly used with 3" and 4" Tuff Post also available.

# STEP 2 Choose a Height

**Height:** □36" □48"

# STEP 3 Choose a Tube Color

**Body Color:** □White □ Yellow □Orange

# STEP 4 Choose a Reflective Color

### **Tube Delineators Tubular Markers**

 Side 1: □White □Yellow □Orange
 2 Bands: □White □Yellow

 Side 2: □NONE □White □Yellow □Orange
 □Orange

# **STEP 5** Choose a Mounting Style

**Mounting Style:** □ Fixed □ Quick Release □ Drivable





Features Impact Recovery System's exclusive patented, anti-twist reactive spring system.

### **PART 2: Easy Order Checklist - Mounting Bases**







Quick Release Base

### Bases & Accessories for Quick Release Mounting Style

- ☐ Quick Release Base Surface Mount
  Body Color: ☐ Black ☐ Yellow ☐ White
- ☐ Portable One Base 100% Recycled Rubber
- Anchor Kit includes 4 lag screws (installs 1 base)
   See Marker Adhesives on page 105 for alternate anchor systems.
- ☐ Quick Release Replacement Pin
- ☐ Quick Release Lane Separator 40" long

Curb Style: ☐ Tuff Curb ☐ Tuff Curb XLP

**Body Color**: □ White □ Yellow

**Reflectors**: □ 2-Way Red/White □ 1 Way White

☐ 2-Way White/White ☐ 2-Way Yellow/Yellow

□ Lane Separator Tuff Curb End Cap - 18" long
Body Color: □ White □ Yellow

### **Bases & Accessories for Fixed Mounting Style**

- ☐ **Fixed Base** Surface Mount **Body Color:** ☐ Black ☐ Yellow ☐ White
- Anchor Kit includes 4 lag screws (installs 1 base)
   See Marker Adhesives on page 105 for alternate anchor systems.
- ☐ Fixed Lane Separator 40" long

Curb Style: □Tuff Curb □Tuff Curb XLP

**Body Color**: □ White □ Yellow

**Reflectors**: □ 2-Way Red/White □ 1 Way White

□ 2-Way White/White □ 2-Way Yellow/Yellow

□ Lane Separator Tuff Curb End Cap - 18" long Body Color: □ Yellow □ White

### **Bases for Drivable Mounting Style**

☐ **Drivable Base** - Ground Mount

### **Custom Products Corporation**

P.O. Box 54091 Jackson, MS 39288-4091 www.cpcsigns.com



PRST STD U.S. Postage PAID Custom Products Corporation

PM01-CAT17







### Mail:

P.O. Box 54091 Jackson, MS 39288-4091

# **Shipping:**

1120 Flowood Dr. Jackson, MS 39232

**EMAIL** sales@cpcsigns.com




find us on social media













Sales:

1-800-367-1492 (Voice)

1-601-932-5854 (Voice)

1-800-206-3444 (Fax)

1-601-932-7178 (Fax)

**WEBSITE** www.cpcsigns.com