


1-800-367-1492 · www.cpcsigns.com

**Overhead and Pole Sign Mounting Products** 







Sign Length	Number of Brackets	Inset Distance from Edge of Sign	
up to 42"	1	centered	
42″- 66″	2	3″	
67" - 84"	2	6"	
85" - 102"	2	12"	
103" - 120"	2	16"	
over 120"	3	centered & 16"	

# Allows Sign to Swing Freely in the Wind.



# **HEAVY-DUTY**

**RPBOHCPCSWING** 

- Heavy-duty, 4 and 8 gauge steel
- ♦ 3-way adjustable
- Net weight 4.8 lbs.
- Mounts on cables up to 3/8"
- Pre-assembled for quick hassle free installation





LIGHT-DUTY

RPBOHGR80

- Made from plated steel and aluminum
- 3-Way adjustable (rather than swivels, etc)
- Mounts on cables up to 3/8"
- Pre-assembled for quick hassle free installation
- Made from cast aluminum
- Recommended for Traffic Signs ONLY up to 24" x 30"
- Mounts on cables up to 3/8"
- Unassembled

IN STOCK • May Be ORDERED Individually or in a Box of 10




VOICE: 1-800-367-1492 • FAX: 1-800-206-3444 sales@cpcsigns.com • www.cpcsigns.com



# Hillside Dr →

# Overhead Mast Arm "Mast-o-Brackets"



KIT ITEM #	Fits Signs Sizes	Main Cable Mount Assembly KIT QUANTITY	50" Cable Assemblies KIT QTY	1.5" diameter Schedule 40 Pipe LENGTH	16" long Sign Mounting Clamps KIT QUANTITY
RPBOHMWCM30036	up to 36"	1	2	24″ long	2
RPBOHMWCM30048	36"-48"	1	2	32″ long	2
RPBOHMWCM30066	49" - 66"	1	2	40″ long	2
RPBOHMWCM30084	67" - 84"	1	2	60″ long	4
RPBOHMWCM30096	85" - 96"	1	2	72″ long	4
RPBOHMWCM30120	97" - 120"	1	2	84" long	4

#### Main Cable Mount Assembly

RPBOHMWCMZ8214 - The main assembly is the bracket at the center of the Mast-O-Bracket system.

#### **Cable Assembly**

RPBOHMWCMZ8213 - (2 required per mount) Length: 50" including threaded connector, 1.5" long 3/8"-16 TPI and 1.375" long 5/16" HEX. Nylon locking nut with washer provided. Free end of cable welded to prevent fraying.

#### **Sign Mounting Clamp**

The number of sign mount clamps are determined by the length of sign and should be spaced accordingly. Refer to chart (shown at left).

RPBOHMWCMZ8300 - 8" Sign Mounting Clamp for using 12" signs with the Mast-o-Bracket.

RPBOHMWCMZ8301- 16" Sign Mounting Clamp for using 18" or larger signs with the Mast-o-Bracket.


#### Schedule 40 Pipe (1.5" Diameter - No Slot)

RPBOHMWCMZP24 - 24" long pipe for up to 36" sign RPBOHMWCMZP36 - 36" long pipe for 37"- 48" sign

RPBOHMWCMZP40 - 40" long pipe for 49" - 66" sign

**RPBOHMWCMZP60** - 60" long pipe for 67" - 84" sign RPBOHMWCMZP72 - 72" long pipe for 85" - 96" sign

RPBOHMWCMZP84 - 84" long pipe for up to 97" - 120" sign



**Attachment to Mast Arm Options:** Use Stainless Steel Cables with Hardware provided in kits. Other cable lengths available. All kits come unassembled. Call for quote.



# **Overhead Mast Arm Brackets**


# **MEDIUM-DUTY**

**RPBOHCOM88** 

Medium-Duty, made from plated steel and aluminum

- Use stainless steel strapping for mounting (sold separately)
- Pre-assembled for quick hassle free installation
- May be ordered individually or in a box of 10







**Snap Lock Assembly** 








JACKSON, MISSISSIPPI

VOICE: 1-800-367-1492 • FAX: 1-800-206-3444 sales@cpcsigns.com • www.cpcsigns.com

# **Brackets for Signal or Utility Pole Mounting**





RPBCT4 4.5" x 2.5' Flat Blades (50/Box)



RPBCTBW12 - 12" (50/Box) (Requires single strap) RPBCTBW18 - 18" (50/Box) RPBCTBW24 - 24" (25/Box) Sign attaches with 5/16" bolts. Hardware NOT Included.



Allen Wrench Tool For Set Screws and RHBHP76 (100/Box)

RHBSSK56 Stainless Steel Set Screw



RHSSHN8 5/16" Stainless Steel

RHSSHB516 5/16"x18x3/4" Stainless Steel



# **Stainless Steel Strapping Kits & Tools**

### **Snap Lock Assembly**



Screw type hose clamp style for sign mounting. Needs only a screwdriver to tighten.

1/2" X 38" strap length to fit post diameters from 1 3/4" to 12 1/4".



RHSSBC Cantilever Sign Bracket

**CHOOSE** Stainless Steel Brackets\* and ADD **Nuts & Bolts** to attach signs.

\*2 brackets needed to mount 1 sign to a post.



RHSSBPLUS4 Plus 4 Sign Bracket For Posts Over 4" in Diameter



RHSSHB516 5/16"x18x3/4" Stainless Steel Bolt (Just the right length to fit the threaded PLUS 4 or Minus 4 Bracket)



RHSSBMINUS4 Minus 4 Sign Bracket For Posts 4" in Diameter or Less



**RHSSHN8** 5/16" Stainless Steel Nut (Only required for cantilever)

#### **Buckle Bracket Kit**

#### RHSBB7

Each kit contains everything needed, including hardware, to mount (1) one sign to a post that is 4" - 12" in diameter.





## **Build Your Own Kit**



RHSSBPLUS4 Plus 4 Sign Bracket For Posts Over 4" in Diameter



RHSSBMINUS4 Minus 4 Sign Bracket For Posts 4" in Diameter or Less



RHSSBC Cantilever Sign Bracket



RHSS3420 3/4"x.020"x200' RHSS3425 3/4"x.025"x100' RHSS3430 3/4"x.030"x100'



**RHSSHN8** 5/16" Stainless Steel Nut (Only required for cantilever backet)



RHSSHB516 5/16"x18x3/4" Stainless Steel Bolt

RHSSHWS06

Wing Seal for .025" or

thinner strapping







sheeting with Nylon Washers to help maintain the manufacturer warranty.

RHW516NYLON 5/16" Nylon Washer





JACKSON, MISSISSIPPI

VOICE: 1-800-367-1492 • FAX: 1-800-206-3444 sales@cpcsigns.com • www.cpcsigns.com